

SAFETY DATA SHEET

AUDIBLE 90

SDS DATE: 08/24/2019

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AUDIBLE 90

DISTRIBUTOR: Exacto Inc.
ADDRESS: 200 Old Factory Road, Sharon WI 53585
PHONE: 262-456-5200

EMERGENCY CHEMTREC PHONE: US & CANADA: 1-800-424-9300

CHEMICAL NAME: Proprietary blend

CHEMICAL FAMILY: Surfactant blend

CHEMICAL FORMULA: Mixture

PRODUCT USE: Agricultural surfactant

SECTION 1 NOTES: None

SECTION 2: HAZARDS

GHS Ratings:

Toxicity Categories: NONE

Signal Word: NONE

Hazard Symbol: NONE

GHS HAZARDS

NONE classified

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200:

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard (29CFR 1910.1200)

Precautions

P102 Keep out of reach of children.

P103 Read label before use.

P233 Keep container tightly closed.

P234 Keep only in original container.

P261 Avoid breathing spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P281 Use personal protective equipment as required.

P301+312 IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do then continue rinsing cautiously.

SECTION 3: INFORMATION ON COMPONENTS

INGREDIENT

CAS NO.

% WT

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200: This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard (29CFR 1910.1200)

NOTE: Product does NOT contain any pesticides or pest control agents.

SECTION 3 NOTES: These specific chemical identities and or exact percentage (concentration) of composition have been withheld as a trade secret.

CARCINOGENICITY

OSHA: No **ACGIH:** No **NTP:** No **IARC:** No **OTHER:** No

Not listed by ACGIH, IARC, NIOSH, NTP or OSHA. Because exposure potential is a critical element in the expression of a potential health hazard, this product, if handled in accordance with good industrial hygiene practice, will not present an actual hazard in the workplace

SAFETY DATA SHEET

AUDIBLE 90

SDS DATE: 08/24/2019

SECTION 4: FIRST AID MEASURES

Have the product container with you IF calling a poison control center or doctor, or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present, after the first 5 minutes, then continue cautiously rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash skin with plenty of soap water for several minutes.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

SECTION 4 NOTES: None

SECTION 5: FIRE FIGHTING MEASURES

NFPA HAZARD CLASSIFICATION

HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0 OTHER: -

IN CASE OF FIRE: Use carbon dioxide or dry chemical for small fires and water fog or foam (alcohol, polymer, or ordinary) for large fires. Water stream may spread flames.

SPECIAL FIRE FIGHTING PROCEDURES: Use alcohol-type or universal-type foams on larger fires. Smaller fires should be extinguished with carbon dioxide or dry chemical. Do not use water or foam directly on the fire. Use self-contained breathing apparatus with fighting any fire in an enclosed area.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Do not use water or foam directly on the fire.

HAZARDOUS DECOMPOSITION PRODUCTS: None

SECTION 5 NOTES: None

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Surround and absorb all spills. Material should be collected and disposed in proper manner. Dike the area to prevent spill from spreading. Soak up spill with a suitable absorbent such as clay, sawdust or kitty litter. Sweep up absorbed material and place in a chemical waste container for disposal. Wear suitable protective equipment.

SECTION 6 NOTES: None

SECTION 7: HANDLING AND STORAGE

HANDLING: Keep out of reach of children. Read label before use. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use personal protective equipment as required.

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. **STORE BETWEEN 40° AND 90° F.**

SECTION 7 NOTES: None

SAFETY DATA SHEET

SDS DATE: 08/24/2019

AUDIBLE 90

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION:	Normal room ventilation (mechanical) or outdoor use should be satisfactory. HMIS=B
RESPIRATORY PROTECTION:	Wear a NIOSH/OSHA approved respirator, approved for use with propionic acid, if necessary.
EYE PROTECTION:	Chemical goggles and face shield.
SKIN PROTECTION:	Impervious gloves, long-sleeved shirts and pants.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	Eye wash and safety shower should be easily accessible.
WORK HYGIENIC PRACTICES:	Wash thoroughly with soap and water after handling product and before eating, drinking, or using tobacco products. Clean affected clothing, shoes, and protective equipment before reuse.
EXPOSURE GUIDELINES:	If exposed, see section 4 for acute exposure first aid.
SECTION 8 NOTES:	None

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Light brown, clear to slightly cloudy	FLAMMABLE LIMITS IN AIR, UPPER: Unknown (% BY VOLUME)	LOWER: Unknown
ODOR:	Mild characteristic	VAPOR PRESSURE (mmHg):	@ Unknown F: Unknown C: Unknown
ORDER THRESHOLD:	Not known	VAPOR DENSITY (AIR = 1):	@ Unknown F: Unknown C: Unknown
PHYSICAL STATE:	Liquid	RELATIVE DENSITY:	1.205 to 1.241
pH AS SUPPLIED:	Not applicable	EVAPORATION RATE:	Unknown
pH (Other):		BASIS (butyl acetate=1):	
INITIAL BOILING POINT:	F: Unknown C: Unknown	SOLUBILITY IN WATER:	Soluble
BOILING POINT RANGE:	F: Unknown C: Unknown	PARTITION COEFFICIENT: (n-octanol/water):	Unknown
MELTING POINT:	F: Unknown C: Unknown	AUTO-IGNITION TEMPERATURE:	Unknown
FREEZING POINT:	F: Unknown C: Unknown	DECOMPOSITION TEMPERATURE:	Unknown
FLASH POINT:	F: >200 C: >93	VISCOSITY:	@ Unknown F: Unknown C: Unknown
METHOD USED:	PMCC		
FLAMMABILITY (solid, gas):	Can burn		

SECTION 9 NOTES: VALUES ARE NOT PRODUCT SPECIFICATIONS.

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

SAFETY DATA SHEET

AUDIBLE 90

SDS DATE: 08/24/2019

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable Unstable

CONDITIONS TO AVOID (STABILITY): Avoid extremely high heat or open flame directly applied.

INCOMPATIBILITY (MATERIAL TO AVOID): Do not use with aluminum equipment at temperatures above 49 °C (120 °F).

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None known except under fire conditions.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): None known

SECTION 10 NOTES: None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

MIXTURE TOXICITY
COMPONENT TOXICITY None

SECTION 11 NOTES: None

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

ECOTOXICITY: Not available

BIOACCUMULATIVE POTENTIAL: Not available

MOBILITY IN SOIL: Not available

OTHER ADVERSE EFFECTS: Not available

SECTION 12 NOTES: None

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations.

CONTAINER DISPOSAL: Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations.

RCRA HAZARD CLASS: None

SECTION 13 NOTES: None

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

DOT Shipping Description: Not Regulated

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60) Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

OTHER AGENCIES: None

SECTION 14 NOTES: None

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

SAFETY DATA SHEET

SDS DATE: 08/24/2019

AUDIBLE 90

TSCA (TOXIC SUBSTANCE CONTROL ACT): All components of this product are listed or excluded from listing on the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

Chemical Name	CAS Number	Range in %	RQ
Residual ethylene oxide (typical)	75-21-8	<0.001	10

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

Section 302/304 Extremely Hazardous Substances

Chemical Name	CAS Number	Range in %	TPQ	RQ
Residual ethylene oxide (typical)	75-21-8	<0.001	Below reportable concentrations	

311/312 HAZARD CATEGORIES:

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Immediate Health Hazard

313 REPORTABLE INGREDIENTS:

This product contains no substances subject to the reporting requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) or 40 CFR Part 372 in concentrations above the de minimis concentration level.

STATE REGULATIONS:

WARNING! This product contains a detectable amount of ethylene oxide, which is known to the State of California to cause cancer and/or reproductive toxicity.

Ethoxylated products may contain residual amounts of ethylene oxide (EO) (< 1 ppm) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047)

INTERNATIONAL REGULATIONS: None

SECTION 15 NOTES: None

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: None

DISCLAIMER:

The recommendation for safe handling and protection procedures is believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is released as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without a license. All data is offered for consideration, investigation and verification purposes only.