according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

AL								
Vers	ion	Revision Date:		S Number:	Date of last issue: 12/06/2023			
0.0		01/02/2024	SC	0063670549	Date of first issue: 12/06/2023			
SEC	TION 1	. IDENTIFICATION						
	Product name		:	ADVION TRIO CO	OCKROACH GEL BAIT			
	Design	code	:	A23170D				
	Produc	t Registration number	:	100-1679				
	Troduct Registration number							
	Manufacturer or supplier's o			ils				
	Company name of supplier			Syngenta Crop Protection, LLC				
	Address		: Post Office Box 18300 Greensboro NC 27419					
				United States of America (USA)				
	Telepho	one		1 800 334 9481				
	Telefax		:	1 336 632 2192				
	Email	addraca		sds.requests@sy	naonta com			
	E-mail address				0			
		mended use of the c			ons on use			
	Recom	mended use	:	Insecticide				
	Restric	tions on use	:	General Use Pest	ticide			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)						
Skin sensitization	:	Category 1				
GHS label elements Hazard pictograms	:					
Signal Word	:	Warning				
Hazard Statements	:	H317 May cause an allergic skin reaction.				
Precautionary Statements	:	Prevention: P261 Avoid breathing dust. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.				

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Version	Revision Date:
0.0	01/02/2024

SDS Number: S00063670549

Date of last issue: 12/06/2023 Date of first issue: 12/06/2023

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
starch	9005-25-8	>= 1 - < 5
indoxacarb	173584-44-6	0.6
pyriproxyfen	95737-68-1	0.1
novaluron	116714-46-6	0.1
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.05 - < 0.1
5-chloro-2-methyl-1,2-thiazol-3-one;	55965-84-9	>= 0.0015 - < 0.1
2-methyl-1,2-thiazol-3-one		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	 Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately.
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
and effects, both acute and delayed	 Nonspecific No symptoms known or expected. May cause an allergic skin reaction. There is no specific antidote available. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Vers 0.0	ion	Revision Date: 01/02/2024	-	0S Number: 0063670549	Date of last issue: 12/06/2023 Date of first issue: 12/06/2023		
	Suitable extinguishing media		:	 Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray 			
	Unsuita media	able extinguishing	:		water stream as it may scatter and spread		
		c hazards during fire	:	As the product co will produce dens products of comb	ntains combustible organic ingredients, fire e black smoke containing hazardous ustion (see section 10). mposition products may be a hazard to		
	Further	information	:	courses.	off from fire fighting to enter drains or water		
		protective equipment fighters	:		iners exposed to fire with water spray. e clothing and self-contained breathing		
SEC	TION 6	. ACCIDENTAL RELE	ASI	EMEASURES			
	tive equ	al precautions, protec- uipment and emer- procedures	:	Refer to protective Avoid dust format	e measures listed in sections 7 and 8. ion.		
	Enviror	nmental precautions	:		surface water or sanitary sewer system. taminates rivers and lakes or drains inform ties.		
		ls and materials for ment and cleaning up	:	cleaner or by wet-	bick up with an electrically protected vacuum brushing and transfer to a container for g to local regulations (see section 13).		

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
Conditions for safe storage	 No special storage conditions required. Keep containers tightly closed in a dry, cool and well- ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

air.

Do not create a powder cloud by using a brush or compressed

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Version 0.0 Revision Date: 01/02/2024

SDS Number: S00063670549

Date of last issue: 12/06/2023 Date of first issue: 12/06/2023

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
starch	9005-25-8	TWA	10 mg/m3	ACGIH	
		TWA (Res-	5 mg/m3	NIOSH REL	
		pirable)	10		
		TWA (total)	10 mg/m3	NIOSH REL	
		TWA (total	15 mg/m3	OSHA Z-1	
		dust) TWA (respir-	5 mg/m3	OSHA Z-1	
		able fraction)	5 mg/ms	USHA 2-1	
		TWA (Total	15 mg/m3	OSHA P0	
		dust)	15 mg/m5	USHATU	
		TWA (respir-	5 mg/m3	OSHA P0	
		able dust	o mg/mo	001///10	
		fraction)			
indoxacarb	173584-44-6	TWA	1 mg/m3	Supplier	
			(Respirable dust)		
Personal protective equipment	PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL. Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.				
Respiratory protection :	No personal r	espiratory protec	ctive equipment norm	ally	
	required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators				
limit they must use appropriate certified respirators. Hand protection					
Remarks :	Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break				

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Eye protection:No special protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Protective measures:The use of technical measures should always have priority over the use of personal protective equipment.	Version 0.0	Revision Date: 01/02/2024	SDS Number: S00063670549	Date of last issue: 12/06/2023 Date of first issue: 12/06/2023
When selecting personal protective equipment, seek appropriate professional advice.	Eye p Skin	protection and body protection	through time de material, the th has to be meas discarded and degradation or No special prot Choose body p concentration a the specific wo Remove and w Wear as approp Dust imperviou The use of tech over the use of When selecting	epends amongst other things from the ickness and the type of glove and therefore sured for each case. Gloves should be replaced if there is any indication of chemical breakthrough. ective equipment required. rotection in relation to its type, to the and amount of dangerous substances, and to rk-place. ash contaminated clothing before re-use. oriate: s protective suit mical measures should always have priority personal protective equipment. personal protective equipment, seek

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	gel
Color	:	brownish
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	5.22 Concentration: 1 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Seta closed cup, Equilibrium method does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.124 g/cm3 (68 °F / 20 °C)

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Vers 0.0	ion	Revision Date: 01/02/2024		S Number: 0063670549	Date of last issue: Date of first issue:	
		er solubility	:	No data available		
	Solubility in other solvents Partition coefficient: n-		:	No data available No data available		
		tanol/water utoignition temperature		864 °F / 462 °C		
	Decom	position temperature	:	No data available	9	
	Viscosi Visc	ty cosity, kinematic	:	No data available)	
	Explosi	ve properties	:	Not explosive		
	Oxidizir	ng properties	:	The substance of	r mixture is not clas	sified as oxidizing.
	Particle	size	:	No data available	9	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability		None reasonably foreseeable. Stable under normal conditions.
Possibility of hazardous reac-		No dangerous reaction known under conditions of normal use.
tions		
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition	:	No hazardous decomposition products are known.
products		

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

Components:

indoxacarb:

Acute oral toxicity : LD50 (Rat): 268 mg/kg

according to the OSHA Hazard Communication Standard



rsion)	Revision Date: 01/02/2024	-	S Number: 0063670549	Date of last issue: 12/06/2023 Date of first issue: 12/06/2023
Acute i	nhalation toxicity	:	LC50 (Rat): > 5 Exposure time: Test atmospher Assessment: Th tion toxicity	4 h
Acute o	dermal toxicity	:	LD50 (Rat): > 5 Assessment: Th toxicity	,000 mg/kg ne substance or mixture has no acute derm
pyripro	oxyfen:			
	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Acute i	nhalation toxicity	:	tion toxicity	4 h
Acute o	dermal toxicity	:	LD50 (Rat): > 2 Assessment: Th toxicity	,000 mg/kg ne substance or mixture has no acute derm
novalu	iron:			
Acute of	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Acute i	nhalation toxicity	:	LC50 (Rat): > 5 Exposure time: Test atmospher Assessment: Th tion toxicity	4 h
Acute o	dermal toxicity	:	LD50 (Rat): > 2 Assessment: Th toxicity	,000 mg/kg ne substance or mixture has no acute derm
1,2-bei	nzisothiazol-3(2H)-o	one:		
	oral toxicity	:	LD50 (Rat, male	e): 670 mg/kg
Acute o	dermal toxicity	:		e and female): > 2,000 mg/kg ne substance or mixture has no acute derm
5-chlo	ro-2-methyl-1,2-thia	azol-3-	one; 2-methyl-1	,2-thiazol-3-one:
	oral toxicity	:	· · · ·	ne component/mixture is toxic after single in
Acute i	nhalation toxicity	:	Assessment: Th term inhalation.	ne component/mixture is highly toxic after s
Aquita	dermal toxicity		Assassment: Th	ne component/mixture is highly toxic after s

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT Version Revision Date: SDS Number: Date of last issue: 12/06/2023 0.0 01/02/2024 S00063670549 Date of first issue: 12/06/2023 gle contact with skin. Skin corrosion/irritation Not classified due to lack of data. Components: indoxacarb: Result No skin irritation : pyriproxyfen: Species 2 Rabbit No skin irritation Result novaluron: Species Rabbit 2 Assessment No skin irritation 1 1,2-benzisothiazol-3(2H)-one: Species Rabbit ÷ Result Mild skin irritation 2 5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one: Result : Corrosive after 1 to 4 hours of exposure Serious eye damage/eye irritation Not classified due to lack of data. **Components:** indoxacarb: Result No eye irritation 5 pyriproxyfen: Species : Rabbit Result No eye irritation : novaluron: Species Rabbit 2 Assessment No eye irritation 2 1,2-benzisothiazol-3(2H)-one: Species Rabbit 2 Result Risk of serious damage to eyes. 2

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT Version Revision Date: SDS Number: Date of last issue: 12/06/2023 01/02/2024 S00063670549 Date of first issue: 12/06/2023 0.0 Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. **Respiratory sensitization** Not classified due to lack of data. Components: indoxacarb: Result May cause sensitization by skin contact. • pyriproxyfen: Species Guinea pig 2 Result Not a skin sensitizer. novaluron: Species 2 Guinea pig Result Not a skin sensitizer. 1,2-benzisothiazol-3(2H)-one: Result Probability or evidence of skin sensitization in humans ÷ 5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one: Result The product is a skin sensitizer, sub-category 1A. : Germ cell mutagenicity Not classified due to lack of data. **Components:** indoxacarb: Germ cell mutagenicity -: Animal testing did not show any mutagenic effects. Assessment pyriproxyfen: Germ cell mutagenicity -In vitro tests did not show mutagenic effects : Assessment novaluron: Weight of evidence does not support classification as a germ Germ cell mutagenicity -2 Assessment cell mutagen. 1,2-benzisothiazol-3(2H)-one: Germ cell mutagenicity -Weight of evidence does not support classification as a germ 1 Assessment cell mutagen. Carcinogenicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

sion	Revision Date: 01/02/2024		S Number: 0063670549	Date of last issue: 12/06/2023 Date of first issue: 12/06/2023
Com	oonents:			
indox	acarb:			
		:	No evidence of c	arcinogenicity in animal studies.
	roxyfen: nogenicity - Assess-	:	No evidence of o	arcinogenicity in animal studies.
	luron: nogenicity - Assess-	:	No evidence of c	arcinogenicity in animal studies.
-	oductive toxicity assified due to lack of a	data.		
Com	oonents:			
	a carb: oductive toxicity - As- nent	:	No toxicity to rep	roduction
	roxyfen: oductive toxicity - As- nent	:	No toxicity to rep	roduction
	l uron: oductive toxicity - As- nent	:	No toxicity to rep	roduction
	-single exposure assified due to lack of a	data.		
<u>Com</u>	oonents:			
Targe	a carb: et Organs ssment	:		system r mixture is classified as specific target org xposure, category 2.
	-repeated exposure assified due to lack of	data.		
<u>Com</u>	oonents:			
Targe	a carb: et Organs ssment	:		system r mixture is classified as specific target org d exposure, category 2.

Aspiration toxicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Version	R
0.0	0

Revision Date: 01/02/2024 SDS Number: S00063670549

Date of last issue: 12/06/2023 Date of first issue: 12/06/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

indoxacarb:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.6 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Lemna gibba (gibbous duckweed)): > 84.3 mg/l Exposure time: 14 d
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l Exposure time: 90 d
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.09 mg/l Exposure time: 21 d
pyriproxyfen:		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 0.27 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.150 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.004 mg/l Exposure time: 95 d
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.000015 mg/l Exposure time: 21 d
novaluron:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 0.744 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.000279 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 9.68 mg/l Exposure time: 72 h

1,2-benzisothiazol-3(2H)-one:

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Versior 0.0	n Revision Date: 01/02/2024		0S Number: 0063670549	Date of last issue: 12/06/2023 Date of first issue: 12/06/2023
Тс	Toxicity to fish		LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 2.18 mg/l እ h
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 2.94 mg/l 3 h
	xicity to algae/aquatic ants	:	ErC50 (Raphidoc 0.15 mg/l Exposure time: 72	elis subcapitata (freshwater green alga)): 2 h
			EC10 (Raphidoce 0.04 mg/l End point: Growth Exposure time: 72	
Tc ici	exicity to fish (Chronic tox- ty)	:	NOEC (Oncorhyn Exposure time: 28	chus mykiss (rainbow trout)): 0.3 mg/l 3 d
aq	xicity to daphnia and other uatic invertebrates (Chron- toxicity)		NOEC (Daphnia): Exposure time: 27	
5-	chloro-2-methyl-1,2-thiaz	ol-3.	one: 2-methyl-1 2	-thiazol-3-one:
	xicity to fish	:		hus mykiss (rainbow trout)): 0.22 mg/l
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia): Exposure time: 48	
	xicity to algae/aquatic ants	:	ErC50 (Raphidoc 0.048 mg/l Exposure time: 72	elis subcapitata (freshwater green alga)): 2 h
			NOEC (Raphidoc 0.0012 mg/l End point: Growth Exposure time: 72	
			ErC50 (Skeletone Exposure time: 48	ma costatum (marine diatom)): 0.0052 mg/l 3 h
			NOEC (Skeletone End point: Growth Exposure time: 48	
Tc ici	exicity to fish (Chronic tox-	:	NOEC (Oncorhyn Exposure time: 28	chus mykiss (rainbow trout)): 0.098 mg/l 3 d
aq	xicity to daphnia and other uatic invertebrates (Chron- toxicity)		NOEC (Daphnia): Exposure time: 2 ⁴	

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT Version Revision Date: SDS Number: Date of last issue: 12/06/2023 01/02/2024 S00063670549 Date of first issue: 12/06/2023 0.0 Persistence and degradability **Components:** indoxacarb: Biodegradability Result: Not readily biodegradable. : pyriproxyfen: Stability in water Remarks: The substance is stable in water. 1,2-benzisothiazol-3(2H)-one: Biodegradability Result: rapidly degradable • 5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one: Biodegradability : Result: Readily biodegradable. **Bioaccumulative potential Components:** indoxacarb: Species: Lepomis macrochirus (Bluegill sunfish) **Bioaccumulation** : Bioconcentration factor (BCF): 950.3 Exposure time: 21 d pyriproxyfen: Remarks: Bioaccumulates Bioaccumulation 5 Partition coefficient: nlog Pow: 5.37 (77 °F / 25 °C) : octanol/water pH: 5.6 novaluron: **Bioaccumulation** Remarks: Does not accumulate in organisms. : 1,2-benzisothiazol-3(2H)-one: Bioaccumulation : Remarks: Bioaccumulation is unlikely. Mobility in soil Components: indoxacarb: Remarks: No data available Distribution among environ-: mental compartments pyriproxyfen: Distribution among environ-: Remarks: immobile mental compartments Stability in soil ÷ Dissipation time: 10 d Percentage dissipation: 50% (DT50)

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT Version Revision Date: SDS Number: Date of last issue: 12/06/2023 0.0 01/02/2024 S00063670549 Date of first issue: 12/06/2023 Remarks: Product is not persistent. novaluron: Distribution among environ-Remarks: immobile : mental compartments Other adverse effects Components: pyriproxyfen: Results of PBT and vPvB This substance is not considered to be persistent, bioaccumu-2 lating and toxic (PBT). This substance is not considered to be assessment very persistent and very bioaccumulating (vPvB). 1,2-benzisothiazol-3(2H)-one: Results of PBT and vPvB This substance is not considered to be persistent, bioaccumu-÷ lating and toxic (PBT). This substance is not considered to be assessment very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	:	This product will not be classified as a RCRA characteristic hazardous waste when discarded. Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PYRIPROXYFEN, NOVALURON)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT Version Revision Date: SDS Number: Date of last issue: 12/06/2023 01/02/2024 S00063670549 Date of first issue: 12/06/2023 0.0 single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids. **IATA-DGR** UN/ID No. UN 3077 1 Proper shipping name Environmentally hazardous substance, solid, n.o.s. ÷ (PYRIPROXYFEN, NOVALURON) Class 9 Packing group Ш Miscellaneous Labels Packing instruction (cargo 956 aircraft) Packing instruction (passen-1 956 ger aircraft) Environmentally hazardous yes Remarks This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids. IMDG-Code **UN** number UN 3077 : Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, 2 N.O.S. (PYRIPROXYFEN, NOVALURON) Class ÷ 9 Ш Packing group 2 Labels 1 9 EmS Code : F-A, S-F yes Marine pollutant 1 This product can be subject to exemptions when packaged in Remarks single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good Remarks : S

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classi-

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Version	Revision Date:
0.0	01/02/2024

SDS Number: S00063670549

Date of last issue: 12/06/2023 Date of first issue: 12/06/2023

fication criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity


This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: R	espiratory or skin sensitization
SARA 313	kr	his material does not contain any chemical components with nown CAS numbers that exceed the threshold (De Minimis) eporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA PO	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

according to the OSHA Hazard Communication Standard



ADVION TRIO COCKROACH GEL BAIT

Version	Revision Date: 01/02/2024	SDS Number:	Date of last issue: 12/06/2023		
0.0		S00063670549	Date of first issue: 12/06/2023		
ACGIH / TWA		 8-hour, time-weighted average Time-weighted average concentration for up to a 10-hour			
NIOSH REL / TWA		workday during a 40-hour workweek			
OSHA P0 / TWA OSHA Z-1 / TWA		: 8-hour time we	8-hour time weighted average 8-hour time weighted average		

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 01/02/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8