

Revision date: 2015/05/06 Page: 1/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

ALPINE TOTAL RELEASE AEROSOL INSECTICIDE

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd.

St. Louis, MO 63122

Other means of identification

Substance number: 572737 EPA Register number: 499-560

Synonyms: Pyrethrins + Piperonylbutoxide + Dinotefuran

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Flam. Liq. 1 Flammable liquids Skin Corr./Irrit. 2 Skin corrosion/irritation

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date : 2015/05/06 Page: 2/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

STOT SE 3 (Vapours may cause Specific target organ toxicity — single exposure

drowsiness and

dizziness.)

Aquatic Acute 2 Hazardous to the aquatic environment - acute Aquatic Chronic 2 Hazardous to the aquatic environment - chronic

Flam. Aerosol 1 Flammable aerosols

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H222 Extremely flammable aerosol.

H224 Extremely flammable liquid and vapour.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye/face protection.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P251 Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P242 Use only non-sparking tools.

P240 Ground/bond container and receiving equipment.

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P370 + P378 In case of fire: Use... to extinguish.

P391 Collect spillage.

P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.

P362 + P364 Take off contaminated clothing and wash before reuse.

Precautionary Statements (Storage):

Revision date: 2015/05/06 Page: 3/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

P403 + P235 Store in a well-ventilated place. Keep cool.

P233 Keep container tightly closed.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Moderately irritating to the eyes.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Flammable Liquid

Aerosol container contains flammable gas under pressure.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
115-10-6	44.95 %	dimethyl ether
67-64-1	26.3 %	Acetone
51-03-6	4.0 %	Piperonylbutoxide
8003-34-7	0.5 %	Pyrethrins
64742-47-8	0.1 - 1.0 %	Distillates (petroleum), hydrotreated light

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
8003-34-7	0.5 %	pyrethrum
51-03-6	4.0 %	Piperonylbutoxide
165252-70-0	0.2 %	1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-
		furanyl)methyl]-
115-10-6		dimethyl ether
67-64-1		Acetone
	> 90.0 %	Proprietary ingredients

Revision date: 2015/05/06 Page: 4/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: carbon dioxide, dry powder, foam, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide,

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

Revision date: 2015/05/06 Page: 5/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Revision date: 2015/05/06 Page: 6/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Acetone OSHA PEL PEL 1,000 ppm 2,400 mg/m3 ; STEL value

1,000 ppm 2,400 mg/m3 ; TWA value 750 ppm

1,800 mg/m3;

ACGIH TLV TWA value 500 ppm; STEL value 750 ppm;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eve protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: aerosol Odour: of acetone

Odour threshold:

Not determined due to potential health hazard by inhalation.

Revision date: 2015/05/06 Page: 7/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

Colour: yellow

pH value: approx. 4.0 - 6.0 (1 %(m), 22.3 °C) (pH Meter) Melting point: approx. -141 °C Information applies to the propellant. Boiling point: approx. -25 °C (1,013 hPa) Information applies to the

Information applies to the propellant.

Flash point: approx. -42 °C

Flammability: Extremely

flammable.

Flammability of Aerosol

Products:

> 18 in no flashback

NFPA 30B flammability:

Level 2 Aerosol

Flammability of Aerosol > 45.72 cm Products: no flashback

Autoignition: approx. 235 °C Information applies to the propellant. Vapour pressure: approx. 5100 (20 °C) Information based on the main components.

hPa

approx. 0.93 Density:

g/cm3

7.7963 Lb/USg (20 °C)

Vapour density: not applicable Partitioning coefficient nnot applicable

octanol/water (log Pow):

Self-ignition not self-igniting

temperature:

Thermal decomposition: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To

avoid thermal decomposition, do not overheat.

(20°C)

Viscosity, dynamic: 3.87 mPa.s (18.3 °C) (ASTM D 2983)

Solubility in water: dispersible Evaporation rate: not applicable

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage, Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

Revision date: 2015/05/06 Page: 8/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term inhalation. Relatively nontoxic after short-term skin contact.

<u>Oral</u>

Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg

Inhalation

Type of value: LC50
Species: rat (male/female)
Value: > 2.07 mg/l
Exposure time: 4 h

Dermal

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

Irritation / corrosion

Assessment of irritating effects: May cause moderate but temporary irritation to the eyes. May cause slight irritation to the skin.

<u>Skin</u>

Species: rabbit

Result: Slightly irritating.

<u>Eye</u>

Species: rabbit

Result: Slightly irritating.

Sensitization

Revision date: 2015/05/06 Page: 9/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Chronic Toxicity/Effects

Repeated dose toxicity

Information on: Acetone

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

.....

Information on: Dinotefuran

Experimental/calculated data: rat (male) day

NOAEL: 100 mg/kg rat (female) day NOAEL: 127 mg/kg dog (male) day NOAEL: 559 mg/kg dog (female) day NOAEL: 22 mg/kg

Genetic toxicity

Information on: pyrethrum

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components. No mutagenic effects reported.

Information on: piperonyl butoxide

Assessment of mutagenicity: No data was available concerning mutagenic activity.

Carcinogenicity

Information on: pyrethrum

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Not Likely to Be Carcinogenic to Humans.

Information on: Dinotefuran

Assessment of carcinogenicity: No data available concerning carcinogenic effects.

Reproductive toxicity

Information on: pyrethrum

Assessment of reproduction toxicity: No reproductive toxic effects reported.

Revision date: 2015/05/06 Page: 10/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

Information on: Dinotefuran

Assessment of reproduction toxicity: No data available.

Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to

the testes after repeated high exposures that cause other toxic effects.

Teratogenicity

Information on: pyrethrum

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen

in animal studies.

Information on: Dinotefuran

Assessment of teratogenicity: No data available.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Toxicity to fish

Information on: pyrethrum

LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static)

LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: piperonyl butoxide

LC50 (96 h) 5.37 mg/l, Lepomis macrochirus

Information on: Dinotefuran

LC50 (96 h) > 100 ppm, Oncorhynchus mykiss

Aquatic invertebrates

Information on: pyrethrum

EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: piperonyl butoxide LC50 (48 h) 0.51 mg/l, Daphnia magna

Information on: Dinotefuran

EC50 (48 h) >1000 ppm, Daphnia magna

0,79 ppm, Mysidopsis bahia

Aquatic plants

Revision date: 2015/05/06 Page: 11/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

Information on: pyrethrum

No toxic effects occur within the range of solubility.

Information on: piperonyl butoxide EC50 14.9 mg/l, Chlorella fusca

Information on: Dinotefuran

EC50 (72 h) > 100 mg/l, Pseudokirchneriella subcapitata

EC50 >110 ppm, Lemna gibba

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS (contains DIMETHYLETHER)

Sea transport

IMDG

Hazard class:

ID number:

Hazard label:

Marine pollutant:

UN 1950

2.1

NO

Proper shipping name: AEROSOLS (contains DIMETHYLETHER)

Air transport

Revision date : 2015/05/06 Page: 12/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE (contains DIMETHYLETHER)

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / listed

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Acute; Chronic

EPCRA 313:

<u>CAS Number</u> <u>Chemical name</u> 51-03-6 Piperonylbutoxide

 CERCLA RQ
 CAS Number
 Chemical name

 5000 LBS
 67-64-1
 Acetone

 100 LBS
 115-10-6
 dimethyl ether

 1 LBS
 8003-34-7
 Pyrethrins

State regulations

State RTK	CAS Number	Chemical name
NJ	51-03-6	Piperonylbutoxide
MA, NJ, PA	115-10-6	dimethyl ether
MA, NJ, PA	67-64-1	Acetone

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

May cause moderate but temporary irritation to the eyes.

Avoid contact with the skin, eyes and clothing.

Revision date: 2015/05/06 Page: 13/13 Version: 3.0 (30599282/SDS_CPA_US/EN)

Wash thoroughly after handling. Flammable Liquid Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/05/06

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**