

BORIC ACID/SODIUM SALTS GROUP: 8D INSECTICIDE

FIRST AID

IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

Have this product container or label with you when calling a poison control center or doctor or when going for treatment. You may also call 1-800-222-1222 for emergency medical treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Resistance Management:

For resistance-management, Eaton's® Answer® Boric Acid Insecticidal Dust contains a Group 8D insecticide. Any insect population may contain individuals naturally resistant to this product and other Group 8D insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same areas. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps: 1) Rotate the use of Eaton's® Answer® Boric Acid Insecticidal Dust or other Group 8D insecticides with different groups that control the same pests. 2) Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, record-keeping, and which considers cultural, biological and other chemical control practices. 3) Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor. 4) Contact your local extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area. 5) For further information or to report suspected resistance, contact J.T. Eaton & Co., Inc. at 1-800-321-3421.

This product may be used in homes, restaurants, and other food and food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

ACTIVE INGREDIENT:
Orthoboric Acid.....99.0%
OTHER INGREDIENTS:.....1.0%
TOTAL.....100.0%



JT EATON™

EATON'S® ANSWER®

BORIC ACID INSECTICIDAL DUST

KILLS ROACHES

**PALMETTO BUGS, ANTS & SILVERFISH
ODORLESS, NON-STAINING, NON-FLAMMABLE**

READY-TO-USE

**FOR USE IN: Homes, Hospitals, Restaurants,
Condominiums, Apartments, Grocery Stores,
Institutional and Commercial Buildings, Schools,
Cafeterias, Warehouses, Storage Areas, Food
Processing Plants, Mobile Homes, Boats,
Military Bases, Theaters,
Camps, Nursing Homes**



KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS

EPA REG. NO. 56-73
EPA EST. NO. 56-OH-1



Directions For Use Continued

FOR HOMEOWNER USE

Use Restrictions: Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs. Do not treat pets with this product. Avoid contamination of ornamental plants. Use of this product for control of bed bugs is prohibited. Applications to carpets are prohibited.

Application Directions: To control **cockroaches, ants** and **silverfish**, carefully transfer product to a puffer bottle, bulb duster or other non-pressurized dust applicator, and apply liberally under and behind refrigerators, stoves, sinks, dishwashers, washing machine and dryer tubs, into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply in drawer wells. Any powder visible after application must be brushed into cracks and crevices or removed. Reapply as necessary.

FOR COMMERCIAL USE—NON-EDIBLE PRODUCT AREAS ONLY

Use Restrictions: **DO NOT APPLY WITH PRESSURIZED APPLICATION METHODS.** Apply only in areas inaccessible to children and pets. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Directions for Applying in New and Existing Construction to Control Cockroaches: When treating large areas such as wall voids, soffit and sub-cabinet voids in new and existing construction, dust liberally using non-pressurized dusting application equipment such as a puffer bottle, bulb duster, hand-held electric dust applicator or other non-pressurized dust applicator.

Directions for Applying in Sewers and Manhole Cavities: Apply this product at a rate not to exceed 12 oz. per 190 sq. ft. using non-pressurized portable blowers, hand-held electric dust applicator or other non-pressurized dust applicator.

Directions for Applying as a Mop Solution to Control Cockroaches: Mixing and Application Directions - Add 1 cup of this product to each gallon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only.

Repeat as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container in a dry, cool, secured area out of reach of children and pets. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

PESTICIDE DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions.

CONTAINER HANDLING: Non-refillable container. **IF EMPTY:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SPILL: In case of spill, sweep up and dispose of material according to "IF PARTLY FILLED" directions listed above.

Mfg. for: J.T. EATON & CO., INC., 1393 East Highland Road, Twinsburg, OH 44087
U.S.A. • www.jteaton.com • Made and Printed in the U.S.A. ©2020
JT EATON™ is a trademark and ANSWER® and EATON'S® are registered trademarks of J.T. EATON & CO., INC.

EPA05312019/INV05152020

FNW36255JTF

NET WEIGHT 25 Lbs. (11.3 kg.) Item #3625