according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

SECTION 1. IDENTIFICATION

Product name : ASCERNITY Design code : A19188B

Product Registration number : 100-1477

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481

Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

Specific target organ toxicity

- single exposure

Category 3 (Respiratory system)

GHS label elements

Hazard pictograms

Signal Word : Warning

Hazard Statements : H227 Combustible liquid.

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

Precautionary Statements

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P261 Avoid breathing mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
propanoic acid, 2-hydroxy-, butyl ester	34451-19-9	>= 30 - < 50
difenoconazole	119446-68-3	7.48
benzovindiflupyr	1072957-71-1	2.24

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

Harmful if swallowed.

Causes serious eye irritation. May cause respiratory irritation.

Notes to physician : There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Flash back possible over considerable distance.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Keep people away from and upwind of spill/leak. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Remove all sources of ignition. Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Use only in an area containing flame proof equipment. Take precautionary measures against static discharges.

For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.
Keep away from combustible material.
Keep in an area equipped with sprinklers.

Keep away from food, drink and animal feedingstuffs.

No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propanoic acid, 2-hydroxy-, butyl ester	34451-19-9	TWA	5 ppm	ACGIH
		TWA	5 ppm 25 mg/m3	NIOSH REL
difenoconazole	119446-68-3	TWA	5 mg/m3	Syngenta
benzovindiflupyr	1072957-71- 1	TWA	1 mg/m3	Syngenta

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

according to the OSHA Hazard Communication Standard



ASCERNITY

Version **Revision Date:** SDS Number: Date of last issue: -

12/10/2024 S00044618415 Date of first issue: 04/18/2016 0.0

> CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Where concentrations are above recommended limits or are Respiratory protection

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Tightly fitting safety goggles Eye protection

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Choose body protection in relation to its type, to the Skin and body protection

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

The use of technical measures should always have priority Protective measures

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : amber

Odor : No data available

Odor Threshold : No data available

pH : 5.0

Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : $176 \, ^{\circ}\text{F} \, / \, 80 \, ^{\circ}\text{C}$

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.054 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 653 °F / 345 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, female): 1,030 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: Based on data from similar materials

Components:

difenoconazole:

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

benzovindiflupyr:

Acute oral toxicity : LD50 (Rat, female): 55 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.56 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Components:

propanoic acid, 2-hydroxy-, butyl ester:

Result : Irritating to skin.

difenoconazole:

Species : Rabbit

Result : No skin irritation

benzovindiflupyr:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials

Components:

propanoic acid, 2-hydroxy-, butyl ester:

Result : Irreversible effects on the eye

according to the OSHA Hazard Communication Standard



ASCERNITY

Revision Date: Version SDS Number: Date of last issue: -

12/10/2024 S00044618415 Date of first issue: 04/18/2016 0.0

difenoconazole:

Species Rabbit

Result Irritation to eyes, reversing within 7 days

benzovindiflupyr:

Species Rabbit

Result No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type **Buehler Test**

Species Rabbit

Result Does not cause skin sensitization. Remarks Based on data from similar materials

Components:

difenoconazole:

Species Guinea pig

Result Does not cause skin sensitization.

benzovindiflupyr:

Test Type mouse lymphoma cells

Species Mouse

Result Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

difenoconazole:

Germ cell mutagenicity -Animal testing did not show any mutagenic effects.

Assessment

benzovindiflupyr:

Germ cell mutagenicity -Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

Components:

difenoconazole:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

benzovindiflupyr:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a carcinogen, This substance has been reported to cause tumors in certain animal species., These is no evidence that these find-

ings are relevant to humans.

Reproductive toxicity

Not classified due to lack of data.

Components:

difenoconazole:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

benzovindiflupyr:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT-single exposure

May cause respiratory irritation.

Components:

propanoic acid, 2-hydroxy-, butyl ester:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

difenoconazole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

benzovindiflupyr:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

difenoconazole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to the OSHA Hazard Communication Standard



ASCERNITY

Version **Revision Date:** SDS Number: Date of last issue: -

S00044618415 Date of first issue: 04/18/2016 0.0 12/10/2024

benzovindiflupyr:

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

propanoic acid, 2-hydroxy-, butyl ester:

Toxicity to fish : LC50 (Fish): 75 mg/l

Exposure time: 96 h

Ecotoxicology Assessment

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity This product has no known ecotoxicological effects.

difenoconazole:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.77 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.15 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.0697 mg/l

End point: Growth rate Exposure time: 72 h

ErC50 (Desmodesmus subspicatus (green algae)): 0.0876

mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 0.015 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

EC10 (Pimephales promelas (fathead minnow)): 0.01298 mg/l

Exposure time: 34 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.0078 mg/l

Exposure time: 21 d

EC10 (Americamysis): 0.00572 mg/l

Exposure time: 28 d

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

benzovindiflupyr:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0091 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0.0035 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 0.056 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

0.89 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.42 mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.55 mg/l

Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.4 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.00095

mg/l

Exposure time: 32 d Test Type: Early-life Stage

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Americamysis): 0.0074 mg/l

Exposure time: 28 d

EC10 (Daphnia magna (Water flea)): 0.012 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

propanoic acid, 2-hydroxy-, butyl ester:

Biodegradability : Result: Readily biodegradable.

difenoconazole:

Biodegradability : Result: Not readily biodegradable.

according to the OSHA Hazard Communication Standard



ASCERNITY

SDS Number: Version **Revision Date:** Date of last issue: -

S00044618415 Date of first issue: 04/18/2016 0.0 12/10/2024

Stability in water Degradation half life: 1 d

Remarks: Product is not persistent.

benzovindiflupyr:

Biodegradability Result: Not readily biodegradable.

Bioaccumulative potential

Components:

difenoconazole:

Bioaccumulation Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.4 (77 °F / 25 °C)

benzovindiflupyr:

Bioaccumulation Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.3 (77 °F / 25 °C)

Mobility in soil

Components:

difenoconazole:

Distribution among environ-

mental compartments

Stability in soil

Dissipation time: 122 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Remarks: Slightly mobile in soils

benzovindiflupyr:

Distribution among environ-

mental compartments

Remarks: Slightly mobile in soils

Other adverse effects

Components:

difenoconazole:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative

(vPvB).

benzovindiflupyr:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative

(vPvB).

according to the OSHA Hazard Communication Standard



ASCERNITY

Version **Revision Date:** SDS Number: Date of last issue: -

S00044618415 Date of first issue: 04/18/2016 0.0 12/10/2024

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

This product will not be classified as a RCRA characteristic

hazardous waste when discarded.

Contaminated packaging Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(BENZOVINDIFLUPYR, DIFENOCONAZOLE)

Class 9 Ш Packing group Labels 9 Environmentally hazardous yes

This product can be subject to exemptions when packaged in Remarks

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(BENZOVINDIFLUPYR, DIFENOCONAZOLE)

9 Class Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

964

964

Environmentally hazardous

yes

This product can be subject to exemptions when packaged in Remarks

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number UN 3082

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BENZOVINDIFLUPYR, DIFENOCONAZOLE)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : NA 1993

Proper shipping name : Combustible liquid, n.o.s.

(PROPANOIC ACID, 2-HYDROXY-, BUTYL ESTER)

Class : CBL
Packing group : III
Labels : NONE
ERG Code : 128
Marine pollutant : no

Remarks : Above applies only to containers over 119 gallons or 450

liters. Not regulated if shipped in packages less than or equal

to 119 gallons (450 liters).

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Causes moderate eye irritation.

Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)


SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
Syngenta : Syngenta Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization;

according to the OSHA Hazard Communication Standard



ASCERNITY

Version Revision Date: SDS Number: Date of last issue: -

0.0 12/10/2024 S00044618415 Date of first issue: 04/18/2016

IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8