



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

November 29, 2019

Jesse Lollis  
Regulatory Consultant  
Agent for Avian Enterprises Limited, LCC  
c/o Pyxis Regulatory Consulting, Inc.  
4110 136<sup>th</sup> St. Ct. NW  
Gig Harbor, WA 98332

Subject: Pesticide Registration Improvement Act (PRIA) Labeling and Formulation  
Amendment – Addition of Alternate CSFs #1 and Revision to Label to Add Physical  
or Chemical Hazards Language  
Product Name: Rejex-it AG-36  
EPA Registration Number: 91897-3  
Application Date: April 19, 2019  
OPP Decision Number: 550284  
PRIA code: B680

Dear Ms. Lollis:

The amended labeling and Confidential Statement of Formula (CSF) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable.

At this time, the U.S. Environmental Protection Agency (EPA) is not requiring a change to the restricted-entry interval (REI) of 0 hour as it appears on your labeling in the Agricultural Use Requirements Box. The EPA is currently developing guidance and criteria for when it will allow a REI of less than 4 hours and might require a change to the REI for this product in the future. This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

Please note that the record for this product currently contains the following acceptable CSFs:

- Basic CSF dated 04/06/2018
- Alternate CSF #1 dated 04/16/2019

Any CSFs other than that listed above are superseded/no longer valid.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this

product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact James Parker by phone at (703) 306-0469 or via email at [Parker.James@epa.gov](mailto:Parker.James@epa.gov).


Sincerely,

A handwritten signature in blue ink that reads "Andrew C. Bryceland". The signature is fluid and cursive.

Andrew Bryceland, Team Leader  
Biochemical Pesticides Branch  
Biopesticides and Pollution  
Prevention Division (7511P)  
Office of Pesticide Programs

Enclosure

[Note to reviewer: [Text] in brackets denotes optional text].



**Rejex-it AG-36**

[MASTER LABEL]

[ABN: Rejex-it Migrate; Avian Migrate™]  
Goose and Bird Repellent

For Commercial, Agricultural and Home Use  
To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers)  
and Non-Agricultural Sites including Turf, Hydroseeding,  
Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

**ACTIVE INGREDIENT:**

Methyl Anthranilate (MA), methyl 2-aminobenzoate .....14.5%

**OTHER INGREDIENTS:** .....85.5%

**TOTAL**..... 100.0%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

[Sub-label #1: Rejex-It AG-36; ABN Rejex-It Migrate, Avian Migrate™; Commercial and Agricultural Market]

For Commercial and Agricultural Use  
To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers)  
and Non-Agricultural Sites including Turf, Hydroseeding,  
Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

[Sub-label #2: Rejex-It AG-36; ABN Rejex-It Migrate, Avian Migrate™; Residential Market]

For Home Use  
To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers)  
and Non-Agricultural Sites including Turf, Hydroseeding,  
Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

<b>FIRST AID</b>	
If in eyes	- Hold eye open and rinse slowly and gently with water for 15-30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
If on skin or clothing	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

[See] [back]/[side] [panel] [for Directions for Use] [including Storage and Disposal instructions.]

Manufactured for:  
Avian Enterprises Limited LLC  
2000 Pontiac Drive  
Sylvan Lake, MI 48320

EPA Reg. No. 91897-3

EPA Est. No.

NET CONTENTS:

# Sub-label #1: Commercial and Agricultural Market

**[Note to reviewer: [Text] in brackets denotes optional text].**

## Rejex-it AG-36

[MASTER LABEL]

[ABN: Rejex-it Migrate; Avian Migrate™]  
Goose and Bird Repellent

For Commercial and Agricultural Use

To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers)  
and Non-Agricultural Sites including Turf, Hydroseeding,  
Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

### ACTIVE INGREDIENT:

Methyl Anthranilate (MA), methyl 2-aminobenzoate ..... 14.5%

OTHER INGREDIENTS: ..... 85.5%

TOTAL..... 100.0%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If in eyes	- Hold eye open and rinse slowly and gently with water for 15-30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
If on skin or clothing	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

[See] [back][/] [side] [panel] [for Directions for Use] [including Storage and Disposal instructions.]

Manufactured for:  
Avian Enterprises Limited LLC  
2000 Pontiac Drive  
Sylvan Lake, MI 48320

EPA Reg. No. 91897-3

EPA Est. No.

NET CONTENTS:

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):**

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/ maintaining PPE. Keep and wash PPE separately from other laundry.

**User Safety Recommendations**

Users Should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this labeling about PPE, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of zero (0) hours.

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

---

## AGRICULTURAL CROPS

---

### USE RESTRICTIONS:

Use this product to limit damage caused by birds on ripening crops. This product must be applied using appropriate spray equipment. Do not apply when crop is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage. Do not apply through any type of irrigation system.

### COMPATIBILITY WITH OTHER PESTICIDES:

Compatibility with other adjuvants has not been tested. If adding other adjuvants or products, test for compatibility first or ask your representative for advice. Do not mix with dry formulations such as wettable powder formulations which may result in residue on the crop.

### DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. For ground application, mix Rejex-it AG-36 with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix Rejex-it AG-36 with water at a ratio of 1 part product to 1-3 parts water.

### APPLICATION DIRECTIONS:

- Apply spray mixture so that crop receives thorough coverage.
- Repeat treatment if significant bird damage begins to occur.
- This product may be applied up to the day of harvest.

USE SITE	APPLICATION DIRECTIONS	NOTES
Apples	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<b>California only:</b> Mixers/handlers and air blast applicators must wear coveralls over normal work clothes and gloves. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.
Stone Fruits Apricots Cherries Peaches Plums	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<b>California only:</b> Mixers/handlers and air blast applicators must wear gloves and coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of concentrate per day. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.
Blueberries	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<b>California only:</b> Mixers/handlers and air blast applicators must wear gloves and coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of concentrate per day. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.

USE SITE	APPLICATION DIRECTIONS	NOTES
Grapes (Table)	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<b>California only:</b> Mixers/handlers and air blast applicators must wear gloves and coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of concentrate per day. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres. <b>New York only:</b> Aerial application is prohibited. This product is not to be used on grapes within Suffolk County.
Cereal grains Corn (including sweet and pop) Millet Oats Sorghum	Apply by aerial application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:3 dilution with water and apply at rates of 10-20 gallons of spray mixture per acre.	Begin applications when birds begin feeding or crop begins to ripen. <b>California only:</b> Mixers/handlers and air blast applicators must wear coveralls over normal work clothes and gloves. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres. <b>New York only:</b> Aerial application is prohibited.
Sunflowers	Apply by aerial application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:3 dilution with water and apply at rates of 10-20 gallons of spray mixture per acre.	Reapply: 22 days after application. <b>California only:</b> Mixers/handlers and air blast applicators must wear coveralls over normal work clothes and gloves. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres. <b>New York only:</b> Aerial application is prohibited.

---

## TURF AND HYDROSEEDING

---

### USE RESTRICTIONS:

Use this product to repel birds from golf courses, other turf areas (including around agricultural buildings and farmsteads), and hydroseeded areas. This product must be applied using appropriate spray equipment. Do not apply when grass is wet or rain is expected.

### DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 1 part product to 20 parts water. For example, mix 2 pints of product with 5 gallons of water to make 5.25 gallons of spray mixture.

### APPLICATION DIRECTIONS:

Apply at a rate of 1.2 gallons of spray mixture (0.07 lbs. a.i.) per 1000 sq. ft. of turf. Spray evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application in 4 days or as warranted by Canada goose activity. Do not mow treated area for several days after application.

---

## GARBAGE, FOOD STUFFS, WASTE, AND TRASH

---

### USE RESTRICTIONS:

Use this product to repel birds from garbage, spilled grain, and other waste food stuffs. This product must be applied using appropriate spray equipment [including Avian Technologies Limited's Repellent machine described in US Patent 9918452 and equipped with a rain and moisture detection sensor preventing operation and signage "Authorized Personnel only - keep back 15 feet"]. Do not apply if rain is expected.

### DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 gallon of product with 5 gallons of water. To make a 50% v/v mixture, mix 1 gallon of product with 1 gallon of water.

### APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.

---

## SPOT REPELLING

---

### USE RESTRICTIONS:

Use this product to immediately repel birds from in or on structures, turf areas, landfills, and other outdoor areas (including around agricultural buildings and farmsteads). This product must be applied using appropriate spray equipment.

### DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 gallon of product with 5 gallons of water. To make a 50% v/v mixture, mix 1 gallon of product with 1 gallon of water.

### APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.

## STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Rejex-it AG-36 should be stored in its original container in a cool, dry locked place out of reach of children and out of direct sunlight. Do not use or store near heat or open flame.

**PESTICIDE DISPOSAL:** To avoid wastes, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds, after the flow begins to drip. Fill the container 1/4 full with water and soap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke.



### **WARRANTY STATEMENT**

Notice: The statements on this label are believed to be true and accurate, but because conditions are beyond our control, Avian Enterprises Limited LLC does not make, nor does it authorize any agent or representative to make any oral, or written warranty, guarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. Avian Enterprises Limited LLC and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personnel injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. No other warranty exists.

Avian Migrate™ is a trademark of Avian Enterprises Limited LLC  
Copyright © 2019, Avian Enterprises Limited LLC

[EPA approval date]

Sub-label #2: Residential Market

[Note to reviewer: [Text] in brackets denotes optional text].

**Rejex-it AG-36**

[ABN: Rejex-it Migrate; Avian Migrate™]  
Goose and Bird Repellent

For Home Use

To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers) and Non-Agricultural Sites including Turf, Hydroseeding, Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

ACTIVE INGREDIENT:

Methyl Anthranilate (MA), methyl 2-aminobenzoate ..... 14.5%

OTHER INGREDIENTS: ..... 85.5%

TOTAL..... 100.0%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

<b>FIRST AID</b>	
If in eyes	- Hold eye open and rinse slowly and gently with water for 15-30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
If on skin or clothing	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

[See] [back]/[side] [panel] [for Directions for Use] [including Storage and Disposal instructions.]

Manufactured for:  
Avian Enterprises Limited LLC  
2000 Pontiac Drive  
Sylvan Lake, MI 48320

EPA Reg. No. 91897-3

EPA Est. No.

NET CONTENTS:

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear gloves when handling and applying this product. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

**ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

---

**AGRICULTURAL CROPS**

---

**USE RESTRICTIONS:**

Use this product to limit damage caused by birds on ripening crops. This product must be applied using appropriate spray equipment. Do not apply when crop is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

**COMPATIBILITY WITH OTHER PESTICIDES:**

Compatibility with other adjuvants has not been tested. If adding other adjuvants or products, test for compatibility first or ask your representative for advice. Do not mix with dry formulations such as wettable powder formulations which may result in residue on the crop.

**DILUTION DIRECTIONS:**

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. For ground application, mix Rejex-it AG-36 with water at a ratio of 1 part product to 10-20 parts water. For example, mix 1 fl. oz. of Rejex-it AG-36 with 2 cups of water to make a spray mixture of 1 part product and 16 parts water.

**APPLICATION DIRECTIONS:**

- Apply spray mixture so that crop receives thorough coverage.
- Repeat treatment if significant bird damage begins to occur.
- This product may be applied up to the day of harvest
- To cover 100 square feet, 1 fl. oz. of Rejex-it AG-36 with the appropriate dilution of water is required (1:10 or 1:20).

<b>USE SITE</b>	<b>APPLICATION DIRECTIONS</b>	<b>NOTES</b>
Apples	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	

USE SITE	APPLICATION DIRECTIONS	NOTES
Stone Fruits Apricots Cherries Peaches Plums	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	
Blueberries	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	
Grapes (Table)	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	New York only: This product is not to be used on grapes within Suffolk County.

---

### TURF

---

#### USE RESTRICTIONS:

Use this product to repel Canada Geese from golf courses and other turf areas (including around agricultural buildings and farmsteads). This product must be applied using appropriate spray equipment, such as a hand, backpack, or pump sprayer. Do not apply when grass is wet or rain is expected.

#### DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 1 part product to 12 parts water. For example, mix 8 fl. oz. of product with 96 fl. oz. (3 qts.) of water to make 104 fl. oz. of spray mixture.

#### APPLICATION DIRECTIONS:

Apply at a rate of 1.2 gallons spray mixture (0.07 lbs. a.i.) per 1000 square feet of turf. Spray evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application in 4 days or as warranted by Canada goose activity. Do not mow treated area for several days after application.

---

### GARBAGE, FOOD STUFFS, WASTE, AND TRASH

---

#### USE RESTRICTIONS:

Use this product to repel birds from garbage, trash, spilled grain, and other waste food stuffs. This product must be applied using appropriate spray equipment [including Avian Technologies Limited's Repellent machine described in US Patent 9918452 and equipped with a rain and moisture detection sensor preventing operation and signage "Authorized Personnel only - keep back 15 feet"]. Do not apply if rain is expected.

#### DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 pint of product with 4 pints of water. To make a 50% v/v mixture, mix 1 pint of product with 1 pint of water.

#### APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.

---

## SPOT REPELLING

---

### USE RESTRICTIONS:

Use this product to immediately repel birds from in or on structures, turf areas, and other outdoor areas. This product must be applied using appropriate spray equipment.

### DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 pint of product with 4 pints of water. To make a 50% v/v mixture, mix 1 pint of product with 1 pint of water.

### APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.

### STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Rejex-it AG-36 should be stored in its original container in a cool, dry locked place out of reach of children and out of direct sunlight. Do not use or store near heat or open flame.

**PESTICIDE DISPOSAL:** To avoid wastes, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

### WARRANTY STATEMENT

Notice: The statements on this label are believed to be true and accurate, but because conditions are beyond our control, Avian Enterprises Limited LLC does not make, nor does it authorize any agent or representative to make any oral, or written warranty, guarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. Avian Enterprises Limited LLC and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personnel injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. No other warranty exists.

Avian Migrate™ is a trademark of Avian Enterprises Limited LLC  
Copyright © 2019, Avian Enterprises Limited LLC

[EPA approval date]