

AXILO MIX 5 | Valagro®

FO02574

AXILO MIX 5

5 Lb NET WEIGHT (2.3 Kg)

CHELATED MIX OF Cu, Fe, Mn, Zn + Mg + B + Mo

GUARANTEED ANALYSIS

Magnesium (Mg).....	3.0 %
Boron(B).....	0.5 %
Copper (Cu).....	1.5 %
1.5 % Chelated Copper (Cu)	
Iron (Fe).....	4.0 %
4.0 % Chelated Iron (Fe)	
Manganese (Mn).....	4.0 %
4.0 % Chelated Manganese (Mn)	
Molybdenum (Mo).....	0.1 %
Zinc (Zn).....	1.5 %
1.5 % Chelated Zinc (Zn)	

Derived from: Magnesium Sulfate, Iron-EDTA, Manganese-EDTA, Copper-EDTA, Zinc-EDTA, Boric Acid, Sodium Molybdate

GENERAL INFORMATION

AXILO MIX 5 is compatible with a wide range of fertilizers and pesticides, however, a compatibility jar test should be performed before mixing, especially with phosphorus fertilizers. This product contains Boron, so do not apply near to seeds or very young roots. **NOTICE:** This product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions. This product contains molybdenum (Mo). Crops high in molybdenum can be toxic to ruminant animals. Use only according to manufacturer's directions.

DIRECTIONS FOR USE

(Use low rates for maintenance applications, middle rates for medium deficiencies and high rates for extreme deficiencies)

Crops	Rate	Application timing/comments
VEGETABLE CROPS Including but not limited to: onion, carrot, pepper, eggplant, zucchini, melon, water melon, cucumber, tomatoes, cole crops, leafy vegetables, etc.	0.25 - 2.0 lbs per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear
TREE & VINE FRUIT CROPS Including but not limited to: apples, cherries, citrus, pear, stone fruit, kiwi, grapes (raisin, table, wine), etc.	2.8 oz per tree or 0.25 - 2.0 lbs per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear
SHRUB, BERRY AND BUSH CROPS Including but not limited to: blueberries, raspberries, strawberries, etc.	2.4 lbs per 100 bushes or 0.25 - 2.0 lbs per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear
NUT CROPS Including but not limited to: almond, pecan, pistachio, walnut, etc.	2.8 oz per tree or 0.25 - 2.0 lbs per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear
FIELD ROW CROPS Including but not limited to: barley, beans (edible, field, snap, etc), corn (field, silage, seed, sweet, etc), cotton, peanuts, potatoes, rice, soybeans, sorghum (grain, sweet, etc), sugar cane, sugar beets, wheat etc.	0.25 - 2.0 lbs per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear
FORAGE/GRASS CROPS Including but not limited to: alfalfa, timothy, fescue, switchgrass etc.	0.25 - 2.0 lbs per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear
GOLF COURSE GREENS	½ lb/acre (43560 sq ft) in a minimum 150-200 gallons of water	Apply in early spring when greens are actively growing. Four or more applications can be made at monthly intervals to maintain color and vigor. Applications should always be made late in the evening or early in the morning to reduce potential for phytotoxicity.
TURF Including but not limited to: sod, lawns, golf course fairways and trees, playing fields, recreational areas, etc.	0.25 - 2.0 lb per acre in a minimum 40 gallons of water	3 or more applications per year to maintain vigorous turf
ORNAMENTALS	0.25 - 2.0 lbs per broadcast acre	Apply as a drench between rows and cultivate into the soil early in the season. Irrigate after application

FOILAR APPLICATION



ROOT APPLICATION



AXILO MIX 5 | Valagro®

AXILO MIX 5

AXILO MIX 5



Danger

- H319 Causes serious eye irritation.
- H360 May damage fertility or the unborn child.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P264 Wash hands thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with applicable regulations.

First Aid: As a general rule, in case of doubt or if symptoms persist, always call a doctor. **Inhalation:** Remove to fresh air. Get medical attention for any breathing difficulty. **Eye Contact:** Rinse cautiously with water for several minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or physician. **Ingestion:** Rinse mouth with water. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person. Immediately call a doctor. **Skin Contact:** Remove all contaminated clothing. Rinse with plenty of soap and water.

Distributed and guaranteed by Valagro USA Inc. 2020 Ponce de Leon Blvd., Ste. 1203, Coral Gables, FL 33134 - Tel. (786) 230-1020 | Fax (786) 475-9032

NET WEIGHT 5 Lb (2.3 kg)

KEEP OUT OF REACH OF CHILDREN

CLEANING OF SPRAYER

Flush with clean water all parts of the sprayer including the pump, hoses and nozzles several times prior to and after the use of this product.

CONDITIONS OF SALE

Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of Valagro USA or the seller. All such risks shall be assumed by buyer.

DIRECTIONS FOR MIXING

1. Add half a pound of Axilo to one gallon of water to make a slurry which can be then added to starter solutions or tank mixes. Add buffer to solutions over pH 6.5.
2. Dissolve product into a convenient amount of water, consistent with the type of sprayer used
3. Choose a water volume necessary to achieve uniform coverage with little or no run-off.
4. Spray nozzles should produce a fine mist.
5. Spraying should be carried out on a calm day but not during strong sunshine. Early morning or late afternoon applications are best.
6. If rainfall occurs within several hours after application, the crop may require reapplying 3 to 4 days later.

TANK MIXES:

1. If the product is to be applied alone, a non-ionic wetting agent should be added to the spray tank in accordance with the manufacturers direction. If applied in conjunction with chemicals which contain their own wetting agent, then the addition of a wetting agent may not be necessary.
2. If using in conjunction with a hormone type selective weed killer, consult the manufacturer of the effect of wetting agents on their herbicide (many wetting agents tend to destroy the selectivity of hormone type weed killers).

Information regarding the contents and levels of metals in this product is available on the internet at www.aafco.org/metals.html

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rains are expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

AXILO is a Registered Trademark of VALAGRO S.p.A.

Distributed and guaranteed by Valagro USA Inc.
2020 Ponce de Leon Blvd., Ste. 1203 - Coral Gables, FL 33134
Phone +1-786-230-1020 / +1-786-230-1019 - Fax +1-786-475-9032

DO NOT SELL UNPACKED



syngentabiologicals.com



4123674F07P1S9 01