



6-24-24 X-B™ K-TRA BONUS

with 4.0% Sulfur and 2.0% Iron

- Is an excellent formulation for use as a pre-plant fertilizer for turf, ornamentals, vegetables, or to prepare turf and ornamentals for the abiotic stresses of winter
- Is a beneficial fertilizer for soils low in phosphate and potash

A PREMIUM STARTER / WINTERIZER FERTILIZER WITH 4.0% SULFUR AND 2.0% IRON.

SGN 250

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	6.00%
6.00% Ammoniacal Nitrogen	
AVAILABLE PHOSPHATE (P ₂ O ₅).....	24.00%
SOLUBLE POTASH (K ₂ O).....	24.00%
Sulfur (S)	4.00%
4.00% Combined Sulfur	
Iron (Fe).....	2.00%
0.05% Water Soluble Iron	

Derived from ammonium phosphate, sulfate of potash, muriate of potash and iron sucrate.

KEEP OUT OF REACH OF CHILDREN



WARNING

CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. SUSPECTED OF CAUSING CANCER.

PRECAUTIONARY STATEMENTS: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Wash hands, forearms and face thoroughly after handling. Use only outdoors or in a well-ventilated area. **PERSONAL PROTECTIVE EQUIPMENT:** Wear protective gloves / protective clothing / eye protection / face protection. **FIRST AID:** If exposed or concerned, get medical advice / attention. IF INHALED Remove person to fresh air and keep comfortable for breathing. Call a poison center / doctor if you feel unwell. IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice / attention. **STORAGE AND DISPOSAL:** STORAGE Store in a well-ventilated place. Keep container tightly closed. Store locked up. DISPOSAL Dispose of contents / container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

IN CASE OF AN EMERGENCY CALL CHEMTREC 1-800-424-9300



WARNING: This product can expose you to chemicals including cadmium which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-jr.com>

DIRECTIONS FOR USE

FOR PROFESSIONAL USE ONLY.

APPLICATION RATES

Desired lb P ₂ O ₅ & K ₂ O per 1,000 sq ft	lb BEST® 6-24-24 XB™+ per 1,000 sq ft	lb BEST® 6-24-24 XB™+ per acre	lb actual N per 1,000 sq ft
1.5	6.25	272	0.38
2.0*	8.33*	363*	0.50*
3.0	12.50	545	0.75

TURFGRASS *Recommended Rate. Apply every 4 to 5 weeks.

PRODUCT COVERAGE Based on the Recommended Turfgrass Rate.

- A single 50 lb bag covers 6,000 sq ft at 2.0 lb actual P₂O₅ or K₂O
- 7.3 50 lb bags cover one acre

TURFGRASS OVERSEEDING: Broadcast 8.33 lb per 1,000 sq ft (363 lb per acre)

PREPLANT: Clay Soils - Broadcast 12.5 lb per 1,000 sq ft (545 lb per acre)

Loam Soils - Broadcast 15 lb per 1,000 sq ft (653 lb per acre)

Sandy Soils - Broadcast 25 lb per 1,000 sq ft (1,089 lb per acre)

NURSERY CONTAINER SOIL MIX: Add 1 lb of BEST® 6-24-24 XB™+ to each cubic yard of soil and mix well.

NOTE: Liquid measuring cups are very close in estimating the weight of dry fertilizers. **E.g.** An 8 oz (1 cup) measuring cup holds approximately 8 oz (0.5 lb) of dry fertilizer.

FRUIT, NUT, AVOCADO AND CITRUS TREES:	Make first feeding in the late winter or early spring after new growth starts. Second feeding should be made about the first of summer; the third in late summer. Apply 0.5 lb per 3 ft of height to a maximum of 4 lb per tree. (For dwarf or bush citrus, follow recommendations for roses and shrubs).
FLOWERS AND VEGETABLES:	As a side dressing, evenly spread 1lb down each 100 ft of row. For individual plantings, apply 2 level tablespoons per plant and flood irrigate basin. For group plantings, evenly broadcast 0.75 lb per 100 sq ft of cultivated area. WATER THOROUGHLY AFTER APPLICATION.
ROSES, FLOWERING SHRUBS & EVERGREENS:	Water well the day before feeding. Sprinkle 0.25 cup evenly around base of plant and work lightly into top 1 in. of soil. Water thoroughly. Use every six weeks throughout growing season. New Plantings: Work 0.25 cup into soil at bottom of hole before planting. WATER THOROUGHLY.
HORTICULTURAL NOTE:	This plant food should be distributed evenly under branches of the plant out to the dripline. Cultivate lightly into soil except in lawn areas. For container plantings such as redwood tubs, use ½ recommended rate. WATER THOROUGHLY AFTER APPLICATION.
GROUND COVER PLANTS:	Broadcast 5 lb per 500 sq ft of planting area. Repeat every 6 to 8 weeks throughout growing season. WATER THOROUGHLY AFTER APPLICATION.
SHADE TREES:	Make first feeding in early spring when growth starts. Follow-up feedings should be made approximately at the beginning and at the end of summer. Apply 0.5 lb per 1 in. of trunk diameter.

APPLICATION PRECAUTIONS

Apply to dry turf or foliage and irrigate thoroughly immediately after application. Iron and other plant nutrients can cause staining of sidewalks. Sweep walkways prior to irrigation. Walkways should be dry at time of application. Keep away from pools, ponds, etc. Do not contaminate potable water. In Florida, application rates are not to exceed rates recommended in the documents entitled "University of Florida, Institute of Food and Agricultural Sciences SL191 "Recommendations for N, P, K and Mg for Golf Course and Athletic Field Fertilization Based on Mehlich III Extractant" and "Best Management Practices for the Enhancement of Environmental Quality on Florida Golf Courses", published by the Florida Department of Environmental Protection.

IMPORTANT: READ BEFORE USE Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability. **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY. CONDITIONS:** The Directions For Use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of J.R. Simplot Company and its affiliates (collectively, "Simplot"). To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Simplot makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Simplot is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Simplot disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or, at Simplot's election, the replacement of product.

© 2024 J.R. Simplot Company. All rights reserved. SIMPLOT®, BEST®, and XB™+ are trademarks in the United States and other countries and owned by the J.R. Simplot Company.

F1469



Guaranteed by:
J.R. SIMPLOT COMPANY
P.O. Box 70013, Boise, ID 83707
(208) 336-2110

Net Weight: 50 lb (22.68 kg)

24215B

GHS24190

ITEM # 9601550



Product Labels, SDS and other information on BEST® products are available at www.BestFertilizer.com