



ADVANCED FORMULA | SUPERIOR CLEANING

Biologically enhanced cleaning formula to naturally remove organic debris!



SUPERIOR RESULTS!



Bio-Enzymatic Action Eliminates Organic Build-Ups



Digests Organic Waste, Grease & Food **By-Products**



Non-Pathogenic & Eliminates Odors



Reduces the Risk of Slips and Falls



Deodorizes with a Clean Fresh Scent



Leaves Floors Clean

Safety Data Sheet (SDS)

Trade Name: Bio-Gel Pro Kleen | Issue date: 07/13/2017

1. IDENTIFICATION	
Product Name:	Bio-Gel Pro Kleen
Product Description:	Advanced floor cleaner and mop water additive.
Applications:	Industry specific application.
Supplier:	PestWest USA LLC 7135 16th Street E, Suite 124 Sarasota, FL, 34243
Telephone No:	941-358-1983
Emergency Tel No:	800 424 9300 (U.S.) +1 (703) 527 3887 (outside the U.S.)

2. HAZARD(S) IDENTIFICA	rion
Classification of the substance or mixture:	GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.
GHS label elements:	The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard Pictograms:	GHS07
Signal Word:	Warning
Hazer-determining components of labelling:	Methyl-Chloro-Isothiazolinone
Hazard statements:	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.
Precautionary statements:	P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P361 Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system: NFPA ratings (scale 0 - 4)	HEALTH = 1 FIRE = 0 REACTIVITY = 0
Classification system: HMIS ratings (scale 0 - 4)	HEALTH
Hazard(s) not otherwise classified: (HNOC)	None known.

3. COMPOSITION/INFORM	ATION ON INGREDIENTS	
Non-hazardous components:	7732-18-5 Water, distilled water, deionized water	90-99%
Chemical characterization:	Mixtures	
Description:	Mixture of substances listed below with non-hazardous additions.	
Dangerous components:		
68081-81-2	Benzenesulfonic acid Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
68002-97-1	Ethoxylated C10-16 Alcohol Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤ 2.5%
26172-55-4	Methyl-Chloro-Isothiazolinone ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ Skin Corr. 1B, H314; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Sens. 1, H317	≤ 2.5%
52-51-7	Bronopol (INN) Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	≤ 2.5%



Trade Name: Bio-Gel Pro Kleen | Issue date: 07/13/2017



Protective equipment:

4. FIRST-AID MEASURES		
After inhilation:	In case of unconsciousness place patient stably in side position for transportation.	
After skin contact:	If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.	
After eye contact:	Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.	
After swallowing:	Rinse out mouth and then drink plenty of water.	
Information for doctor:		
Most important symptoms and effects, both acute and delayed:		
Indication of any immediate medical attention and special treatment needed:	No further relevant information available.	

5. FIRE-FIGHTING MEASURES	
Extinguishing media:	
Suitable extinguishing agents:	${\rm CO_2}$ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture:	No further relevant information available.
Advice for firefighters:	

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes..

6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective equipment and emergency procedures:	Not required.
Environmental precautions:	Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.
Methods and material for containment and cleaning up:	Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the collected material according to regulations.
Reference to other sections:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7. HANDLING AND STORAGE	
Handling:	
Precautions for safe handling:	Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
Information about protection against explosions and fires:	No special measures required.
Conditions for safe storage, including any incompatibilities:	None
Storage:	
Requirements to be met by storerooms and receptacles:	No special requirements.
Information about storage in one common storage facility:	Not required.
Further information about storage conditions:	No further relevant information available.
Specific end use(s):	No further relevant information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
Additional information about design of technical systems:	No further data; see section 7.
Control parameters:	Not applicable
Components with occupational exposure limits:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information:	The lists that were valid during the creation of this SDS were used as basis.

Exposure controls:	
	The usual precautionary measures for handling chemicals should be followed.
	Keep away from foodstuffs, beverages and feed.
	Immediately remove all soiled and contaminated clothing and wash before reuse.
	Wash hands before breaks and at the end of work.
	Avoid contact with the eyes and skin.
	Breathing equipment: Not required.
General protective and hygienic measures:	Protection of hands: (1) Protective gloves.
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	Due to missing tests no recommendation to the glove material can be given for the product/ the preparation / the chemical mixture.
	Select glove material based on penetration times, rates of diffusion and degradation.
	Material of gloves:
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
	Penetration time of glove material:
	The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection: (a) Tightly sealed goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical a	nd chemical properties: General Information
FORM:	Liquid
COLOR:	Greenish yellow
ODOR:	Odorless
Odor threshold:	Not determined.
pH-value	Not determined
Change in condition:	 Melting Point/Melting Range: Not determined. Boiling Point/Boiling Range: 100°C (212°F)
Flash point:	None
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	• 0.0 Vol % • 0.0 Vol %
Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg).
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with:	Water: Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	Dynamic: Not determined. Kinematic: Not determined.
Solvent content:	• Organic Solvents: 0.0% • VOC content: 0.3% • Solids content: 1.5%
Other information:	No further relevant information available.

10. STABILITY AND REACTIVITY	
Reactivity:	No further relevant information available.
Chemical stability:	Stable under normal conditions.
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous reactions:	No dangerous reactions known.
Conditions to avoid:	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition products:	No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

Information on
toxicological effects:

The toxicity of this product is unknown.



Trade Name: Bio-Gel Pro Kleen | Issue date: 07/13/2017



Acute toxicity:				
LD/LC50 values that are relevant for classification:	Oral Dermal Inhalative	LD50 LD50	C10-16 Alcohol 2750 mg/kg (rat) 3870-8000 mg/kg (rabbit) 0.6 mg/l (daphnia) 305 mg/kg (rat)	
Primary irritant effect:	May cause a In the eye: Irritating eff Sensitizatio Additional The produce	in and muco an allergic skil fect. on: on possible thr I toxicologica ct shows the fo	us membranes.	ılly
Carcinogenic categories:	3844-45-9 F • NTP (Nation None of the • OSHA-Ca (•	FD&C Blue No onal Toxicologe ingredients a		3

12. ECOLOGICAL INFORMATION		
Toxicity:	The hazards for the aquatic environment are unknown.	
Aquatic toxicity:	Harmful to aquatic organisms.	
Persistence and degradability:	No further relevant information available.	
Behavior in environmental systems:		
Bioaccumulative potential:	No further relevant information available.	
Mobility in soil:	No further relevant information available.	
Additional ecological information:		
General notes:	Generally not hazardous for water.	
Results of PBT and vPvB assessment:		
PBT:	Not applicable.	
vPvB:	Not applicable.	
Other adverse effects:	No further relevant information available.	

13. DISPOSAL CONSIDERATIONS	
Waste treatment methods:	
Recommendation:	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Uncleaned packagings:	
Recommendations:	Disposal must be made according to official regulations.
Recommended cleansing agent:	Water, if necessary with cleansing agents.

14. TRANSPORT INFORMATION		
UN-Number:	DOT, ADR, ADN, IMDG, IATA - Non-Regulated Material	
UN proper shipping name:	DOT, ADR, ADN, IMDG, IATA - Non-Regulated Material	
Transport hazard class(es):	DOT, ADR, ADN, IMDG, IATA - Non-Regulated Material	
Class:	Non-Regulated Material	
Packing group:	DOT, ADR, IMDG, IATA - Non-Regulated Material	
Environmental hazards:	Not applicable.	
Special precautions for user:	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.	
UN "Model Regulation"	Non-Regulated Material	

15. REGULATORY INFORMATION

 ${\bf Safety, health\ and\ environmental\ regulations/legislation\ specific\ for\ the\ substance\ or\ }$

SARA (Superfund Amendments and Reauthorization):

Section 355 (extremely hazardous substances):	None of the ingredients are listed.
Section 313 (Specific toxic chemical listings):	52-51-7 Bronopol (INN)

TSCA (Toxic Substances Control Act):	68081-81-2 8007-02-1 68002-97-1 26172-55-4 52-51-7 1934-21-0 3844-45-9 7732-18-5	Benzenesulfonic acid Lemongrass oil (Cymbopogon cit Ethoxylated C10-16 Alcohol Methyl-Chloro-Isothiazolinone Bronopol (INN) FD&C Yellow No. 5 FD&C Blue No. 1 Water, distilled water, deionized w	
California Proposition 65:			
Chemicals known to cause cancer:	None of the	ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	None of the ingredients are listed.		
Chemicals known to cause reproductive toxicity for males:	None of the	ingredients are listed.	
Chemicals known to cause developmental toxicity:	None of the	ingredients are listed.	
Carcinogenic categories:			
EPA (Environmental Protection Agency):	None of the ing	redients are listed.	
TLV (Threshold Limit Value established by ACGIH):	None of the ing	redients are listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health):		redients are listed.	
GHS label elements:	The product is Harmonized S	classified and labeled according to tl ystem (GHS).	ne Globally
Hazard pictograms:	(I) GHS07		
Signal word:	Warning		
Hazard statements:	Methyl-Chloro-Isothiazolinon		
Hazard statements:	H315 Causes skin irritation H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.		
Precautionary statements:	P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+ P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If syle riritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P361 Wash contaminated clothing before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.		
National regulations:	None of ingredie	ents are listed.	
State Right to Know:	A Chemical Safe	ty Assessment has not been carried out.	
7732-18-5	Water, distilled v	vater, deionized water	90-99%
68081-81-2	Benzenesulfonio	acid 1315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
68002-97-1		0-16 Alcohol te 1, H400; Aquatic Chronic 2, H411; (1) D2; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤ 2.5%
6132-04-3	Sodium Citrate		≤ 2.5%
52-51-7		H318; � Aquatic Acute 1, H400; H302; Acute Tox. 4, H312; Skin Irrit. 2, , H335	≤ 2.5%
26172-55-4	Acute Tox. 3, H331; Skin C	nyl-2H-isothiazol-3-one H301; Acute Tox. 3, H311; Acute Tox. 3, orr. 1B, H314; Aquatic Acute 1, H400; 1, H410; Skin Sens. 1, H317	≤ 2.5%
Chemical safety Assessment:	A Chemical Safe	ty Assessment has not been carried out.	

16. OTHER INFORMATION

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last	t
revision:	

07/13/2017

Abbreviations and acronyms:No decomposition if used according to specifications.



ADR:	The European Agreement concerning the International Carriage of Dangerous Goods by Road	
ADN:	The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
IMDG:	International Maritime Code for Dangerous Goods	
DOT:	US Department of Transportation	
IATA:	International Air Transport Association	
ACGIH:	American Conference of Governmental Industrial Hygienists	
EINECS:	European Inventory of Existing Commercial Chemical Substances	
ELINCS:	European List of Notified Chemical Substances	
CAS:	Chemical Abstracts Service (division of the American Chemical Society)	
NFPA:	National Fire Protection Association (USA)	
HMIS:	Hazardous Materials Identification System (USA)	
VOC:	Volatile Organic Compounds (USA, EU)	
LC50:	Lethal concentration, 50 percent	
LD50:	Lethal dose, 50 percent	
PBT:	Persistent, Bioaccumulative and Toxic	
vPvB:	Very Persistent and very Bioaccumulative	
NIOSH:	National Institute for Occupational Safety and Health	
OSHA:	Occupational Safety & Health Administration	
TLV:	Threshold Limit Value	
PEL:	Permissible Exposure Limit	
REL:	Recommended Exposure Limit	
Acute Tox. 3:	Acute toxicity – Category 3	
Acute Tox. 4:	Acute toxicity – Category 4	
Skin Corr. 1B:	Skin corrosion/irritation, Hazard Category 1B	
Skin Irrit. 2:	Skin corrosion/irritation – Category 2	
Eye Dam. 1:	Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2A:	Serious eye damage/eye irritation, Hazard Category 2A	
Eye Irrit. 2B:	Serious eye damage/eye irritation, Hazard Category 2B	
Skin Sens. 1:	Sensitisation - Skin, Hazard Category 1	
STOT SE 3:	Specific target organ toxicity (single exposure) – Category 3	
Aquatic Acute 1:	Hazardous to the aquatic environment - acute aquatic hazard – Category	
Aquatic Chronic 1:	Hazardous to the aquatic environment - Chronic Hazard, Category 1	
Aquatic Chronic 2:	Hazardous to the aquatic environment - Chronic Hazard, Category 2	

*Data compared to the previous version altered

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-240-9106

SHAKE WELL BEFORE USING. FOR USE IN AND AROUND:

Commercial, Industrial, Medical and Residential buildings such as: garages, schools, meat packing facilities, food processing facilities, nursing homes, medical and veterinary clinics, and hospitals, mortuaries, offices, supermarkets, restaurants, convenience stores, apartment complexes, transportation, terminals, boat/ships, and many other facilities.

Food and non-food areas such as: dumpsters, drain lines, scuppers, outside drains, statuaries, compactors, overflow lines, grease traps, loading docks, rendering vats, elevator pits, lift stations, trough drains, vault toilets, showers, ceramic tile floors, and many other areas.

Surface Area Treatment: BIO-GEL® is designed to be tank mixed for direct application to dumpsters, trash receptacles, dumb waiters, trash chutes, trough vats, and statuaries. Mix at a rate of 4-8 ounces of BIO-GEL® per gallon and apply with a low-pressure hand sprayer, power sprayer or mop bucket. Completely cover the target area.

Drains: for best results, flush drain with 2-gallons of warm water. BIO-GEL® should be applied at the end of the workday or any other time when the drain will be inactive. Drains with heavy organic build-up should be scrubbed or steamed out to remove heavy debris prior to initial application.

Initial Treatment: depending on conditions, apply 2-8 ounces of BIO-GEL® per drain to establish adequate bacterial colonies throughout the drain line. Using a spray nozzle or the included pouring cap, liberally coat the surrounding areas including grout expansion joints and grade plates. Be certain to coat the interior circumference of the drain.

General Maintenance: apply 2-4 ounces of BIO-GEL® per drain per week.

DO NOT PERMIT TRAFFIC ON THE TREATED FLOOR UNTIL COMPLETELY DRY.

Foam: mix 1:1 BIO-GEL® to water. A foaming sprayer is required. For additional foam thickness, increase the amount of BIO-GEL®. Repeat application as necessary.

PRECAUTIONARY STATEMENTS

KEEP OUT OF THE REACH OF CHILDREN AND PETS.

If swallowed and symptoms occur, consult a doctor (Poison Control Center 1-800-222-1222).

Generally BIO-GEL® does not irritate with inhalation. Supply fresh air; consult doctor in case of complaints.

If in eyes, rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Wash hands thoroughly with soap after handling. Refer to the SDS for additional information.

STORAGE AND HANDLING: store in a cool dry place. Avoid direct contact with the sun.