

BOND max®

SPREADER STICKER DEPOSITION AID

Principal Functioning Agents:

Alcohol ethoxylate, 1,2-propanediol and synthetic latex	57.5%
Constituents ineffective as spray adjuvant	42.5%
TOTAL	100.0%

CA Reg. No. 34704-50060; WA Reg. No. 34704-08003

KEEP OUT OF REACH OF CHILDREN



WARNING

Hazard and Precautionary Statements: Causes serious eye irritation. Can cause mild skin irritation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Wash hands thoroughly after handling. **Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

**NET CONTENTS:
1 GAL. (3.78 L)**



Loveland Products, Inc. • PO Box 1286 • Greeley, CO 80632-1286



Personal Protective Equipment: Wear protective gloves and eye/face protection.

First Aid: **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL 1-866-944-8565.

GENERAL: BOND MAX® combines the adherence ability of a latex polymer with super coverage of non-ionic surfactants. BOND MAX will increase deposition, reduce run-off and secure spray from rain or overhead irrigation. BOND MAX will decrease surface tension, resulting in better coverage. BOND MAX promotes rapid spreading for a uniform protective film. Apply sprays containing BOND MAX at least 30 minutes before an anticipated rain or overhead irrigation.

DIRECTIONS FOR USE: Fill spray tank 1/2 full with water and begin agitation. Add pesticides as directed by label, while maintaining agitation. After pesticides are thoroughly mixed, eliminate any existing foam with approved defoamer (Unfoamer®), and then fill tank to desired water volume before adding BOND MAX. For tank mix compatibility concerns, conduct a jar test of the proposed mixture to ensure compatibility of all components. Mix components in the same ratio as the proposed tank mix.

Suggested Use Rates: Field and Row Crops: Ground and Air Application (fl. oz./100 gallons):

Above 50 GPA: 12 to 24; 10 to 50 GPA: 20 to 32; Below 10 GPA: 28 to 40

Gallons of Spray Volume per Acre		BOND MAX per 100 gallons spray
Vineyards, hop yards	Tree fruits and Nuts	
150 to 300	600 to 1000	1 to 2 ounces
75 to 150	300 to 500	2 to 4 ounces
50 to 100	200 to 330	3 to 6 ounces
20 to 40	75 to 125	8 to 16 ounces
15 to 30	60 to 100	10 to 20 ounces
8 to 16	30 to 50	1 pint to 1 quart
5 to 10	20 to 30	1.5 pints to 1.5 quarts

Rinse tank, pump, lines and nozzles with water immediately after spraying. Observe the pre-harvest interval on the pesticide label when using BOND MAX. No time limitations apply to non-food crops.

Note: This product has demonstrated excellent plant safety; however, not all species and varieties of plants have been tested. Before treating a large area, test on a small area and observe prior to full-scale application.

NOT FOR AQUATIC USE IN WASHINGTON

STORAGE AND DISPOSAL

STORAGE: Store in cool, dry place. Store in original container. Keep container tightly closed. Do not reuse empty container. **DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Dispose of contents/container on-site or at an approved waste disposal facility. Triple rinse (or equivalent) adding rinse water to spray tank. Offer container for recycling or dispose of container in sanitary landfill, or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

BOND MAX® and UNFOAMER® are registered trademarks of Loveland Products, Inc.

H0715

H0715