

Version 1.0 Revision Date: 10/08/2020

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name

CALFAX® 10L-45

Supplier or Repackaging Details

Company : Univar Solutions USA, Inc.
Address : 3075 Highland Pkwy Suite 200

Downers Grove, IL 60515 United States of America (USA)

Manufactured By : Pilot Chemical Company

**Emergency telephone number:** 

Transport North America: CHEMTREC (1-800-424-9300) CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information: : Responsible Party: Product Compliance Department

E-mail: SDSNA@univarsolutions.com SDS Requests: 1-855-429-2661 Website: www.univarsolutions.com

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms

TZ)

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:** 

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

Other hazards
None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components** 

SDS Number: 100000010913 1 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

CAS-No.	Chemical name	Weight percent		
36445-71-3	Benzenesulfonic acid, decyl(sulfophenoxy)-, so- dium salt (1:2)	30 - 50		
70146-13-3	Benzenesulfonic acid, oxybis[decyl-, disodium salt	5 - 10		
Actual concentration is withheld as a trade secret				
36445-71-3	Benzenesulfonic acid, decyl(sulfophenoxy)-, so- dium salt (1:2)	30 - 50		
70146-13-3	Benzenesulfonic acid, oxybis[decyl-, disodium salt	5 - 10		

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

SDS Number: 100000010913 2 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

sulfur oxides

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

SDS Number: 100000010913 3 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

Storage period : 18 Months

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

Contains no substances with occupational exposure limit values. Contains no substances with occupational exposure limit values.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

SDS Number: 100000010913 4 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

Freezing Point : No data available

Boiling Point : No data available

Flash point : > 93 °C (> 199 °F)

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.12 - 1.2

Density : No data available

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Thermal decomposition : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

ions

: No decomposition if stored and applied as directed.

Conditions to avoid : elevated temperatures

'

Incompatible materials : Barium Lead

magnesium

mercury or mercury alloys

Potassium Silver Strong acids

SDS Number: 100000010913 5 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

Strong oxidizing agents

Aluminium

Hazardous decomposition

products

: Carbon oxides Sulphur oxides

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 

Acute oral toxicity : LC50 (Rat, male and female): > 2,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

#### Skin corrosion/irritation

### **Components:**

36445-71-3:

Result: Irritating to skin.

:

Result: Irritating to skin.

### Serious eye damage/eye irritation

### **Components:**

36445-71-3:

Result: Risk of serious damage to eyes.

70146-13-3:

Result: Risk of serious damage to eyes.

Remarks: No data available

36445-71-3:

Result: Risk of serious damage to eyes.

70146-13-3:

Result: Risk of serious damage to eyes.

Remarks: No data available

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

SDS Number: 100000010913 6 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

### **Further information**

**Product:** 

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.02 mg/l

Exposure time: 96 h Test Type: semi-static test

Toxicity to daphnia and other

aquatic invertebrates

: LC50 (Daphnia magna (Water flea)): 1.5 mg/l

Exposure time: 48 h

Test Type: semi-static test

### **Components:**

70146-13-3:

Chronic aquatic toxicity- As-

sessment

: Toxic to aquatic life with long lasting effects.

:

Chronic aquatic toxicity- As-

sessment

: Toxic to aquatic life with long lasting effects.

### Persistence and degradability

No data available

SDS Number: 100000010913 7 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-

var Solutions ChemCare: 1-800-909-4897

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

**DOT (Department of Transportation)**: Not regulated as a dangerous good

### IATA (International Air Transport Association):

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DISODIUM DECYL(SULPHONATOPHENOXY)BENZENESULPHONATE, DISODIUM OXYBIS[DECYLBENZENESULPHONATE]), 9, III

### **IMDG (International Maritime Dangerous Goods):**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DISODIUM DECYL(SULPHONATOPHENOXY)BENZENESULPHONATE, DISODIUM OXYBIS[DECYLBENZENESULPHONATE]), 9, III, Marine Pollutant (DISODIUM

SDS Number: 100000010913 8 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

DECYL(SULPHONATOPHENOXY)BENZENESULPHONATE, DISODIUM OXYBIS[DECYLBENZENESULPHONATE]), Flash Point:> 93 °C(> 199 °F)

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### Massachusetts Right To Know

7757-82-6 Sodium sulphate

Massachusetts Right To Know

7757-82-6 Sodium sulphate 75-09-2 Methylene chloride

Pennsylvania Right To Know

7732-18-5 Water

36445-71-3 Benzenesulfonic acid, decyl(sulfophenoxy)-,

sodium salt (1:2)

70146-13-3 Benzenesulfonic acid, oxybis[decyl-,

disodium salt

7757-82-6 Sodium sulphate

SDS Number: 100000010913 9 / 11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

### Pennsylvania Right To Know

Water 7732-18-5

Benzenesulfonic acid, decyl(sulfophenoxy)-, 36445-71-3

sodium salt (1:2)

70146-13-3 Benzenesulfonic acid, oxybis[decyl-,

disodium salt

7757-82-6 Sodium sulphate

### California Prop 65


MARNING: This product can expose you to chemicals including Methylene chloride, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### The components of this product are reported in the following inventories:

**TSCA** : On the inventory, or in compliance with the inventory

### **SECTION16. OTHER INFORMATION**

### NFPA:



Special hazard.

### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 =Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

**Revision Date** : 10/08/2020

Material number:

639509, 588772, 16130185, 16125910

SDS Number: 100000010913 10/11 CALFAX® 10L-45



Version 1.0 Revision Date: 10/08/2020

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Govern-	LD50	Lethal Dose 50%	
	ment Industrial Hygienists			
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect	
	Substances		Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenar- io Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and	
			Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50	Lethal Concentration 50%			

SDS Number: 100000010913 11 / 11 CALFAX® 10L-45