

SAFETY DATA SHEET

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: ONGUARD HORNET & WASP BLASTER
 PMRA Registration No.: 31883
 Product Description: PMRA Registered Pesticide

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): Use product for its intended purpose as pesticide. See label.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Name: Ur-Can Inc.
 Address: P.O.Box 80088 Appleby, Burlington L7L6B1
 Website: www.urcan.ca

1.4 Emergency telephone number

Emergency Telephone: CHEMTREC: +1 (800) 424-9300 (within the US) or +1 (703) 527-3887 (outside the US)

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Health	Environmental	Physical
Aspiration Toxicity (Category 1)	Not classified	Flammable Liquid (Category 3)
Skin Irritation (Category 2)		
Specific Target Organ Toxicity – Single exposure Narcotic effects (Category 3)		

2.2. Label elements

Label

Pictogram:



Signal Word: Danger

Hazard Statements	Precautionary Statements
H226: Flammable liquid and vapor	P210: Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
H304: May be fatal if swallowed and enters airways	P240: Ground and bond container and receiving equipment
H315: Causes skin irritation	P241: Use explosion-proof (electrical/ventilating/lighting) equipment
H336: May cause drowsiness or dizziness	P242: Use non-sparking tools
	P243: Take action to prevent static discharges
	P261: Avoid breathing dust/fume/gas/mist/vapours/spray
	P264: Wash hands/skin thoroughly after handling

	P271: Use only outdoors or in a well-ventilated area
	P280: Wear protective gloves

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor if you feel unwell
P302+P352: IF ON SKIN: Wash with plenty of water
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower).
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312: Call a POISON CENTER/doctor if you feel unwell
P321: Specific treatment (see label)
P331: Do NOT induce vomiting
P332+P313: If skin irritation occurs: Get medical advice/attention
P362+P364: Take off contaminated clothing and wash it before reuse
P370+P378: In case of fire: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
P403+P233+P235: Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P405: Store locked up
P501: Dispose of contents/container in accordance with local/regional/national regulations

2.3. Other hazards

- This product is considered a hazardous mixture under Canada's Workplace Hazardous Materials Information System (WHMIS) 2015 legislation.

Section 3 – Composition / Information on Ingredients

Mixture

<u>Chemical Name</u>	<u>CAS No.</u>	<u>% Weight*</u>
Petroleum distillates, hydrotreated light	64742-47-8	95
Carbon dioxide	124-38-9	3
Tetramethrin	7696-12-0	2

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eye contact: Remove contact lenses, if worn, and flush with plenty of water for at least 15 minutes. Seek medical attention if symptoms occur and persist.

Skin contact: If on skin or hair take off immediately all contaminated clothing. Discard contaminated clothing or wash it before reuse. Rinse skin with water (or shower). If skin irritation occurs: Get medical advice/attention.

Inhalation: Immediately remove person to fresh air and keep comfortable for breathing. If not breathing or breathing is irregular, give artificial respiration or oxygen. Call a poison center/doctor if you feel unwell.

Ingestion: If swallowed immediately call a poison center/doctor. Do not induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered forward to reduce the risk of aspiration.

4.2 Most important symptoms and effects, both acute and delayed

- Aspiration hazard - material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea, or narcotic effects. Direct eye contact may cause temporary redness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May have laxative effects. Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

- Aspiration hazard. Contains petroleum distillates – vomiting may cause aspiration pneumonia. For skin effects, a highly efficient therapeutic agent for pyrethrin exposure is topical application of tocopherol acetate (Vitamin E).

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Unsuitable Extinguishing Media: Do not use water jet as this may spread the fire.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards: Flammable liquid and vapour. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Vapour can travel considerable distance and flashback to a source of ignition. Vapours are heavier than air and collect in confined and low-lying areas. Decomposition products of combustion may include but are not limited to carbon dioxide, carbon monoxide, nitrogen oxides, and other hazardous gases. See also Section 10 - Stability and Reactivity.

5.3 Advice for firefighters

- Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Use standard firefighting procedures and consider the hazards of other materials involved in the fire. Evacuate personnel to safe areas. Move containers from fire area if safe to do so.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Avoid breathing dust/fume/gas/mist/vapours/spray. Observe PPE advice in Section 8 – Exposure Controls/Personal Protection

Emergency Procedures: Not available

6.2 Environmental precautions:

- Avoid dispersal of spilled material. Collect spillage. Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Ventilate the area. Do not let waste enter the environment. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 – Disposal Considerations.

Section 7– Handling and Storage

7.1 Precautions for safe handling

- Use only outdoors or in a well-ventilated location. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes, and clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use only non-sparking tools. Use explosion-proof electrical/ventilating/lighting/equipment. Take precautionary measures against static discharges. Bond and ground transfer containers and equipment to avoid static accumulation.
- Refer to Section 8.3 - Exposure Controls/Personal Protection

7.2 Conditions for safe storage, including any incompatibilities Storage

- Container must be properly labeled. Keep container tightly closed. Keep cool. Store locked up in a dry, well-ventilated area.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8– Exposure Controls / Personal Protection

8.1 Control Parameters:

Chemical Name	CAS No.	% Weight	Exposure Limit	Basis
Petroleum distillates, hydrotreated light*	64742-47-8	95	2000 mg/m ³ TWA	OSHA PEL
Carbon dioxide	124-38-9	3	9000 mg/m ³ TWA	ACGIH TLV
			30000 mg/m ³ STEL	

*Based on exposure limit for petroleum distillates (CAS No. 8002-05-09)

8.2 Exposure Controls:

Appropriate engineering controls

- Provide exhaust ventilation or other engineering controls to limit airborne concentration of vapours. An eyewash station and safety shower should be made available in the immediate working area. Use explosion-proof electrical and ventilating equipment.

8.3 Personal Protective Equipment

Respiratory: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use a NIOSH/MSHA approved respirator and filter cartridge authorized by regulatory standards.

Eyes/Face: Wear eye/face protection. Wear safety glasses with side shields. If necessary, refer to appropriate regulatory standards.

Hands/Skin: Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Body: Wear protective clothing to prevent skin contact, such as coveralls or long-sleeved shirt, long pants, and shoes and socks.

Thermal Hazards: None known

Environmental Exposure Controls: Not available

9.1 Information on basic physical and chemical properties

Appearance: Pressurized spray
Color: Not available
Odor: Not available
Odor threshold: Not available
pH: Not available
Melting point: Not available
Boiling point: Not available
Flashpoint: Not available
Evaporation rate: Not available
Flammability: Highly flammable
Upper/lower flammability limits: Not available
Vapor pressure: Not available
Vapor density: Not available
Relative density: Not available
Solubility in water: Not available
Solubility in other solvents: Not available
Partition coefficient (log Kow): Not available
Auto-ignition temperature: Not available
Decomposition temperature: Not available
Viscosity: Not available
Explosive properties: Not available
Oxidizing properties: Not available

9.2 Other information

No further information available

Section 10 – Stability and Reactivity

10.1 Reactivity

- This product is stable and non-reactive under normal handling and storage conditions.

10.2 Chemical stability

- This product is stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

- Hazardous polymerization does not occur

10.4 Conditions to avoid

- Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials. Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

- Strong acids and bases, oxidizing agents, reducing agents.

10.6 Hazardous decomposition products

- Carbon dioxide, carbon monoxide, nitrogen oxides, and other hazardous gases.

Section 11 – Toxicological Information

Likely routes of exposure: Skin and eye contact, inhalation

Potential signs and symptoms: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration may cause pulmonary oedema and pneumonitis. Symptoms may include skin irritation or drowsiness and dizziness.

Acute oral toxicity:	Rat LD50 >5000 mg/kg (no mortality) for similar liquid hydrocarbon, thermocracked kerosine (CAS No. 68333-23-3); based on available data the classification criteria are not met
Acute dermal toxicity:	Rabbit LD50 >2000 mg/kg (no mortality) for similar liquid hydrocarbon, thermocracked kerosine (CAS No. 68333-23-3); based on available data the classification criteria are not met
Acute inhalation toxicity:	Rat LC50 >5.28 mg/l (4-hours) for similar liquid hydrocarbon, kerosene (CAS No. 8008-20-6); based on available data the classification criteria are not met
Skin corrosion/irritation:	Causes skin irritation (Category 2)
Serious eye damage/irritation:	Based on available data the classification criteria are not met
Respiratory or skin sensitization:	Based on available data the classification criteria are not met
Mutagenicity:	Based on available data the classification criteria are not met
Carcinogenicity:	No components in this product are classified with respect to carcinogenicity by the IARC, NTP, and ACGIH.
Reproductive Toxicity:	Based on available data the classification criteria are not met
Specific target organ toxicity (single exposure):	May cause drowsiness or dizziness (Category 3)
Specific target organ toxicity (repeated exposure):	Based on available data the classification criteria are not met
Aspiration hazard:	Aspiration hazard if swallowed (Category 1)

Section 12 – Ecological Information

12.1 Toxicity

- Insufficient data available

12.2 Persistence and degradability

- This product is readily biodegradable

12.3 Bio-accumulative potential

- No data available

12.4 Mobility in Soil

- No data available

12.5 Results of PBT and vPvB assessment

- No data available

12.6 Other adverse effects

- No further data available

References:

ECHA 2019. Registered Substances Database: Distillates (petroleum), hydrotreated light. Available online: <https://echa.europa.eu/registration-dossier/-/registered-dossier/15375>

Section 13 – Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Waste disposal must be in accordance with local, regional, national, and/or international regulations. See also Section 7.

Section 14 – Transport Information

This product is not regulated as dangerous goods for transport under Canada's Transportation of Dangerous Goods Regulations including Amendment *SOR/2019-101*. An exemption applies as per *1.33(c)*, *SOR/2008-34* regarding small means of containment for Class 2, Gases and Class 3, Flammable Liquids.

	TDG	IMO/IMDG	ICAO/IATA
14.1 UN number	Not applicable	Not applicable	Not applicable
14.2 UN proper shipping name	Not applicable	Not applicable	Not applicable
14.3 Transport hazard class(es):	Not applicable	Not applicable	Not applicable
14.4 Packing group	Not applicable	Not applicable	Not applicable
14.5 Environmental hazards	None	None	None
14.6 Special precautions for user	None	None	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable	Not applicable	Not applicable

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

No components in this product are listed under CERCLA.

Clean Water Act (CWA): No components in this product are listed as toxic pollutants.

Clean Air Act (CAA): No components in this product are listed as hazardous air pollutants.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: No components in this product are subject to reporting requirements of S.302.

SARA 311/312 Hazards: Acute Health Hazard

SARA 313 Components: This product contains tetramethrin (listed as 2,2-Dimethyl-3-(2-methyl-1-propenyl)cyclopropane carboxylic acid (1,3,4,5,6,7-hexahydro-1,3-dioxo-2H-isoindol-2-yl)methyl ester; CAS No. 7696-12-0) which is subject to reporting level established by S313. No other components in this product are subject.

Toxic Substances Control Act (TSCA): This product contains petroleum distillates, hydrotreated light (CAS No. 64742-47-8) and carbon dioxide (CAS No. 124-38-9) which are listed on the non-confidential TSCA inventory. Tetramethrin (CAS No. 7696-12-0) is not listed on the non-confidential TSCA inventory.

State Regulations:

California: No components in this product are listed under Proposition 65 (CA Health & Safety Code Section 25249.5).

Massachusetts: This product contains carbon dioxide (CAS No. 124-38-9) which is listed under the Right to Know Act (RTK). No other components in this product are listed under the RTK.

New Jersey: This product contains tetramethrin (CAS No. 7696-12-0) and carbon dioxide (CAS No. 124-38-9) which are listed under the RTK. Petroleum distillates, hydrotreated light (CAS No. 64742-47-8) is not listed under the RTK.

Pennsylvania: Carbon dioxide (CAS No. 124-38-9) is listed under the RTK. No other components in this product are listed under the RTK.

Canada

Canadian Environmental Protection Act (CEPA): No components in this product are listed on the Priority Substances List. This product contains petroleum distillates, hydrotreated light (CAS No. 64742-47-8), and carbon dioxide (CAS No. 124-38-9) which are listed on the Domestic Substances List (DSL). Tetramethrin (CAS No. 7696-12-0) was not found on either list.

National Pollutant Release Inventory (NPRI): This product contains petroleum distillates, hydrotreated light (CAS No. 64742-47-8) which is subject to reporting requirements. No other components in this product are subject.

International:

IARC: No components in this product are classified with respect to potential carcinogenicity.

15.2 Chemical Safety Assessment

- Not available for the components in this product

Section 16 – Other Information

List of acronyms and abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists	LC50: Lethal Concentration, 50%
ADR: International Carriage of Dangerous Goods by Road	LD50: Lethal Dose, 50%
ADNR: Regulation for the carriage of dangerous substances on the Rhine	MARPOL: Maritime Pollution
CAA: Clean Air Act	NTP: National Toxicology Program
CAS: Chemical Abstract Service Number	PBT: Persistent, Bio accumulative and Toxic
CERCLA: Comprehensive Environmental Response and Liability Act	PPE: Personal Protective Equipment
CNS: Central Nervous System	RID: International rule for transport of dangerous
CWA: Clean Water Act	RTK: Right to Know
DSL: Domestic Substances List	REACH: Registration, Evaluation, Authorization and Restriction of Chemicals
ECHA: European Chemicals Agency	SARA: Superfund Amendment and Reauthorization Act
EPCRA: Emergency Planning and Community Right to Know Act	SCBA: Self-contained Breathing Apparatus
GHS: Global Harmonized System	SDS: Safety Data Sheet
HEPA: High Efficiency Particulate Air	STEL: Short Term Exposure Limit
HSDB: Hazardous Substances Data Bank	TLV: Threshold Limit Value
IBC: International Bulk Chemical	TSCA: Toxic Substances Control Act
IARC: International Agency for Research on Cancer	TWA: Time Weighted Average
IATA: International Air Transport Association	UN: United Nations
ICAO: International Civil Aviation Organization	vPvB: very Persistent, very Bio accumulative
IMDG: International Maritime Dangerous Goods	WHMIS: Workplace Hazardous Materials Information System
IMO: International Maritime Organization	

References:

- European Chemicals Agency (ECHA) Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)
- European Chemicals Agency Classification and Labelling (C&L) Inventory Database
- United States National Toxicology Program (NTP)
- United States National Library of Medicine's Hazardous Substances Data Bank (HSDB)

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a new Safety Data Sheet.

Creation Date: September 1, 2020

OnGuard Canadian Products
a Trade Name of Ur-Can Inc.
PO Box 80088 Appleby
Burlington, Ontario L7L 6B1

PRODUIT: OnGuard Hornet & Wasp Blaster-400g (REG.31883)

CODE: AD-190012

SECTION 01: IDENTIFICATION DU PRODUIT CHIMIQUE ET DE L'ENTREPRISE

Identité du produit..... OnGuard Hornet & Wasp Blaster-400g (REG.31883)
 Numéro del produit..... AD-190012
 Référence du fabricant..... Empack Spraytech Inc.
 98 Walker Drive
 Brampton
 Ontario
 Canada
 L6T 4H6
 905-792-6571
 Numéro de téléphone d'urgence 24 heures..... CANUTEC : recueillir 613-996-6666.
 Utilisation recommandée..... Pulvérisation d'insecticide.
 Classification du SIMDUT..... A, B5, D2A, D2B .
 TMD..... AÉROSOLS, classe 2.1, UN1950.

SECTION 02: IDENTIFICATION DES DANGERS

Présentation des urgences..... TENIR HORS DE PORTÉE DES ENFANTS . Produit peut causer des lésions oculaires importante mais temporaire. Nocif si absorbé par la peau. Éviter tout contact avec la peau, les yeux ou les vêtements.

Effets potentiels sur la santé :

Contact avec les yeux..... Ce produit cause une irritation, rougeur et douleur.
 Contact avec la peau..... Peut causer des irritations de la peau. Contact cutané prolongé ou fréquemment répété peut causer des réactions allergiques chez certaines personnes. Laver soigneusement avec du savon et de l'eau après traitement.

Ingestion..... Nocif si avalé. De petites quantités de ce produit aspirent dans l'appareil respiratoire au cours de l'ingestion ou vomissements peut causer de légères à graves maladies pulmonaires.

Inhalation..... Inhalation excessive peut causer des irritations nasales et respiratoires. Peut causer des maux de tête, étourdissements, fatigue, manque de coordination, tremblements et perte de conscience.

SECTION 03: INFORMATION SUR LES COMPOSANTS

INGRÉDIENTS DANGEREUX	# CAS	% POIDS
Distillat de pétrole léger hydrotraité	64742-47-8	60-100
Dioxyde de carbone	124-38-9	1-5
Naphte de pétrole	64742-95-6	0.1-1
Tétraméthrine	7696-12-0	0.1-1
d-phénothrine	26002-80-2	0.1-1
Le 1,2,4-triméthylbenzène	95-63-6	0.1-1

SECTION 04: DESCRIPTION DES PREMIERS SOINS À PORTER EN CAS D'URGENCE

Contact avec les yeux..... Rincer immédiatement les yeux à grande eau pendant au moins 15 minutes, en soulevant occasionnellement les paupières supérieures et inférieures. Si l'irritation persiste, consulter un médecin.

Contact avec la peau..... Laver soigneusement à l'eau tiède savonneuse. Consulter un médecin.

Ingestion..... Appeler immédiatement un centre antipoison ou un médecin. Ne pas vomir sauf si dit de le faire par un centre antipoison ou un médecin. Ne pas donner n'importe quel liquide à la personne. Ne donnent rien par la bouche à une personne inconsciente.

Inhalation..... S'il est inhalé, enlever à l'air frais. Si ce n'est pas respirer, pratiquer la respiration artificielle et obtenir une assistance médicale immédiate.

Plus d'informations..... Note au médecin ; traiter selon les symptômes.

SECTION 05: MESURES DE LUTTE CONTRE L'INCENDIE

Classe d'inflammabilité..... Inflammable.
 Une chaleur excessive, d'étincelles et de flammes nues.

PRODUIT: OnGuard Hornet & Wasp Blaster-400g (REG.31883)

CODE: AD-190012

SECTION 05: MESURES DE LUTTE CONTRE L'INCENDIE

Risques d'incendie et d'Explosion..... Traiter comme un incendie de carburant ; porter des appareils respiratoires autonomes pression demande, approuvé par MSHA/NIOSH ou l'équivalent) et équipement de protection complet. Conteneurs peuvent s'accumuler la pression si exposé à la chaleur (incendie). Garder au frais de conteneurs à proximité avec un jet d'eau. Les eaux de ruissellement peut causer des dommages à l'environnement. Endiguer et recueillir l'eau utilisée pour combattre l'incendie pour l'élimination appropriée.

Moyens d'extinction Porter un appareil respiratoire autonome approuvé NIOSH ou l'équivalent et complet équipement de protection. Utiliser l'eau pulvérisée, mousse, dioxyde de carbone et des poudres chimiques sèches.

Sensibilité aux chocs Aucune information disponible.

Sensibilité aux décharges électrostatiques..... Aucune information disponible.

SECTION 06: MESURES À PRENDRE EN CAS DE DISPERSION ACCIDENTELLE

Déversements et les fuites..... Grand déversement ou la fuite est peu probable en aérosol. S'il arrive, éliminer toute source d'ignition. Arrêter la libération, si possible sans risque. Isoler la zone dangereuse. Garder le personnel inutile et non protégé de pénétrer dans. Contenir le déversement. Transvaser dans des conteneurs à déchets pour élimination ou recyclage. Imprégner avec de l'absorbant comme la vermiculite, sable ou terre. Prendre des mesures pour réduire les vapeurs. Nettoyer la zone de déversement à l'eau et de détergent.

SECTION 07: PRÉCAUTIONS DE STOCKAGE, DE L'EMPLOI ET DE MANIPULATION

Précautions pour la manipulation..... Prendre des précautions prudentes pour éviter tout contact avec la peau, les yeux et les vêtements. Ventilation mécanique doit être utilisée lors de la manipulation de ce produit dans des espaces clos. Éviter de respirer les vapeurs ou brouillards de ce produit de pulvérisation. Ne pas contaminer l'eau, des aliments ou des aliments pour animaux, de stockage, de manutention, ou par immersion. Lire et observer toutes les instructions sur l'étiquette.

Conditions d'entreposage sécuritaire, y Garder le récipient fermé. Stocker dans un endroit frais, sec et bien aéré, loin des compris les incompatibilités substances incompatibles. Tenir à l'écart de chaleur, d'étincelles et de flammes. Ne pas percer ou incinérer. Éviter la contamination de l'alimentation humaine et animale.

SECTION 08: MESURES DE PROTECTION CONTRE L'EXPOSITION / PROTECTION INDIVIDUELLE

INGRÉDIENTS	ACGIH TLV		OSHA PEL		NIOSH REL
	TWA	STEL	PEL	STEL	
Distillat de pétrole léger hydrotraité	Non disponible	Non disponible	Non disponible	Non disponible	Non disponible
Dioxyde de carbone	5000 ppm	30000 ppm	9000 mg/m3	Non disponible	STEL:30000ppm; TW: 5000ppm
Naphte de pétrole	Non disponible NOT AVAILABLE	Non disponible	Non disponible	Non disponible	Non disponible
Tétraméthrine	Non disponible	Non disponible	Non disponible	Non disponible	Non disponible
d-phénothrine	Non disponible	Non disponible	Non disponible	Non disponible	Non disponible
Le 1,2,4-triméthylbenzène	25 ppm 25 ppm	Pas établi	Pas établi	Pas établi	25 ppm (125 mg/m3)

Protection des yeux/visage..... Utiliser des lunettes de sécurité ou bouclier intégral lorsqu'il y a un risque de contact avec les yeux. .

Protection de la peau..... Utiliser des gants en caoutchouc ou en latex lorsqu'il y a un potentiel pour le contact cutané prolongé ou excessive.

Protection des voies respiratoires..... Porter un appareil respiratoire n'est pas normalement requis lors de la manipulation de ce produit. . Utiliser dans des endroits bien aérés. Prendre des précautions prudentes pour éviter de respirer les vapeurs et/ou vaporiser des brouillards de ce produit.

Contrôles d'ingénierie appropriés L'évacuation par une ventilation locale est nécessaire pour maintenir le point d'utilisation ci-dessous sous la Valeur du Seuil de Limite si le personnel n'est pas protégé.

Limites d'exposition

SECTION 09: PROPRIÉTÉS PHYSICO-CHIMIQUES

État physique..... Aérosol.

Apparence physique Courant-jet.

Odeur..... Caractéristique.

pH..... 6 - 7, 5.

PRODUIT: OnGuard Hornet & Wasp Blaster-400g (REG.31883)

CODE: AD-190012

SECTION 09: PROPRIÉTÉS PHYSICO-CHIMIQUES

Densité de vapeur (Air = 1)..... Non disponible.
 Taux d'évaporation (acétate de n-butyle = 1) 1 < (acétate de n-butyle = 1).
 Point d'ébullition (propergol), °C..... - 78C.
 Liquide de Point d'ébullition (° C)..... 218 - 257C.
 Point de fusion/congélation (° C)..... N/A.
 Température d'auto-inflammation (propergol), > 200.
 °C
 Point d'éclair (° C), méthode..... > 81C .
 Limites d'explosivité (% en volume)..... inférieure : 0,6 ; Supérieur : 4,9.
 Pression de vapeur (lb/po2)..... 80 - 95 .
 Solubilité dans l'eau..... Insoluble dans l'eau.
 Gravité spécifique (aérosol)..... 0,780 @ 25 ° C.
 Gravité spécifique..... 0,780 @ 25 ° C.

SECTION 10: STABILITÉ DU PRODUIT ET RÉACTIVITÉ

Stabilité chimique..... Stable à températures & pressions normales.
 Matières incompatibles..... Acides forts, bases et agents oxydants.
 Produits de décomposition dangereux..... Du dioxyde de carbone et monoxyde de carbone, des hydrocarbures divers peuvent se former.
 Possibilité de réactions dangereuses Ne se produit pas.

SECTION 11: INFORMATION TOXICOLOGIQUE

INGRÉDIENTS	LC50	LD50
Distillat de pétrole léger hydrotraité	>6.03 mg/L (Rat - 4heures)	>5,000 mg/kg (Orale - Rat); >2,000 mg/kg (Peau - Lapin)
Dioxyde de carbone	Pas disponible	Pas disponible
Naphte de pétrole	Non disponible	Non disponible
Tétraméthrine	Non disponible	4,640 mg/kg (Orale- Rat)
d-phénothrine	>3.760 mg/L (Rat - 4heures)	5,000 mg/kg (Orale - Rat); <1,000 mg/kg (Peau - Lapin)
Le 1,2,4-triméthylbenzène	> 2000 ppm/48 h rat	5000 mg/kg Rat orale; > 3160 mg/kg Lapin cutanée
Voie d'exposition.....	Contact avec les yeux, contact avec la peau, absorption par la peau, Inhalation et Ingestion.	
Effets d'une exposition aiguë.....	Aucune information n'est disponible.	
Effets chroniques.....	Aucun connu.	
Cancérogénicité.....	Aucune connue lorsqu'il est utilisé sous la limite de toxicité aiguë.	
Effets sur la reproduction.....	Aucune information n'est disponible, et aucun effet indésirable ne devrait.	
Térogénicité.....	Aucune information n'est disponible, et aucun effet indésirable ne devrait.	
Mutagénicité sur les cellules germinales.....	Aucune information n'est disponible, et aucun effet indésirable ne devrait.	
Données toxicologiques		

SECTION 12: RENSEIGNEMENTS ÉCOTOXICOLOGIQUES

Informations générales..... Produit contient des composants qui sont toxiques pour les poissons et autres invertébrés aquatiques. Absorbant et laver l'eau contaminée doit être éliminé conformément aux règlements les, provinciaux et fédérales/nationales.

SECTION 13: INFORMATIONS SUR L'ÉLIMINATION DES DÉCHETS

Méthodes d'élimination appropriées..... Lorsque le conteneur est vide, remplacer la cap et offre pour le recyclage. Lorsque le recyclage n'est pas disponible, solidement envelopper conteneur dans plusieurs couches de papier journal et jeter à la poubelle. Absorbant et laver l'eau contaminée doit être disposé selon les règlements les, étatiques et fédérales. .

SECTION 14: INFORMATION RELATIVES AU TRANSPORT

Sol..... Marchandise de consommation, ORM-D.
 Air..... Ne peuvent être expédiés par voie aérienne.
 Mer..... AÉROSOLS, classe 2.1, UN# 1950.

PRODUIT: OnGuard Hornet & Wasp Blaster-400g (REG.31883)

CODE: AD-190012

SECTION 15: INFORMATION RÉGLEMENTAIRES

Règlements de Canada : Classification du SIMDUT. A: gaz comprimé. B5 : Aérosol inflammable. D2A : Matières causant un effet toxique très. D2B : Matières causant d'autres matériaux toxiques.

Règlements américains Loi sur la Protection environnementale : Les constituants de ce produit figurent sur l'inventaire du TSCA. OSHA (29CFR 1910.1200) Classification : gaz comprimé. HIMS Classifications : voir section 01. IHM: 1 santé, 2 feu, 0 réactivité. .

SECTION 16: AUTRES RENSEIGNEMENTS

Clause de non-responsabilité Ce produit a été classé selon les critères de danger du RPC et de la FDS contient tous les renseignements exigés par le RPC. CETTE FICHE EST VALABLE POUR TROIS ANS. L'informations contenues herein est issu des données considérées comme exactes. Aucune garantie expresse ou implicite quant à l'exactitude de ces données ou les résultats obtenus par l'utilisation de celui-ci. EMPACK n'assume aucune responsabilité pour les dommages corporels ou matériels personnels aux acquéreurs ou des utilisateurs ou des tiers, causés par le matériel. Les acquéreurs ou les utilisateurs assumeront tous les risques avec l'utilisation du matériel.

Préparé par..... Affaires Regulatory

Version Révisée MAR 10/2016 Revision Septembre 1, 2020