

1	Identification		
1.1	Product identifier		
(a)	Product code	060-144 / 060-144B	
	Product name	Pro-Pest Bed Bug Monitor	
(b)	Other means of identification	N/A	
(c)	Recommended use Restrictions for use	A device used for the monitoring and detection of bedbugs. Not applicable	
	Active Ingredient	Crystal Polystyrene (Clear)	
	CAS Number	9003-53-6	
	Other Ingredients	Resin Glue	
	Relevant identified uses of the	substance or mixture and uses advised against	
	Product use	Product may be placed between mattress and box spring in bedding.  Product may also be placed under furniture cushions.	
(d)	Details of the supplier of the s	afety data sheet	
	Manufacturer: PCM Custom Molding, Inc. ADDRESS: 432 S. Robson Mesa, AZ 85210 USA BUSINESS PHONE: (480) 834-4400 WEBSITE: www.pcmmolding.com	U.S.A. Master Supplier:  J. F. Oakes Sales & Marketing, LLC Physical: 646 E Fifteenth Street Mailing: P.O. Box 115 Yazoo City, MS 39194 U.S.A. Tel #: 662 746 7276 Fax #: 662 746 4568 Email: sales@jfoakes.com Web: www.jfoakes.com	
(e)	Emergency telephone number for US and Canada only:	CHEMTREC: 1-800-424-9300	
2	Hazards Identification		
(a)	Classification of the chemical in accordance with paragraph (d) of §1910.1200, OPP and GHS criteria	This product does not contain known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. As defined under Sara 311 and 312, this product does not contain known hazardous materials.	
	Acute oral toxicity	No data available	
	Acute inhalation toxicity Skin irritation	No data available No data available	
	Primary eye irritation	No data available	
<u> </u>		Dago 1 of 7	



	Sensitization	No data available
	Signal word, hazard	None
	statement(s), symbol(s) and	
	precautionary statement	
(b)	Other hazards	No data available
	Statement of the mixture	
	HMIS® Rating	
(c)	Health:	This product is odorless, stable and poses no immediate hazard to health. This product may produce toxic fumes when heated to decomposition.
	Flammability:	As supplied, this product is not combustible.
	Reactivity:	None
	Protection:	Emergency responders must wear the proper personal protective
		equipment (and have appropriate fire-suppression equipment) suitable
		for the situation to which they are responding.
	Safety Phrases:	None
(d)	UN Number:	No data available
	Classification of the	
	substance or mixture	
3	Composition/Information on ingredients	
	Substances	
	Active Ingredients and	Resin Glue (non-hazardous)
(a)	Chemical Name:	
(b)	Common names:	N/A
	Other Ingredient:	N/A
	Mixtures	
	CAS Number:	Non-hazardous
4	First Aid Measures	
4	First Aid Measures	



(a)	Description of first aid measures	Contaminated individuals of chemical exposure must be
		taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.
(b)	Most important symptoms and effects, both acute and delayed	None known.
(c)	Indication of any immediate medical attention and special treatment needed	See below
	- Inhalation	Not expected as a result of exposure to finished product.
	- Eyes	Not expected as a result of exposure to finished product.
	- Skin	Not expected as a result of exposure to finished product.
	- Ingestion	Routine installation of this product is not expected to cause any situation which could lead to ingestion.
5	Fire-Fighting Measures	
(a)	Suitable extinguishing media	Use fire extinguishing materials appropriate for surrounding fire including water spray (for cooling), dry extinguishing media, carbon dioxide, foam.
(b)	Special hazards arising from the substance or mixture	This product has no unusual fire or explosion hazards.
(c)	Precautions for fire-fighters	Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.
6	<b>Accidental Release Measures</b>	
(a)	Personal precautions, protective equipment and emergency procedures	Pick-up for re-use or recycle.
	Environmental precautions	
(b)	Methods and material for containment and cleaning up	
7	Handling and Storage	
(a)	Precautions for safe handling	Use appropriate personal protective equipment during handling. Protect against physical damage. Observe good hygiene practices.



(b)	Conditions for safe storage, including any incompatibilities	Store product in a cool, dry location, away from sources of intense heat.
8	Exposure Controls/Personal Prote	ection
(a)	OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.	The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.  RESPIRATORY PROTECTION: Respiratory protection is not needed for finished product. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory
(b)	Appropriate engineering controls.	Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states. Oxygen levels below
(c)	Individual protection measures, such as personal protective equipment.	19.5% are considered IDLH by OSHA. In such atmospheres, use of a full-face piece pressure/demand SCBA or a full-face piece, supplied air respirator with auxiliary self-contained air supply is required under U.S. Federal OSHA's Respiratory Protection Standard (1910.134-1998) or the regulations of various U.S. States, Canada, EU Member States, or those of Japan. Airpurifying respirators with dust/mist/fume filters are recommended if operations may produce mists or sprays from this product. EYE PROTECTION: Not needed for finished product. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.  HAND PROTECTION: Not needed for finished product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.  BODY PROTECTION: Not needed during normal use. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.



Physical and Chemical Properties		
Information on physical and chemical properties		
Appearance:	This product is clear solid plastic box	
Odor:	No odor	
Odor threshold:	No odor	
pH:	Not applicable	
Melting point/freezing point:	Not applicable	
Initial boiling point and boiling range:	Not applicable	
Flash point:	Not applicable	
Evaporation rate:	Not applicable	
Flammability (solid, gas):	Not applicable	
Upper/lower flammability or explosive	Not applicable	
limits:	Not applicable	
Vapour pressure:	Not applicable	
	Not applicable	
	Not applicable	
-	Not applicable	
• • • •	Not applicable	
	Not applicable	
	Not applicable	
· · · · · · · · · · · · · · · · · · ·	Not applicable	
·	Not applicable	
Oxidising properties:	Not applicable	
Other information	None	
Stability and Reactivity		
Reactivity	May yield irritating gases with oxides of carbon. Toxic	
	fumes and dark smoke yields when burnt.	
Chemical stability	Stable.	
Possibility of hazardous reactions	Will not occur.	
Conditions to avoid	None known.	
Incompatible materials	None known.	
Hazardous decomposition products	No data.	
Toxicology Information		
Skin contact:	No data available	
Skin absorption:	No data available	
Eye contact:	No data available	
Inhalation:	No data available	
Ingestion:	No data available	
Symptoms related to the physical, chemical	No data available	
and toxicological characteristics.		
Delayed and immediate effects and also	None.	
	Information on physical and chemical proper Appearance: Odor: Odor threshold: pH: Melting point/freezing point: Initial boiling point and boiling range: Flash point: Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits: Vapour pressure: Vapour density: Relative density: Solubility(ies): Partition coefficient; n-octanol/water: Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties: Other information  Stability and Reactivity Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition products  Toxicology Information  Skin contact: Skin absorption: Eye contact: Inhalation: Ingestion:  Symptoms related to the physical, chemical and toxicological characteristics.	



		bi iligiliy lucas technology a resources tugether.
(d)	Numerical measures of toxicity (such as acute toxicity estimates).	No data available
(e)	Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.	No data available
12	<b>Ecological Information</b>	
(a)	Eco-toxicity	All work practices must be aimed at eliminating environmental contamination.
(b)	Persistence and degradability	No data for this product.
(c)	Bio-accumulative potential	Not applicable for this product.
(d)	Mobility in soil	Not Applicable.
(e)	Other adverse effects	Not Applicable.
13	Disposal Considerations	
	Waste treatment methods	Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.
14	Transport Information	,
(a)	UN number	Not Regulated.
(b)	UN proper shipping name	Not Regulated.
(c)	Transport hazard class(es)	Not Regulated.
(d)	Packing group	Not Regulated.
(e)	Environmental hazards	None.
(f)	Transport in bulk according to Annex II of	None.
	MARPOL73/78 and the IBC Code	Not Regulated.
	Special precautions which a user needs to	
	be aware of, or needs to comply with, in	
	connection with transport or conveyance	
	either within or outside their premises.	
15	Regulatory Information	
	Safety, health and environmental	UNITED STATES REGULATIONS:
	regulations/legislation specific for the	U.S. SARA REPORTING REQUIREMENTS: The components of these products are not subject to the reporting requirements
	substance or mixture	of Sections 302, 304, and 313 of Title III of the Superfund
	Chemical safety assessment	Amendments and Reauthorization Act.  U.S. SARA THRESHOLD PLANNING QUANTITY: There are
		no specific Threshold Planning Quantities for any component of
	Signal word	these products. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) therefore applies, per 40 CFR 370.20.  U.S. CERCLA REPORTABLE QUANTITY (RQ): Not
		applicable.  U.S. TSCA INVENTORY STATUS: The components of these
		products are listed in the TSCA Inventory.  CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the



		components present in this product are on the California
		Proposition 65 list.  CANADIAN REGULATIONS:
		CANADIAN REGULATIONS.  CANADIAN DSL/NDSL INVENTORY STATUS: The
		components of this product are on the DSL Inventory, or are
		exempted from listing.
		CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)
		PRIORITIES SUBSTANCES LISTS: None of the component of
		this product are on the CEPA First Priorities Substance Lists.
		CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Not Classified
		EUROPEAN ECONOMIC COMMUNITY INFORMATION:
		EU DANGEROUS PREPARATIONS DIRECTIVE (DPD)
		LABELING AND CLASSIFICATION: This product does not meet
		the definition of any hazard class, as defined by the European
		Union Council Directives 67/548/EEC and 1999/445/EC and
		subsequent Directives. For information on classification under
		CLP Regulation (EC) 1271/2008, please refer to section 16
		(Other Information). Classification: Not Applicable Risk Phrases: Not Applicable
		Safety Phrases: Not Applicable Annex II Hazard Symbol: Not
		Applicable
		AUSTRALIAN INFORMATION FOR PRODUCT:
		AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES
		(AICS) STATUS: The components of this product are listed on
		the AICS. STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS
		AND POISONS: Not applicable.
		JAPANESE INFORMATION FOR PRODUCT:
		JAPANESE MINISTER OF INTERNATIONAL TRADE AND
		INDUSTRY (MITI) STATUS: The components of this product
		are not listed as Class I Specified Chemical Substances, Class
		II Specified Chemical Substances, or Designated Chemical
		Substances by the Japanese MITI.
16	Other Information	
	Disclaimer of warranties and limitation of liability	
	The information in this SDS is furnished without warranty, expressed or implied regarding its	
	correctness. It was compiled from sources which we believe are reliable to the best of our knowledge.	
	J. F. Oakes Sales & Marketing, LLC makes no warranty or representation to the suitability of the product	
	for a particular purpose which may be used for and cannot be held liable for any damage or loss which	
	may be consequence of the use of the product or the reliance of the information provided in the	
	document incidentally or consequentially. It is the condition of supply that the suitability of the product	
	for a particular application and the relevance of the information provided to the conditions of the	
	application will be solely determined by the user.	
	application will be solely determined by the u	1501.