

TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

1/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier	
Trade name	TEMPRID™ SC INSECTICIDE
Product code (UVP)	79521359
SDS Number	102000019505
PCP Registration No.	32524
Relevant identified uses of th	e substance or mixture and uses advised against
Use	Insecticide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer CropScience Inc #200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3 Canada
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Warning

Hazard statements Harmful if swallowed or if inhaled

Precautionary statements

Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing mist and spray.



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

2/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

Use only outdoors or in a well-ventilated area. IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell. Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Imidacloprid	138261-41-3	21.0
Beta-Cyfluthrin	68359-37-5	10.5
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	2.4

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Most important symptoms and effects, both acute and delayed	
Symptoms	To date no symptoms are known.
Indication of any immediate medical attention and special treatment needed	



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

3/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

Treatment

Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media Suitable Unsuitable	Water spray, Foam, Carbon dioxide (CO2), Dry chemical None known.
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	> 93.3 °C
Auto-ignition temperature	360 °C / 680 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
Additional advice	Use personal protective equipment. If material is accidentally spilled, do not allow to enter soil, waterways or waste water canal.	



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

4/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

Reference to other sections Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.
Conditions for safe storage, including any incompatibilities	
Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Beta-Cyfluthrin	68359-37-5	0.01 mg/m3 (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m3 (TWA)	07 2009	CAD AB OEL
(Mist.)	56-81-5	10 mg/m3 (TWA)	09 2011	CAD BC OEL
Glycerine (Respirable mist.)	56-81-5	3 mg/m3 (TWA)	09 2011	CAD BC OEL
Glycerine (Mist.)	56-81-5	10 mg/m3 (TWA)	11 2010	CAD ON OEL
Glycerine	56-81-5	10 mg/m3 (8 HR ACL)	05 2009	CAD SK OEL



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

5/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

(Mist.)				
Glycerine (Mist.)	56-81-5	20 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL
Glycerine (Mist.)	56-81-5	10 mg/m3 (TWA)	11 2011	OEL (QUE)

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to beige
Physical State	suspension
Odor	characteristic
Odour Threshold	No data available
рН	ca. 6.9 at 10 %
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	1.16 g/cm3 at 20 °C
Evaporation rate	No data available
Boiling Point Melting / Freezing Point	No data available No data available
Water solubility	dispersible
Minimum Ignition Energy	Not applicable

TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505



Decomposition temperature	Not applicable
Partition coefficient: n- octanol/water	No data available
Viscosity	500 - 1,100 mPa.s
Flash point	> 93.3 °C
Auto-ignition temperature	360 °C / 680 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	Not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Skin Absorption, Eye contact, Ingestion
Immediate Effects Eye	Moderate eye irritation.
Skin	Harmful if absorbed through skin. May cause slight irritation.
Ingestion	Harmful if swallowed.
Information on toxicological effects	
Acute oral toxicity	LD50 (female Rat) > 1,044 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.03 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

7/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

	highest concentration tested No deaths
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin irritation	slight irritation (Rabbit)
Eye irritation	Mild eye irritation. (Rabbit)
Sensitisation	Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies. The toxic effects of Beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice. Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity. Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid.
	LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
	EC50 (Daphnia magna (Water flea)) 0.00029 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.
	IC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient beta-cyfluthrin. No acute toxicity was observed at its limit of water solubility.
Biodegradability	Imidacloprid: Not rapidly biodegradable Beta-Cyfluthrin: Not rapidly biodegradable
Кос	Imidacloprid: Koc: 225 Beta-Cyfluthrin: Koc: 508 - 3179
Bioaccumulation	Imidacloprid: Does not bioaccumulate. Beta-Cyfluthrin: Bioconcentration factor (BCF) 506 Does not bioaccumulate.
Mobility in soil	Imidacloprid: Moderately mobile in soils Beta-Cyfluthrin: Immobile in soil
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

9/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. Never place unused product down any indoor or outdoor drain. Follow advice on product label and/or leaflet.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Add washings to sprayer at time of filling. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG UN number Labels Packaging group Marine pollutant Proper shipping name	3082 9 III Marine pollutant ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID)
49CFR	Not dangerous goods / not hazardous material
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)
IATA UN number	3082



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

10/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
	(BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 32524 **US Federal Regulations TSCA** list None. US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None. SARA Title III - Section 302 - Notification and Information None. SARA Title III - Section 313 - Toxic Chemical Release Reporting Beta-Cyfluthrin 68359-37-5 **US States Regulatory Reporting** CA Prop65 This product does not contain any substances known to the State of California to cause cancer. This product does not contain any substances known to the State of California to cause reproductive harm. **US State Right-To-Know Ingredients** Beta-Cyfluthrin 68359-37-5 NJ, RI **Canadian Regulations Canadian Domestic Substance List** Naphthalene and alkyl naphthalene 68425-94-5 sulphonic acids formaldehyde condensate, sodium salt Environmental CERCLA

CERCLA None.



TEMPRID™ SC INSECTICIDE

Version 2.0 / CDN 102000019505

11/11 Revision Date: 01/11/2017 Print Date: 01/11/2017

Clean Water Section 307 Priority Pollutants None. Safe Drinking Water Act Maximum Contaminant Levels None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

	-je
49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation
NFPA 704 (National Fire Protection Association):	

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)Health - 1Flammability - 1Physical Hazard - 0PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 01/11/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.