



Printing date 10/02/2020 Reviewed on 09/30/2020

## 1 Identification

- Product identifier
- · Trade name: VECTAIR VIBE SEASALT BAMBOO FRAGRANCE
- · Article number: VIBE-SEASALT
- · Application of the substance / the mixture Air Freshener
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Vectair Systems Inc.

PO Box 11068

Memphis, TN 38134 United States

info@vectairsystems.com

- · Information department: Product safety department.
- · Emergency telephone number: +1-877-697-7276

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol

**Amberonne** 

alpha-iso-Methylionone

Eugenol

Citronellol

2-Methyl-3-(p-isopropylphenyl)propionaldehyde

Benzyl salicylate

· Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

Printing date 10/02/2020 Reviewed on 09/30/2020

### Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 1)

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
FIRE		<i>Fire</i> = 1
REACTIVITY	(0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
141-97-9	ethyl acetoacetate	50-100%
	Propylene glycol	10-50%
	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	≥0.1-<1%
54464-57-2	Amberonne	≥0.1-<1%
	alpha-iso-Methylionone	≥0.1-<1%
	Eugenol	≥0.1-<1%
1	Citronellol	≥0.1-<1%
	2-Methyl-3-(p-isopropylphenyl)propionaldehyde	≥0.1-<1%
118-58-1	Benzyl salicylate	≥0.1-<1%

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Printing date 10/02/2020 Reviewed on 09/30/2020

Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 2)

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
141-97-9	ethyl acetoacetate	12 mg/m³
57-55-6	Propylene glycol	30 mg/m³
120-51-4	Benzyl benzoate	$5.7 \text{ mg/m}^3$
· PAC-2:		
141-97-9	ethyl acetoacetate	130 mg/m³
57-55-6	Propylene glycol	$1,300 \text{ mg/m}^3$
120-51-4	Benzyl benzoate	63 mg/m³
· PAC-3:		
141-97-9	ethyl acetoacetate	790 mg/m³
57-55-6	Propylene glycol	$7,900 \text{ mg/m}^3$
120-51-4	Benzyl benzoate	380 mg/m³

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

Printing date 10/02/2020 Reviewed on 09/30/2020

Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in a cool place away from heat and sources of ignition.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

### 57-55-6 Propylene glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 10/02/2020 Reviewed on 09/30/2020

Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 4)

Physical and chemical proper	ties	
Information on basic physical and c	chemical properties	
General Information	1 1	
Appearance:		
Form:	Liquid	
Color:	Colorless to yellow	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>100 °C (>212 °F)	
Flash point:	>100 °C (>212 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	0.1 hPa	
Density at 20 °C (68 °F):	1.035 g/cm³ (8.63707 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	16.0 %	
VOC content:	77.80 %	
	805.2 g/l / 6.72 lb/gal	
VOC (EU)	77.80 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 6)

Printing date 10/02/2020 Reviewed on 09/30/2020

Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 5)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· Acute to	xicity:
· LD/LC5	0 values that are relevant for classification:
141-97-	9 ethyl acetoacetate
Oral	LD50 3,980 mg/kg (rat)
57-55-6	Propylene glycol
Oral	LD50 30,000 mg/kg (rat)
Dermal	LD50 20,800 mg/kg (rabbit)
63500-7	1-0 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol
Oral	LD50 >5,000 mg/kg (rat)
Dermal	LD50 >2,000 mg/kg (rat)
54464-5	7-2 Amberonne
Oral	LD50 >5,000 mg/kg (rat)
Dermal	LD50 >5,000 mg/kg (rabbit)
127-51-	5 alpha-iso-Methylionone
Oral	LD50 >5,000 mg/kg (rat)
Dermal	LD50 >5,000 mg/kg (rabbit)
97-53-0	Eugenol
Oral	LD50 1,930 mg/kg (rat)
106-22-	9 Citronellol
Oral	LD50 3,450 mg/kg (rat)
Dermal	LD50 2,650 mg/kg (rabbit)
118-58-	1 Benzyl salicylate
Oral	LD50 2,227 mg/kg (rat)
	· toute or · Cont.

- Primary irritant effect:
- · on the eye: Irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
97-53-0 Eugenol	3
128-37-0 Butylated hydroxytoluene	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

Printing date 10/02/2020 Reviewed on 09/30/2020

Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 6)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

LIC

Printing date 10/02/2020 Reviewed on 09/30/2020

Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 7)

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

128-37-0 Butylated hydroxytoluene

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol

*Amberonne* 

alpha-iso-Methylionone

Eugenol

Citronellol

2-Methyl-3-(p-isopropylphenyl)propionaldehyde

Benzyl salicylate

(Contd. on page 9)

Printing date 10/02/2020 Reviewed on 09/30/2020

#### Trade name: VIBE SEASALT BAMBOO FRAGRANCE

(Contd. of page 8)

· Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Date of preparation / last revision 10/02/2020 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1