

# Card-O-Vap 8

## **NOT FOR USE OR STORAGE IN OR AROUND RESIDENTIAL SITES**

FOR USE IN WAREHOUSES, SILOS, BULK BINS AND FOOD/FEED PROCESSING, FOOD/FEED MANUFACTURING, HANDLING AND STORAGE PLANTS CONTAINING NON-PERISHABLE, PACKAGED OR BAGGED RAW OR PROCESSED FOOD/FEED COMMODITIES OR BULK RAW OR PROCESSED FOOD COMMODITIES, AND IN THE NONFOOD/NONFEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS

<b>ACTIVE INGREDIENT:</b>		
Dichlorvos, DDVP (dimethyl 2,2-dichlorovinyl phosphate) .....	8.0%	
<b>OTHER INGREDIENTS*:</b> .....	92.0%	
<b>TOTAL:</b> .....	100.0%	

\* Contains Petroleum Distillates

**KEEP OUT OF REACH OF CHILDREN**

## **WARNING**

*Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)*

[See label pamphlet for additional Precautionary Statements, including First Aid, and complete Directions for Use.]

- Net Contents:  2.5 Gallons  
 2.5 Gallons X 2  
 5 Gallons  
 50 Gallons



EPA Reg. No. 8536-41

EPA Est. 11220-CA-8

Lot No. : \_\_\_\_\_

(Date of Labeling: April 28, 2021)

Produced for:

### **CARDINAL PROFESSIONAL PRODUCTS**

8100 Arroyo Circle ♦ Gilroy ♦ CA 95020-7305  
(800) 548-2223

#### **WARRANTY DISCLAIMER**

Seller warrants that this product conforms to the chemical description on its label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. To the extent consistent with applicable law, neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product in a manner contrary to its label.

# Card-O-Vap 8

## **NOT FOR USE OR STORAGE IN OR AROUND RESIDENTIAL SITES**

FOR USE IN WAREHOUSES, SILOS, BULK BINS AND FOOD/FEED PROCESSING, FOOD/FEED MANUFACTURING, HANDLING AND STORAGE PLANTS CONTAINING NON-PERISHABLE, PACKAGED OR BAGGED RAW OR PROCESSED FOOD/FEED COMMODITIES OR BULK RAW OR PROCESSED FOOD COMMODITIES, AND IN THE NONFOOD/NONFEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS

### ACTIVE INGREDIENT:

Dichlorvos, DDVP (dimethyl 2,2-dichlorovinyl phosphate)..... 8.0%

OTHER INGREDIENTS\*: ..... 92.0%

TOTAL..... 100.0%

\* Contains Petroleum Distillates

## KEEP OUT OF REACH OF CHILDREN

# WARNING

*Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)*

[See inside of label pamphlet for additional Precautionary Statements, including First Aid, and complete Directions for Use.]

EPA Reg. No. 8536-41



EPA Est. 11220-CA-8

(Date of Labeling: April 28, 2021)

Produced for:

## CARDINAL PROFESSIONAL PRODUCTS

8100 Arroyo Circle ♦ Gilroy ♦ CA 95020-7305

(800) 548-2223

### WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on its label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. To the extent consistent with applicable law, neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product in a manner contrary to its label.

# Specimen Label

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

- **WARNING.** Contains Petroleum Distillates. May be fatal if absorbed through skin.
- Harmful if swallowed.
- Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove and wash contaminated clothing before reuse.

FIRST AID	
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"><li>■ Take off contaminated clothing.</li><li>■ Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>■ Call a poison control center or doctor for treatment advice.</li></ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"><li>■ Immediately call a poison control center or doctor.</li><li>■ Do not give any liquid to the person.</li><li>■ Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>■ Do not give anything by mouth to an unconscious person.</li></ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"><li>■ Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>■ Remove contact lens, if present, after the first 5 minutes; then continue rinsing.</li><li>■ Call a poison control center or doctor for treatment advice.</li></ul>
<b>NOTE TO PHYSICIAN:</b>	<ul style="list-style-type: none"><li>■ Contains petroleum distillates. Vomiting may cause aspiration pneumonia hazard.</li></ul>
<b>EMERGENCY INFORMATION:</b>	<ul style="list-style-type: none"><li>■ Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</li><li>■ For additional information, in case of an emergency, call CHEMTREC at 1-800-424-9300.</li></ul>

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Mixers, loaders, applicators and other handlers must wear:
  - long-sleeved shirt;
  - long pants;
  - shoes and socks;
  - chemical-resistant gloves made of barrier laminate, butyl rubber > 14 mils, nitrile rubber > 14 mils, neoprene rubber > 14 mils, polyvinyl chloride > 14 mils or viton > 14 mils;
  - protective eyewear; and
  - a minimum of a NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and a combination N, R, or P filter; OR a NIOSH-approved gas mask with OV canisters; OR a NIOSH-approved powered air-purifying respirator with OV cartridges and combination HE filters.

### ENVIRONMENTAL HAZARDS

- **Do not** discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.
- **Do not** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## PHYSICAL/CHEMICAL HAZARDS

- Combustible. **Do not** use or store near heat or open flame.
- **Do not** apply this product in or on electrical equipment, due to the possibility of shock hazard.
- **Do not** allow this product to come in contact with acids, bases, or other strong oxidizing materials, as a chemical incompatibility reaction may occur.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING. USE STRICTLY IN ACCORDANCE WITH LABEL AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

### LIQUID FORMULATION FOR USE ONLY IN COMMERCIAL APPLICATION EQUIPMENT, SUCH AS CONVENTIONAL OR ULV FOGGING EQUIPMENT (SPACE TREATMENT)

- USE IN HAND-HELD FOGGER OR HAND-HELD SMOKE GENERATOR EQUIPMENT IS **PROHIBITED**.
- WHEN APPLYING AS A FOG OR MIST INDOORS, EQUIPMENT **MUST** BE OPERATED REMOTELY. HANDLERS **CANNOT** BE PRESENT IN THE TREATMENT AREA BEING FOGGED OR MISTED DURING APPLICATION.
- USE IN RESIDENTIAL SITES AS A CRACK AND CREVICE OR SPACE SPRAY IS **PROHIBITED**.
- USE ON LAWNS, TURF OR ORNAMENTALS IS **PROHIBITED**.
- USE IS ALSO **PROHIBITED** IN:
  - **The following food/feed manufacturing establishments:** bottling plants (including wineries, breweries, soft drinks), frozen food/feed (including pizza plants and ice cream plants) excluding non-food/non-feed manufacturing areas.
  - **The following food/feed processing establishments:** meat, poultry and seafood slaughtering and/or packing plants (including edible fats and oils), frozen food/feed plants (including fruit and vegetables), dairy product plants (including milk processing plants) excluding non-food/non-feed processing areas.
  - **Federally Inspected Meat and Poultry Plants**

FOR USE IN WAREHOUSES, SILOS, BULK BINS AND FOOD/FEED PROCESSING, FOOD/FEED MANUFACTURING, HANDLING AND STORAGE PLANTS CONTAINING NON-PERISHABLE, PACKAGED OR BAGGED RAW OR PROCESSED FOOD/FEED COMMODITIES OR BULK RAW OR PROCESSED FOOD/FEED COMMODITIES AND NON-FOOD/NON-FEED AREAS OF PROCESSING/MANUFACTURING PLANTS\*, FOR CONTROL OF INSECTS SUCH AS INDIAN MEAL MOTH, RED FLOUR BEETLE, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, MERCHANT GRAIN BEETLE, CIGARETTE BEETLE, DRUGSTORE BEETLE, AND GRANARY WEEVIL:

- \*Non-food/non-feed processing and manufacturing plant use areas include garage rooms, lavatories, floor drains (to sewers entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).
- Keep a **minimum** of a 7-day interval between applications except on cocoa beans and raw (unshelled) peanuts where daily applications do not exceed 0.5 grams A.I. per 1,000 cubic feet of head space.
- **Do not** make applications when temperatures are below 60°F.
- The term "non-perishable" means any raw or processed food/feed not subjected to rapid decay or deterioration that would render it unfit for consumption. Raw commodities would include: Animal feed, cocoa beans, dried beans, grain crops, peanuts, soybeans and nut crops. Raw commodities do not include eggs, milk, meat, poultry, fish, fresh fruits and vegetables. Processed food/feed would include: flour, sugar, cereals, packaged goods and crackers. Processed food/feed do not include: hermetically sealed food/feed or manufactured dairy products and other processed food/feed requiring freezing or refrigeration.
- When using in food/feed processing, food/feed manufacturing, handling and storage areas:
  - Apply only during times when plant is not in operation and no food/feed products are exposed. If bulk, unpackaged food/feed is exposed, remove or cover before treatment begins.
  - All food/feed processing surfaces must be covered during treatment or thoroughly cleaned before using.

## POSTING AND RE-ENTRY RESTRICTIONS

NOTIFICATION: Before the start of the application, post fumigant warning signs at all entrances to the building. The signs must bear the skull and crossbones symbol and state: (1) "DANGER/PELIGRO", (2) "Building under fumigation, DO NOT ENTER/NO ENTREE", (3) the date and time of fumigation, (4) "DDVP (Card-O-Vap 8) Fumigant in use", and name, address, and telephone number of the applicator. The signs must be located prominently at each entrance, using a sign size and letter size that makes the sign clearly legible. All signs must be removed after the ventilation is complete and before routine entry by unprotected persons is permitted. Entry by any person—other than a correctly trained and equipped handler who is performing a task related to ventilation or air concentration

# Specimen Label

monitoring and who is wearing the personal protective equipment required for handlers—is **PROHIBITED** in the entire enclosed treatment area from the start of application until ventilation is complete. Ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired or when a direct-indication short-term concentration monitoring device (e.g. Draeger tube) indicates that the DDVP air concentration is equal to, or less than, 0.050 ppm (50% of the OSHA PEL).

In California, ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired or when a direct-indication short-term concentration monitoring device (e.g. Draeger tube) indicates that the DDVP air concentration is equal to, or less than, 0.010 ppm.

## CONVENTIONAL APPLICATION METHOD

- Apply **Card-O-Vap 8** at a maximum rate of 2 grams A.I. per 1,000 cubic feet (equivalent to 1 ounce of liquid per 1,000 cubic feet). Check amount in insecticide tank or auxiliary tank before and after treatment to assure proper dosage has been applied.

HOW TO APPLY: Apply *only* with remotely operated fogging or misting equipment at the rates given above. When using in food processing, handling and storage areas: A) Apply *only* when the area being treated is unoccupied, not in operation and when no food products are exposed. If bulk, unpackaged foods are exposed, remove or cover before treatment begins. B) All food processing surfaces **must** be covered during treatment or thoroughly cleaned before using. The treated area **must** be closed and ventilation kept at a minimum during application. Lock all entrances and do not allow workers to enter the treated area during application. **Do not** allow unprotected workers to enter the treated areas during ventilation. NOTIFICATION: Before the start of the application, post fumigant warning signs at all entrances to the building as directed in the Posting and Re-Entry Restrictions. **Do not** make applications when temperatures are below 60°F. After application, open several windows and doors to create air currents to ensure reduction of the insecticide vapors.

## STORAGE AND DISPOSAL

*Do not contaminate water, food or feed by storage or disposal.*

**PESTICIDE STORAGE:** Store product in original container in a cool, dry, locked place, out of reach of children.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING—Non-refillable containers:** **Do not** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. For containers 5 gallons or smaller, triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. For containers larger than 5 gallons, triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. For containers 5 gallons or more, use 1/5 the volume of water for rinsing. Then offer for recycling, if available. If recycling is not available, triple rinse (as directed above); then puncture container and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CONTAINER HANDLING—Refillable Container:** Only the registrant and/or their authorized refiller are allowed to refill this container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Containers are the property of Cardinal Professional Products and **must** be returned promptly after use, whether empty or partially full. For cylinders, **do not** remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use or is empty. After use, close valve, screw safety cap tightly onto valve outlet, and replace protection bonnet before shipping. For drums, the bung(s) must be kept secured in place when the drum is not in use and during transit. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

**CONTAINER DISPOSAL:** Only the registrant and/or their authorized refiller can clean or dispose of the container. Instructions to registrant/refiller: To clean the container before final disposal, remove any remaining liquid from the container, using dry air pressure if necessary. Allow container to aerate for at least 5 days. After aeration, wash container using hot water; then offer container to qualified reconditioner or dispose of as directed by State or local regulations.