




One Step Disinfecting^{SS}

Kills Cold and Flu Viruses^{††}

Eliminates Odors

This Product Is an Effective Disinfectant Against Methicillin Resistant *Staphylococcus aureus* (MRSA)



APPROVED FOR THE
CLOROX[®] TOTAL 360[®] SYSTEM

**NET CONTENTS:
1 GAL (128 FL OZ) 3.78 L**

ACTIVE INGREDIENTS:
Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides..... 0.15%
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides..... 0.15%
OTHER INGREDIENTS:..... 99.70%
TOTAL: 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION:** See back panels for additional precautionary statements.

NI-4125



**Clorox®
 Total 360®
 Disinfectant Cleaner,**

- One Step Disinfecting^{§§}
- Kills Cold and Flu Viruses^{††}
- Eliminates Odors
- This Product Is an Effective Disinfectant Against Methicillin Resistant *Staphylococcus aureus* (MRSA)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **To Connect with Clorox® Total 360® Sprayer:** Remove cap. Connect adaptor cap and twist until tight. **To Disinfect and Deodorize Hard, Nonporous Surfaces:** Spray surface until thoroughly wet. Allow treated surface to remain wet for contact time listed. For heavily soiled areas, a precleaning step is required. If streaking is observed, wipe with a clean, damp cloth. **To Sanitize Hard, Nonporous, Non-Food Surfaces:** Spray surface until thoroughly wet. Allow treated surface to remain wet for contact time listed. Heavy soil must be removed prior to sanitizing. **To Disinfect Food Service Establishment Non-Food Contact Surfaces** (countertops, appliances, tables): spray area until it is covered with the solution. Allow the surface to remain wet for 2 minutes. Wipe off with a clean cloth, mop or sponge and thoroughly rinse all food-contact surfaces in the area with potable water. Heavily soiled areas must be precleaned before using this product. Do not use on eating utensils, glassware and cookware. **GENERAL CLEANING:** Spray soiled area then wipe with a dry paper towel or lint-free cloth.

This product is not to be used as a terminal sterilant high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

KILLS HIV-1, HBV AND HCV ON PRE-CLEANED, HARD, NONPOROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in healthcare settings (hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of hard, nonporous surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:
PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Allow surfaces to remain wet for 1 minute. HIV-1 is inactivated in 30 seconds; HBV and HCV are inactivated in 1 minute. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

This product is intended for use in:

Ambulances	Health Clubs
Artificial Turf*	Hotels
Athletic Facilities	Institutional Kitchens**
Correctional Facilities	Offices
Daycare Centers	Restrooms
	Schools

DISINFECTANT ORGANISMS

Bacteria: *Pseudomonas aeruginosa*¹, *Staphylococcus aureus* (Staph)¹, *Salmonella enterica*¹, Methicillin resistant *Staphylococcus aureus* (MRSA)¹, Vancomycin resistant *Enterococcus faecium* (VRE)¹, Multi-drug resistant (MDR) *Acinetobacter baumannii*¹, Extended Spectrum Beta-Lactamase (ESBL) producing *Escherichia coli*¹, New Delhi Metallo-Beta Lactamase (NDM-1) producing Carbapenem Resistant *Klebsiella pneumoniae*¹

Non-Enveloped Viruses: Human Rotavirus[§], Feline Calicivirus as surrogate for Norovirus (Norwalk Virus)¹, Canine Parvovirus Type 2b¹, Rhinovirus Type 14¹, Rhinovirus Type 39¹, Poliovirus*¹

Enveloped Viruses: Human Immunodeficiency Virus Type 1 (HIV-1)^{†††}, Avian Influenza Virus (H5N1)^{†††}, Duck Hepatitis B Virus (DHBV) as surrogate for Hepatitis B Virus (HBV)[§] ^{†††}, Bovine Viral Diarrhea Virus (BVDV) as surrogate for Hepatitis C Virus (HCV)[§] ^{†††}

SANITIZATION

Bacteria: *Staphylococcus aureus* (Staph)^{††}, *Klebsiella pneumoniae*^{††}

†2-minute contact time ††5-second contact time
 ‡30-second contact time †††Bloodborne pathogen
 §1-minute contact time †††Kills Avian Influenza A Virus on precleaned, hard, nonporous surfaces
 *5-minute contact time

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. **FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Refer to the safety data sheet (SDS) for more information.

STORAGE AND DISPOSAL:

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. **PESTICIDE STORAGE:** Store in a dry place inaccessible to children. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose in a sanitary landfill, incineration or burning, if allowed by state and local authorities. If burned, stay out of smoke. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Mfd. for Clorox Professional Products Company, 1221 Broadway, Oakland, CA 94612.
 © 2018 Clorox is a registered trademark of The Clorox Company.

Commercial Solutions is a registered trademark of Clorox Professional Products Company. Made in USA of global components.

QUESTIONS OR COMMENTS?

Call 1-800-492-9729.
 For more product ingredient information, visit IngredientsInside.com.
 EPA Reg. No. 67619-38. EPA Est. No. 52379-MI-002.
 §§When used according to the disinfectant directions
 *For cleaning only **Non-food-contact surfaces

