

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version 0.0 Revision Date: 11/12/2024 SDS Number: S00030636291 Date of last issue: 02/02/2018
Date of first issue: 02/02/2018

SECTION 1. IDENTIFICATION

Product name : DEMAND CS INSECTICIDE
Design code : A12690A

Product Registration number : 100-1066

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide
Restrictions on use : General Use Pesticide


SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version 0.0 Revision Date: 11/12/2024 SDS Number: S00030636291 Date of last issue: 02/02/2018
Date of first issue: 02/02/2018

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
lambda-cyhalothrin	91465-08-6	9.5511
Hydrocarbons, C9, Aromatics	128601-23-0	>= 5 - < 10
propane-1,2-diol	57-55-6	>= 1 - < 5
orthophosphoric acid	7664-38-2	>= 1 - < 5
dioxosilane	14808-60-7	>= 0.1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and : Aspiration may cause pulmonary edema and pneumonitis.
Skin contact paresthesia effects (itching, tingling, burning or

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

delayed numbness) are transient, lasting up to 24 hours.
May cause an allergic skin reaction.
Harmful if inhaled.

Notes to physician : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Oxides of phosphorus

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version 0.0 Revision Date: 11/12/2024 SDS Number: S00030636291 Date of last issue: 02/02/2018
Date of first issue: 02/02/2018

local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.
- Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lambda-cyhalothrin	91465-08-6	TWA	0.04 mg/m ³ (Skin)	Syngenta
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m ³	Supplier
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
orthophosphoric acid	7664-38-2	TWA	1 mg/m ³	ACGIH
		STEL	3 mg/m ³	ACGIH
		TWA	1 mg/m ³	NIOSH REL
		ST	3 mg/m ³	NIOSH REL
		TWA	1 mg/m ³	OSHA Z-1
		TWA	1 mg/m ³	OSHA P0
		STEL	3 mg/m ³	OSHA P0
dioxosilane	14808-60-7	TWA (respirable)	10 mg/m ³ / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m ³	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m ³ (Silica)	NIOSH REL
		TWA (Res-	0.05 mg/m ³	OSHA Z-1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

		pirable dust)		
--	--	---------------	--	--

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.
Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	white to light brown
Odor	:	aromatic, like solvent
Odor Threshold	:	No data available
pH	:	4 - 8 Concentration: 1 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.047 g/cm ³
Solubility(ies)	:	
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	1175 °F / 635 °C
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	79.5 - 448 mPa.s (68 °F / 20 °C) 58.1 - 334 mPa.s (104 °F / 40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : No decomposition if used as directed.
Incompatible materials : None known.
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.62 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:

lambda-cyhalothrin:

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg

Hydrocarbons, C9, Aromatics:

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

orthophosphoric acid:

Acute oral toxicity : LD50 (Rat): 301 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,750 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute inhalation toxicity : LC50: 0.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

lambda-cyhalothrin:

Species : Rabbit
Result : No skin irritation

Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

Species : Rabbit
Result : Mild skin irritation

propane-1,2-diol:

Result : No skin irritation

orthophosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

lambda-cyhalothrin:

Species : Rabbit
Result : No eye irritation

propane-1,2-diol:

Result : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type : Maximization Test
Species : Guinea pig
Result : Does not cause skin sensitization.

Species : Humans
Result : Probability or evidence of skin sensitization in humans

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

Components:

lambda-cyhalothrin:

Test Type : Maximization Test
Species : Guinea pig
Result : Does not cause skin sensitization.

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Does not cause skin sensitization.

propane-1,2-diol:

Result : Does not cause skin sensitization.

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of high skin sensitization rate in humans

Germ cell mutagenicity

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

orthophosphoric acid:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

dioxosilane:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC has concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources and in experimental animals from quartz and cristobalite (Group 1). It was noted however, that carcinogenicity was not detected in all industrial circumstances and may be dependent on inherent characteristics of the crystalline silica or external factors affecting its biological activity.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation
Animal testing did not show any effects on fetal development.

orthophosphoric acid:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

1,2-benzisothiazol-3(2H)-one:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

Hydrocarbons, C9, Aromatics:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.,
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

dioxosilane:

Routes of exposure : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

Hydrocarbons, C9, Aromatics:

May be fatal if swallowed and enters airways.

propane-1,2-diol:

No aspiration toxicity classification

Further information

Product:

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

Components:

lambda-cyhalothrin:

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

lambda-cyhalothrin:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0.000078 mg/l
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 0.00016 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00036 mg/l
Exposure time: 48 h

LC50 (Americamysis): 0.000007 mg/l
Exposure time: 48 h

EC50 (Hyaella azteca (Amphipod)): 0.000002 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.31 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 100,000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000031 mg/l
Exposure time: 300 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.000002 mg/l
Exposure time: 21 d

NOEC (Americamysis): 0.00022 µg/l
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 100,000

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Hydrocarbons, C9, Aromatics:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.2 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.9 mg/l
Exposure time: 72 h
- NOELR (Raphidocelis subcapitata (freshwater green alga)): 1.0 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): 1.228 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.144 mg/l
Exposure time: 21 d

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

propane-1,2-diol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l
Exposure time: 7 d
Test Type: semi-static test

orthophosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l
Exposure time: 96 h

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

1,2-benzisothiazol-3(2H)-one:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.94 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

aquatic invertebrates : Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.15 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.055 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.21 mg/l
Exposure time: 28 d

Persistence and degradability

Components:

lambda-cyhalothrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 7 d
Remarks: Product is not persistent.

Hydrocarbons, C9, Aromatics:

Biodegradability : Result: Readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

lambda-cyhalothrin:

Bioaccumulation : Remarks: Bioaccumulates

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

Components:

lambda-cyhalothrin:

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 56 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

Percentage dissipation: 50 % (DT50)

Remarks: Product is not persistent.

Other adverse effects

Components:

lambda-cyhalothrin:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

orthophosphoric acid:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

1,2-benzisothiazol-3(2H)-one:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(LAMBDA-CYHALOTHRIN)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (LAMBDA-CYHALOTHRIN)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classi-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version: 0.0 Revision Date: 11/12/2024 SDS Number: S00030636291 Date of last issue: 02/02/2018
Date of first issue: 02/02/2018

ification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if absorbed through skin.

Avoid breathing spray mist.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.


SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/12/2024

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 02/02/2018
0.0	11/12/2024	S00030636291	Date of first issue: 02/02/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8