according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

#### **SECTION 1. IDENTIFICATION**

Product name : DEMAND CS INSECTICIDE

Design code : A12690V

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300

Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

**GHS** label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H332 Harmful if inhaled.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P271 Use only outdoors or in a well-ventilated area.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

#### Other hazards

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
lambda-cyhalothrin	91465-08-6	9.5511
Hydrocarbons, C9, Aromatics	128601-23-0	>= 5 - < 10
propane-1,2-diol	57-55-6	>= 5 - < 10
orthophosphoric acid	7664-38-2	>= 1 - < 5
dioxosilane	14808-60-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Aspiration may cause pulmonary edema and pneumonitis. Skin contact paresthesia effects (itching, tingling, burning or

numbness) are transient, lasting up to 24 hours.

Harmful if inhaled.

Notes to physician : Do not induce vomiting: contains petroleum distillates and/or

aromatic solvents.

Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

according to the OSHA Hazard Communication Standard



**DEMAND CS INSECTICIDE** 

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly.

Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
lambda-cyhalothrin	91465-08-6	TWA	0.04 mg/m3 (Skin)	Syngenta
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m3	Supplier

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
orthophosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		ST	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z-1
		TWA	1 mg/m3	OSHA P0
		STEL	3 mg/m3	OSHA P0
dioxosilane	14808-60-7	TWA (respir-	10 mg/m3	OSHA Z-3
		able)	/ %SiO2+2	
		TWA (respir-	250 mppcf	OSHA Z-3
		able)	/ %SiO2+5	
		TWA (respir-	0.1 mg/m3	OSHA P0
		able dust		
		fraction)		
		TWA (Res-	0.025 mg/m3	ACGIH
		pirable par-	(Silica)	
		ticulate mat-		
		ter)		
		TWA (Res-	0.05 mg/m3	NIOSH REL
		pirable dust)	(Silica)	
		TWA (Res-	0.05 mg/m3	OSHA Z-1
		pirable dust)		

**Engineering measures** 

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

according to the OSHA Hazard Communication Standard



**DEMAND CS INSECTICIDE** 

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : beige

Odor : No data available

Odor Threshold : No data available

pH : 5.5

Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: method not specified

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

according to the OSHA Hazard Communication Standard



**DEMAND CS INSECTICIDE** 

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.047 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 1175 °F / 635 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

Conditions to avoid

tions

No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No hazardou

products

: No hazardous decomposition products are known.

No dangerous reaction known under conditions of normal use.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

#### **Acute toxicity**

Harmful if inhaled.

**Product:** 

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



**DEMAND CS INSECTICIDE** 

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.62 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

**Components:** 

lambda-cyhalothrin:

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg

Hydrocarbons, C9, Aromatics:

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

orthophosphoric acid:

Acute oral toxicity : LD50 (Rat): 301 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,750 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

**Components:** 

lambda-cyhalothrin:

Species : Rabbit

Result : No skin irritation

Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

Species : Rabbit

Result : Mild skin irritation

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

orthophosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No eye irritation

**Components:** 

lambda-cyhalothrin:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

**Components:** 

lambda-cyhalothrin:

Test Type : Maximization Test

Species : Guinea pig

Result : Does not cause skin sensitization.

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

**Components:** 

lambda-cyhalothrin:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

orthophosphoric acid:

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

#### **Components:**

lambda-cyhalothrin:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

dioxosilane:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

IARC has concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources and in experimental animals from quartz and cristobalite (Group 1). It was noted however, that carcinogenicity was not detected in all industrial circumstances and may be dependent on inherent characteristics of the crystalline silica or external factors

affecting its biological activity.

#### Reproductive toxicity

Not classified due to lack of data.

#### **Components:**

lambda-cyhalothrin:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for

reproductive toxicity

orthophosphoric acid:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

#### STOT-single exposure

Not classified due to lack of data.

#### Components:

#### lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### Hydrocarbons, C9, Aromatics:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with narcotic effects., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract

irritation.

#### STOT-repeated exposure

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

#### **Components:**

lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

dioxosilane:

Routes of exposure : Inhalation Target Organs : Lungs

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

**Aspiration toxicity** 

Not classified due to lack of data.

**Components:** 

Hydrocarbons, C9, Aromatics:

May be fatal if swallowed and enters airways.

**Further information** 

**Product:** 

Remarks : May cause temporary itching, tingling, burning or numbness of

exposed skin, called paresthesia.

**Components:** 

lambda-cyhalothrin:

Remarks : May cause temporary itching, tingling, burning or numbness of

exposed skin, called paresthesia.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

## **Components:**

lambda-cyhalothrin:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0.000078 mg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 0.00016 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00036 mg/l

Exposure time: 48 h

LC50 (Americamysis): 0.000007 mg/l

Exposure time: 48 h

EC50 (Hyalella azteca (Amphipod)): 0.000002 mg/l

according to the OSHA Hazard Communication Standard



**DEMAND CS INSECTICIDE** 

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

0.31 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

100,000

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000031

mg/l

Exposure time: 300 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.000002 mg/l

Exposure time: 21 d

NOEC (Americamysis): 0.00022 µg/l

Exposure time: 28 d

M-Factor (Chronic aquatic

toxicity)

100,000

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Hydrocarbons, C9, Aromatics:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3.2 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.9

mg/l

Exposure time: 72 h

NOELR (Raphidocelis subcapitata (freshwater green alga)):

1.0 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOELR (Oncorhynchus mykiss (rainbow trout)): 1.228 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR (Daphnia magna (Water flea)): 2.144 mg/l

Exposure time: 21 d

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

orthophosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

S00071785198 Date of first issue: 10/17/2023 0.0 10/17/2023

**Ecotoxicology Assessment** 

Chronic aquatic toxicity This product has no known ecotoxicological effects.

Persistence and degradability

**Components:** 

lambda-cyhalothrin:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life (DT50): 7 d

Remarks: Product is not persistent.

Hydrocarbons, C9, Aromatics:

Biodegradability Result: Readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

lambda-cyhalothrin:

Bioaccumulation Remarks: Bioaccumulates

Mobility in soil

**Components:** 

lambda-cyhalothrin:

Distribution among environ-

mental compartments

Remarks: immobile

Stability in soil Dissipation time: 56 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

**Components:** 

lambda-cyhalothrin:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

orthophosphoric acid:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

Date of first issue: 10/17/2023 S00071785198 0.0 10/17/2023

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(LAMBDA-CYHALOTHRIN)

Class 9 Packing group Ш Labels 9 yes Environmentally hazardous

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IATA-DGR** 

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(LAMBDA-CYHALOTHRIN)

Class Packing group Ш

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IMDG-Code** 

UN 3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

964

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

(LAMBDA-CYHALOTHRIN)

Class : 9
Packing group : III
Labels : 9

EmS Code : F-A, S-F Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

according to the OSHA Hazard Communication Standard




## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

Syngenta : Syngenta Occupational Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA P0 / TWA : 8-hour time weighted average OSHA P0 / STEL : Short-term exposure limit OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -

according to the OSHA Hazard Communication Standard



## **DEMAND CS INSECTICIDE**

Version Revision Date: SDS Number: Date of last issue: -

0.0 10/17/2023 S00071785198 Date of first issue: 10/17/2023

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/17/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8



## **ARCHER® Insect Growth Regulator**

Date: 12/8/2015 Replaces: 5/8/2015

#### 1. PRODUCT IDENTIFICATION

Product identifier on label: ARCHER® Insect Growth Regulator

Product No.: A12861A

Use: Insect Growth Regulator

Manufacturer: Syngenta Crop Protection, LLC

Post Office Box 18300 Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

#### 2. HAZARDS IDENTIFICATION

Classifications: Skin Corrosion/Irritation: Category 2

Specific Target Organ Toxicity: Drowsiness Category 3

Specific Target Organ Toxicity: Respiratory Irritation Category 3

Aspiration Hazard: Category 1
Flammable Liquid: Category 4
Eye Damage/Irritation: Category 2B

Signal Word (OSHA): Danger

Hazard Statements: Combustible liquid

May be fatal if swallowed and enters airways

Causes skin irritation Causes eye irritation

May cause respiratory irritation
May cause drowsiness or dizziness

Hazard Symbols:





Precautionary Statements: Keep away from heat, sparks, open flames, hot surfaces. No smoking.

Avoid breathing mist, vapors, spray.

Wash hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing, eye protection.

If swallowed: Immediately call a poison center, doctor or Syngenta.

If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice.



## ARCHER® Insect Growth Regulator

Date: 12/8/2015 Replaces: 5/8/2015

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

Call a poison center, doctor or Syngenta if you feel unwell.

See Section 4 First Aid Measures.

Do NOT induce vomiting.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use dry chemical, foam or CO2 for extinction.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Petroleum Solvent	Petroleum Solvent	Trade Secret	Trade Secret
Other ingredients	Other ingredients	Trade Secret	98.7%
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxyl] pyridine	Pyriproxifen	95737-68-1	1.3%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

#### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Skin irritation

Drowsiness or dizziness

Respiratory irritation



## ARCHER® Insect Growth Regulator

Date: 12/8/2015 Replaces: 5/8/2015

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

#### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

#### 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Petroleum Solvent	Not Established	Not Established	50 mg/m³ TWA	Manufacturer



## ARCHER® Insect Growth Regulator

Date: 12/8/2015 Replaces: 5/8/2015

Other ingredients Not Established Not Established Not Established Not Applicable

Pyriproxifen Not Established Not Established Not Established Manufacturer

#### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

#### Individual protection measures:

#### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### Eye Contact:

Where eye contact is likely, use chemical splash goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH certified respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless liquid
Odor: Petroleum solvent
Odor Threshold: Not Available

pH: Not Available

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available
Flash Point (Test Method): 153°F (Setaflash)
Flammable Limits (% in Air): Not Available
Flammability: Combustible liquid.

Vapor Pressure: Pyriproxifen < 1.0 x 10(-7) mmHg @ 73.06°F (22.81°C)

Vapor Density: Not Available

Relative Density: 0.847 g/ml @ 68°F (20°C)

Solubility (ies): Pyriproxifen 0.367 +/- 0.004 mg/l

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None



# **ARCHER® Insect Growth Regulator**

Date: 12/8/2015 Replaces: 5/8/2015

#### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: Heat and acidic or alkaline conditions may cause this product to break down.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

#### 11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Drowsiness or dizziness, Skin irritation, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Eye irritation, Skin irritation, Drowsiness or dizziness, Respiratory

irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Rabbit) : > 5000 mg/kg body weight

Dermal: Dermal (LD50 Rabbit) : > 2000 mg/kg body weight

Eye Contact: See "Other Toxicity Information", Sec. 11
Skin Contact: See "Other Toxicity Information", Sec. 11

Skin Sensitization: Not a skin sensitizer.

#### Reproductive/Developmental Effects

Pyriproxifen: No test article related reproductive effects were observed.

NOEL for systemic toxicity was 1000 ppm. The NOEL for reproductive effects was 5000 ppm.

No test article related teratogenic effects were observed.

Teratology (rat): No Observable Effect Level (NOEL), Dams-100 mg/kg/day, Fetuses-100 mg/kg/day, Offspring-1000

mg/kg/day. Not a reproductive toxin.

Teratology (rabbit): No Observable Effect Level (NOEL), Dams-100 mg/kg/day, Fetuses-100 mg/kg/day. Not a

reproductive toxin.

Gene Mutation: Negative.

Chromosomal Aberration: Negative. Unscheduled DNA synthesis: Negative.

Chronic/Subchronic Toxicity Studies

Pyriproxifen: None available.

Carcinogenicity



# **ARCHER® Insect Growth Regulator**

Date: 12/8/2015 Replaces: 5/8/2015

Pyriproxifen: No test article related carcinogenic effects were observed. The No Observable Effect Level was 30 mg/kg/day. No evidence of increased tumor incidence when fed in the diet at 0, 120, 600 & 6000 ppm/day. The NOEL for systemic effects was 120 ppm/day.

No test article related oncogenic effects were observed. No evidence of increased tumor incidence when fed in the diet at 0, 120, 600 & 6000 ppm/day. The NOEL for systemic effects was 600 ppm/day for males, 120 ppm/day for females.

 Chemical Name
 NTP/IARC/OSHA Carcinogen

 Petroleum Solvent
 No

 Other ingredients
 No

 2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxyl] pyridine
 No

#### Other Toxicity Information

Eye contact can cause temporary irritation, tearing and blurred vision. Repeated and/or prolonged skin contact may cause irritation and dermatitis.

#### **Toxicity of Other Components**

Other ingredients

Not Established

Petroleum Solvent

Inhalation of vapors at high concentrations can cause central nervous system effects (dizziness, headache), irritation to eyes or respiratory tract.

#### **Target Organs**

**Active Ingredients** 

Pyriproxifen: Not available

**Inert Ingredients** 

Other ingredients: Not Established

Petroleum Solvent: Respiratory tract, stomach, liver, thyroid, urinary bladder, CNS, skin

#### 12. ECOLOGICAL INFORMATION

#### **Eco-Acute Toxicity**

Pyriproxifen:

Fish (Rainbow Trout) 96-hour LC50 > 0.325 mg/L

Bird (Bobwhite Quail) LD50 Oral >2000 mg/kg

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.40 mg/L

Algae 72-hour EC50 0.064 mg/L

#### **Environmental Fate**

Pyriproxifen:

Not available

#### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.



# **ARCHER® Insect Growth Regulator**

Date: 12/8/2015 Replaces: 5/8/2015

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

#### 14. TRANSPORT INFORMATION

**DOT Classification** 

Ground Transport - NAFTA < 119 gallons: Not regulated

> 119 gallons:

Proper Shipping Name: Combustible Liquid, N.O.S. (Petroleum Distillates)

Hazard Class: Combustible Liquid Identification Number: NA 1993

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Pyriproxifen), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Pyriproxifen)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

#### 15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Harmful if absorbed through skin, swallowed, or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before

EPA Registration Number(s):

100-1111

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Fire Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable



# **ARCHER® Insect Growth Regulator**

Date: 12/8/2015 Replaces: 5/8/2015

TSCA Status:

Exempt from TSCA, subject to FIFRA

#### **16. OTHER INFORMATION**

NFPA Hazard Ratings **HMIS Hazard Ratings** Minimal Health: Health: Slight 1 Flammability: 2 Flammability: 2 Moderate Instability: 0 Reactivity: 0 Serious Extreme Syngenta Hazard Category: B Chronic

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 8/19/1998

Revision Date: 12/8/2015 Replaces: 5/8/2015

Section(s) Revised: 15

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.