

**RESTRICTED USE PESTICIDE**

Due to Dermal Toxicity


For retail sale to and use by, Certified Applicators, or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**TRACKING  
POWDER**



*Photo may not be representative of a label-consistent placement.*

**DITRAC<sup>®</sup>**  
**TRACKING POWDER**



**KILLS RATS & MICE**

ACTIVE INGREDIENT:

Diphacinone (CAS #82-66-6): . . . . . 0.2%

OTHER INGREDIENTS: . . . . . 99.8%  
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

See back panels for First Aid, additional Precautionary Statements, and Directions for Use.

**NET WT:  
6 lbs (2.72 kg)**

Product Code: DI5066

FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15–20 minutes.</li> <li>• Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.</li> </ul>
<b>If Inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible.</li> <li>• Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.</li> </ul>
<p align="center"><b>NOTE TO PHYSICIAN</b></p> <p>If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.</p>	
<p align="center"><b>TREATMENT FOR PET POISONING</b></p> <p>If an animal eats this bait, call a veterinarian or 1-877-854-2494 at once.</p>	
<p align="center"><b>NOTE TO VETERINARIAN</b></p> <p><b>Anticoagulant Diphacinone:</b> For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>.</p>	

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** May be fatal if absorbed through the skin. Harmful if swallowed. Avoid breathing dust. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Avoid exposure to this product during pregnancy. All handlers (including applicators) must wear coveralls over short sleeve shirt and short pants, chemical resistant footwear, socks, waterproof gloves and a NIOSH approved particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Only use indoors and in burrows leading indoors. Do not contaminate water when disposing of equipment wash water or rinsate.

**RESTRICTED USE PESTICIDE**

Due to Dermal Toxicity  
For retail sale to and use by, Certified Applicators, or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

# DITRAC<sup>®</sup>

## TRACKING POWDER

**KILLS RATS & MICE**

ACTIVE INGREDIENT:  
Diphacinone (CAS #82-66-6): . . . . . 0.2%  
OTHER INGREDIENTS: . . . . . 99.8%  
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

See side panels for First Aid, additional Precautionary Statements, and Directions for Use.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.  
**Pesticide Disposal:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.  
**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration.



**NET WEIGHT:  
6 lbs (2.72 kg)**

EPA REG. NO. 12455-56  
EPA EST. NOs. 12455-WI-1K,  
12455-WI-2P, 12455-WI-3W  
Superscript is first letter of the lot number.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**USE RESTRICTIONS:**

**This product is for use indoors and in burrows leading indoors only.**  
 This product is for control of Norway rats, roof rats and house mice only inside of homes, industrial, commercial, agricultural, and public buildings, and similar man-made structures and in burrows located along the periphery of buildings and likely entry routes into buildings. DITRAC<sup>®</sup> Tracking Powder must be placed in locations inaccessible to children, pets, domestic animals, or wildlife. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food.

**SELECTION OF TREATMENT AREAS:**

Determine dry areas where rats and mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in space between floors and walls or in locations where rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas. Give special attention to the climbing ability of roof rats. For this species, use suitable PVC, sheet metal, cardboard, or similar rigid tubing securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to prevent spillage of powder through the ends.

**APPLICATION DIRECTIONS:**

Evenly sprinkle 3 level teaspoons of this product in patches 12 inches long and 6 inches wide. Apply the powder into the rodent burrow or holes or within walls with a hand bulb or similar duster. Do not use power dusting devices. Sprinkle the powder in patches in such a manner as to expose the rodent to it. Patch size may be (but not limited to) 6" x 12" and should be adapted to each situation. For rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures, place about 5 grams of this product in each burrow. Close burrows with soil, loose leaves, or paper. Repeat if burrows are reopened. Maintain powder in treated areas for at least 20 days.

**FOLLOW-UP:**

For replacing or removing powder, wear coveralls over short sleeve shirt and short pants, chemical resistant footwear, socks, waterproof gloves and a NIOSH approved particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A. Replace contaminated powder immediately. Collect and properly dispose of any leftover powder, as well as any powder that has become accessible to non-target animals. For collecting dead rodents, wear waterproof gloves and properly dispose of all dead, exposed animals. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.