



ELE-MAX[®]

TURF NECTAR AC[®]

15-0-0 WITH 6% Fe

GUARANTEED ANALYSIS

Total Nitrogen (N)	15.00%	Iron (Fe)	6.00%
15.00% Urea Nitrogen		6.00% Water Soluble Iron (Fe)	
Sulfur (S)	3.40%		
3.40% Combined Sulfur (S)			

Derived from urea and ferrous sulfate.

KEEP OUT OF REACH OF CHILDREN WARNING

- May be harmful if swallowed
- May be harmful in contact with skin
- Causes serious eye irritation
- Causes skin irritation
- May be harmful if inhaled

See Inside Panel for Additional Precautionary Statements



SN 0815/1018HAE

WEIGHT PER GALLON: 11.18 lbs. (5.07 kg) @ 68° F

Information about the components of this lot of fertilizer may be obtained by writing to Helena Agri-Enterprises, LLC, 225 Schilling Boulevard, Suite 300, Collierville, TN 38017 and giving the lot number which is found on the container.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>



F002593
Manufactured For
HELENA AGRI-ENTERPRISES, LLC
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TENNESSEE 38017 U.S.A. • (901) 761-0050

NET CONTENTS:

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING

OPM #127478

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS, DIRECTIONS FOR USE, CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES.

May be harmful if swallowed. May be harmful in contact with skin. Causes serious eye irritation. Causes skin irritation. May be harmful if inhaled. Keep product locked up and out of the reach of children. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco. Remove and wash contaminated clothing before reuse. Do not take internally. Avoid contact with or inhalation of spray application mist if present. Do not apply this product in such a manner as to directly expose workers or other persons. If product is being mixed with pesticides and/or spray adjuvants, follow all precautionary statements on the accompanying product(s) labeling. Not for human or animal consumption.

Personal Protective Equipment (PPE): Wear protective eyewear (goggles or face shield), chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks when using this product. Take off any contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a POISON CENTER or doctor immediately. Rinse mouth. Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air and keep at rest in a position comfortable for breathing if they feel unwell. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a POISON CENTER or doctor for treatment advice.
IF ON SKIN OR HAIR:	<ul style="list-style-type: none"> Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container only. Keep container tightly closed. Do not allow water to be introduced into the contents of this container. Do not store near heat or open flame. Do not store with oxidizing agents or ammonium nitrate. Keep locked up and out of the reach of children.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading and add rinse water to spray tank. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrcycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

For help in chemical emergencies involving spill, leak, fire or exposure, call toll free 1-800-424-9300.

ELE-MAX® TURF as an additive in fertilizers. This p compatible with compatibility.

NOTE: ELE-MA

NOTE: A lawn w additional fertiliz Agricultural Exter

ELE-MAX® TURF of foliage or soil is recommendec

TURF WARM-SEASON Bahia, Bent, Cer sq. ft. with suffic
*When temperatu with other produ
Bermuda grass: . to five applicatio

COOL-SEASON Bluegrass, Perer water for good c 90°F do not appl

DO NOT APPLI EXPECTED. AF

ORNAMENTAL: SHRUBS
Azalea, Barberr Quince, Gardeni Oleander, Pittosp (4 tablespoons) gallons of water. moisture stress.

HERBACEOUS
Hardy Aster, Ah Honeysuckle, Hc Salvia, Sweet Pe **MAX® TURF NI** ornamentals that

TREES
Catalpa, Chines Hickory, Juniper, Pine (Mountain/l tablespoons) **EL** of water. **WARN** moisture stress.



GENERAL INFORMATION

ELE-MAX® TURF NECTAR AC® is specially formulated for improved compatibility with amine herbicides. It is recommended for use as an additive in dry or liquid fertilizers and is compatible with most of the pesticides that can be utilized in combination with liquid fertilizers. This product is intended as a supplement to a regular fertilizer program. **ELE-MAX® TURF NECTAR AC®** may not be compatible with some liquid fertilizer formulations. A pre-mix "jar test" is recommended prior to mixing with liquid fertilizer to check compatibility.

NOTE: ELE-MAX® TURF NECTAR AC® cannot be used in liquid fertilizers which contain ortho-phosphates.

NOTE: A lawn will typically utilize 1–4 lbs. of nitrogen per 1,000 sq. ft. each growing season. Use this product in conjunction with an additional fertilization program to provide at least 1 lb. of nitrogen per 1,000 sq. ft. each growing season. Consult your local Agricultural Extension Agent for the proper amount of nitrogen to be applied in your area.

APPLICATION AND MIXING

ELE-MAX® TURF NECTAR AC® may be applied by ground or aerial application. Use enough water for thorough uniform coverage of foliage or soil. Thorough coverage is necessary for best results and the addition of a non-ionic surfactant such as **INDUCE®** is recommended.

TURF

WARM-SEASON TURF

Bahia, Bent, Centipede®, Tall Fescue, St. Augustine and Zoysia grass: Apply 2–8 oz. of **ELE-MAX® TURF NECTAR AC®** per 1,000 sq. ft. with sufficient water for good coverage. Three to five applications per growing season usually produces best results.

*When temperatures can exceed 90°F do not apply greater than 3 oz. of **ELE-MAX® TURF NECTAR AC®** per 1,000 sq. ft. if applying with other products.

Bermuda grass: Apply 4–10 oz. of **ELE-MAX® TURF NECTAR AC®** per 1,000 sq. ft. with sufficient water for good coverage. Three to five applications per growing season usually produces best results.

COOL-SEASON TURF

Bluegrass, Perennial Rye, Fescue, Bent grass. Apply 2–8 oz. of **ELE-MAX® TURF NECTAR AC®** per 1,000 sq. ft. with sufficient water for good coverage. Three to five applications per growing season usually produces best result. When temperatures can exceed 90°F do not apply greater than 3 oz. **ELE-MAX® TURF NECTAR AC®** per 1,000 sq. ft. if applying with other products.

DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN.

ORNAMENTALS

SHRUBS

Azalea, Barberry, Burningbush, Camellia, Common Periwinkle, Cherry Laurel, Crepe Myrtle, Euonymus, Forsythia, Flowering Quince, Gardenia, Hibiscus, Honeysuckle, Hydrangea, Indian Hawthorn, Japanese/Southern Yew, Ligustrum, Lilac, Mock Orange, Oleander, Pittosporum, Primrose, Privet, Purple Sand Cherry, Pyracantha, Rhododendron, Rose, Spirea and Viburnum: Apply 2 fl. oz. (4 tablespoons) **ELE-MAX® TURF NECTAR AC®** per 1 gallon of water or 1.5 gallons **ELE-MAX® TURF NECTAR AC®** per 100 gallons of water. **WARNING:** DO NOT apply to flower buds or blossoms. DO NOT apply to ornamentals that are under drought or moisture stress.

HERBACEOUS PLANTS

Hardy Aster, Alyssum, Canna, Carnation, Chrysanthemum, Coleus, Dahlia, Daylily, Dieffenbachia, Fern, Geranium, Gladiolus, Honeysuckle, Hosta, Iris, Larkspur, Marigold, Nasturtium, Ornamental Cabbage, Pampasgrass, Petunia, Portulaca (Moss Rose), Salvia, Sweet Pea, Verbena and Zinnia. Apply 2 teaspoons **ELE-MAX® TURF NECTAR AC®** per 1 gallon of water or 1 quart **ELE-MAX® TURF NECTAR AC®** per 100 gallons of water. **WARNING:** DO NOT apply to flower buds or blossoms. DO NOT apply to ornamentals that are under drought or moisture stress.

TREES

Catalpa, Chinese Arborvitae, Flowering Crabapple, Cypress, Dogwood, Elm (American, Chinese), Ginkgo, Italian Cypress, Hickory, Juniper, Locust (Common/Black, Honey), Lombardy Poplar, Magnolia, Maple (Hard/Sugar, Silver) Mimosa, Mulberry, Pin Oak, Pine (Mountain/Mugo, Australian/Norfolk Island, White), Russian Olive, Spruce, Sweet Gum and Sycamore: Apply 1.25 fl. oz. (2.5 tablespoons) **ELE-MAX® TURF NECTAR AC®** per 1 gallon of water or 1 gallon **ELE-MAX® TURF NECTAR AC®** per 100 gallons of water. **WARNING:** DO NOT apply to flower buds or blossoms. DO NOT apply to ornamentals that are under drought or moisture stress.

(continued)

SALE – LIMITED

May be harmful if used internally. Avoid exposure workers statements on the

es, long-sleeved before reuse.

well. outh if possible.

t. You may also

the contents of locked up and

add rinse water inner Recycling RC web page



MIXING: In any mixing operation, **ELE-MAX® TURF NECTAR AC®** should be introduced in the following sequence:

1. Water
2. **ELE-MAX® TURF NECTAR AC®**
3. Other Fertilizers or Pesticides

In mixtures where a compatibility agent is suggested, a product such as **BUFFER® P.S.** is recommended.

Local climatic conditions, infestations and other factors affect the performance of any insecticide, fungicide and nutritional spray. Therefore, for specific use, consult your local Helena Agri-Enterprises, LLC representative or your local agricultural extension agent.

CONDITIONS OF SALE – LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

This label is believed to be reliable and must be followed carefully. Injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Agri-Enterprises, LLC (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Agri-Enterprises, LLC's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2018

ELE-MAX®, TURF NECTAR AC®, INDUCE® and **BUFFER®** are registered trademarks of Helena Holding Company.

Total Nitrogen (N)
15.00% Urea N
Sulfur (S)
3.40% Combi
Derived from urea

**KEEP C
WAR**

May be harmful
May be harmful
Causes serious
Causes skin irritation
May be harmful
See Inside

SN 0815/1018HAE

Information about
Boulevard, Suite 3
Information regarding



Job #146747



ELE-MAX[®]

TURF NECTAR AC[®]

15-0-0
WITH 6% Fe

GUARANTEED ANALYSIS

Total Nitrogen (N)	15.00%	Iron (Fe)	6.00%
15.00% Urea Nitrogen		6.00% Water Soluble Iron (Fe)	
Sulfur (S)	3.40%		
3.40% Combined Sulfur (S)			

Derived from urea and ferrous sulfate.

KEEP OUT OF REACH OF CHILDREN
WARNING

- May be harmful if swallowed
- May be harmful in contact with skin
- Causes serious eye irritation
- Causes skin irritation
- May be harmful if inhaled

See Inside Panel for Additional Precautionary Statements




SN 0815/1018HAE

WEIGHT PER GALLON: 11.18 lbs. (5.07 kg) @ 68° F

Information about the components of this lot of fertilizer may be obtained by writing to Helena Agri-Enterprises, LLC, 225 Schilling Boulevard, Suite 300, Collierville, TN 38017 and giving the lot number which is found on the container.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>



F002593
Manufactured For
HELENA AGRI-ENTERPRISES, LLC
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TENNESSEE 38017 U.S.A. • (901) 761-0050