# ENDURANCE<sup>TM</sup> Slow Release Nitrogen

### **Product Information**

ENDURANCE 30-0-0 is a slow release nitrogen solution that is safe, reliable, and ideal for turf. ENDURANCE 30-0-0 provides residual nitrogen release, low volatilization, and reduced leaching. ENDURANCE 30-0-0 will not cause phytotoxicity and it is non-clogging and non-abrasive.

#### **GUARANTEED ANALYSIS**

Total Nitrogen (N)......30.0% 4.5% Urea Nitrogen 25.5% Water Soluble Nitrogen\*

Derived from urea and methylene urea

\*25.5% slowly available nitrogen from methylene urea

FLORIDA LICENSE NO. F1416

#### **KEEP OUT OF REACH OF CHILDREN**

#### SHAKE WELL BEFORE USE

WARNING Harmful if swallowed. Avoid contact with eyes. First Aid: if swallowed: seek medical attention. Rinse mouth. If in eyes: wash thoroughly with water. Storage & Disposal: store in a safe manner. Dispose in accordance with regulations. 30-0-0 Directions and General Recommendations

**DRY BEAN:** 2-3 gals./acre at early bloom. Repeat after pods are formed.

**GREEN BEAN & PEAS:** 1-3 gals./ acre shortly after first flowers appear and repeat 10-14 days later.

**CITRUS:** 1-5 gals./ acre at pre-bloom or bloom and repeat in 30 days. Subsequent applications when nitrogen needs are evident.

CORN: 2-3 gals./acre after pollination.

**CORN (SEED):** 2-3 gals./acre before detasseling and repeat after pollination.

**COTTON:** Early Season: 1-2 quarts/ acre in an over the row application after plants reach 4 leaf stage. Mid-Season: 2-5 gals/acre at early bloom and repeat as necessary.

## CUCUMBERS, SQUASH, PUMPKINS, WATERMELONS, CANTALOUPES:

1-3 gals./ acre at early bloom and repeat approximately 4 weeks after bloom application.

#### PEACH, PLUMS, PRUNES, NECTARINES, APRICOTS: 1-1.5 gal./ acre at bud swell to early bloom and repeat in 30 days. Apply 2-4 gals./acre 4-6 weeks prior to havest for improved fruit sizing, firmness and reduction in "green shoulders." Rate dependent upon tree size and condition. Post Harvest: Apply 5-10 gals./acre in 1 or 2 applications to strengthen buds and to storage. Compatible with zinc.

**SNAP BEANS:** 3 gals./acre at early bloom (with fungicide). Can be applied in split applications.

**PEANUT:** 3-5 gals./acre at early bloom and repeat as necessary until pods are filled.

**PEPPERS:** 2-3 gals./acre at early bloom and repeat 14 days later to improve canopy and reduce sunburn.

**SOYBEANS:** 2-3 gals./acre at early pod and repeat in 14-21 days

NET CONTENTS: 2.5 gal. (9.45 l) Weight per Gallon: 10.4 lb (4.7 kg) @ 68°F Lot #:



#### WARRANTY

The suppliers of this product make no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. They shall not be liable for any injury or damage caused by this product due to misuse, mishandling, or any application not specifically described on the label.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

MANUFACTURED BY: JH BIOTECH, INC.

P.O. Box 3538, Ventura, CA 93006 U.S.A

053074-D-B-1(Ag)