

Safety Data Sheet

Issue Date: 28-Feb-2019

Revision Date: 04-May-2022

Version 1

1. IDENTIFICATION

Product identifier

Product Name Green Ox PRO

Other means of identification

SDS # COP05042022

UN/ID No UN2984

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner & Stain Remover.

Details of the supplier of the safety data sheet

Manufacturer Address

Greenflow Distribution Inc.
1056 Hunley Sullivans Rd
Awendaw, SC 29429

Emergency telephone number

Company Phone Number (866)-308-2734
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance: Clear colorless liquid

Physical state: Liquid

Odor: Mild

Classification

| | |
|-----------------------------------|------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |
| Oxidizing liquids | Category 2 |

Signal Word

Danger

Hazard statements

Causes serious eye damage
Causes skin irritation
May intensify fire, oxidizer



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Keep away from heat
Keep/Store away from clothing/ combustible materials
Take any precaution to avoid mixing with combustibles

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|-------------------------|-------------|----------|
| Hydrogen Peroxide | 7722-84-1 | <16 |
| Proprietary Component 1 | Proprietary | <2 |

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|--|
| General Advice | Provide this SDS to medical personnel for treatment. |
| Eye Contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. |
| Skin Contact | Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. |
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if irritation develops or persists. |
| Ingestion | Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Get medical advice/attention if you feel unwell. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--|
| Symptoms | Causes serious eye damage. Causes skin irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Chemical

May intensify fire; oxidizer. Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Use personal protection recommended in Section 8. Keep unprotected persons away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources. Do not breathe vapor or mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions**Environmental precautions**

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and material for containment and cleaning up**Methods for Containment**

Large spills: Stop the flow of materials, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand or other non-combustible materials and transfer to container for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.

Methods for Clean-Up

Dilute with a large volume of water and hold in a pond or diked area until hydrogen peroxide decomposes. Dispose of contents/container to an approved waste disposal plant. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE**Precautions for safe handling****Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/eye protection/face protection. Keep away from heat. Keep/store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Ensure adequate ventilation, especially in confined areas. Avoid prolonged exposure. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep away from heat. Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store near combustible materials. Store away from incompatible materials. Protect from sunlight. Store locked up.

Incompatible Materials

Oxidizing agents. Reducing agents. Caustics. Heavy metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------|------------------------------|--|--|
| Hydrogen Peroxide 7722-84-1 | TWA: 1 ppm | TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³ | IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³ |
| Proprietary Component 1 | Ceiling: 2 mg/m ³ | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |

Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical respirator with organic vapor cartridge and full face piece. Use standard chemical splash-type mono goggles or face shield with safety glasses if splashing is expected during handling of product.

Skin and Body Protection

Rubber or neoprene footwear. Impervious clothing or apron materials such as rubber, neoprene, nitrile or polyvinyl chloride. Wear liquid proof rubber or neoprene gloves. Thoroughly rinse the outside of gloves with water prior.

Respiratory Protection

Chemical respirator with organic vapor cartridge and full face piece.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Keep from contact with clothing and other combustible materials. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|---|-------------------------|--------------------------------|-----------------------|
| Physical state | Liquid | Odor | Mild |
| Appearance | Clear colorless liquid | Odor Threshold | Not determined |
| Color | Colorless | | |
| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> | |
| pH | 2.0 – 2.5 | | |
| Melting point / freezing point | -0.43 °C / 31.23 °F | | |
| Boiling point / boiling range | 110.4 °C / 230.72 °F | | |
| Flash point | Not determined | | |
| Evaporation Rate | >1 | | (Butyl Acetate=1) |
| Flammability (Solid, Gas) | Liquid - Not Applicable | | |
| Flammability Limit in Air | | | |
| Upper flammability or explosive limits | Not determined | | |
| Lower flammability or explosive limits | Not determined | | |
| Vapor Pressure | 0.53 hPa estimated | | @30°C (86°F) |
| Vapor Density | Not determined | | |
| Relative Density | 1.07 | | (Water=1) (20°C/68°F) |

| | |
|-------------------------------------|----------------|
| Water Solubility | Not determined |
| Solubility in other solvents | Not determined |
| Partition Coefficient | Not determined |
| Autoignition temperature | Not determined |
| Decomposition temperature | Not determined |
| Kinematic viscosity | Not determined |
| Dynamic Viscosity | Not determined |
| Explosive Properties | Not determined |
| Oxidizing Properties | Not determined |

10. STABILITY AND REACTIVITY

Reactivity

Greatly increases the burning rate of combustible materials.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Excessive heat. Contamination of any kind. Contact with incompatible materials.

Incompatible materials

Oxidizing agents. Reducing agents. Caustics. Heavy metals.

Hazardous decomposition products

Oxygen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation.

Inhalation Vapors, mists, or aerosols of hydrogen peroxide can cause upper airway irritation, inflammation of the nose, hoarseness, shortness of breath, and a sensation of burning or tightness in the chest. Prolonged exposure to concentrated vapor or to dilute solutions can cause irritation and temporary bleaching of skin and hair. Exposure to vapor, mist, or aerosol can cause stinging pain and tearing of eyes.

Ingestion Do not ingest.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|--------------------|-----------------------|------------------------------------|
| Hydrogen Peroxide 7722-84-1 | = 1518 mg/kg (Rat) | = 9200 mg/kg (Rabbit) | = 2000 mg/m ³ (Rat 4 h) |
| Proprietary Component 1 | = 284 mg/kg (Rat) | - | - |
| | | | |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|---------|-----|------|
| Hydrogen Peroxide 7722-84-1 | A3 | Group 3 | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen
 IARC (International Agency for Research on Cancer)
 Group 3 - Not Classifiable as to Carcinogenicity in Humans

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50 7,255.71 mg/kg
 Dermal LD50 52,402.10 mg/kg
 ATE mix (inhalation-dust/mist) 0.31 g/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|--------------------------------|---|--|--|
| Hydrogen Peroxide 7722-84-1 | 2.5: 72 h Chlorella vulgaris mg/L EC50 | 16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static | 7.7: 24 h Daphnia magna mg/L EC50 18 - 32: 48 h Daphnia magna mg/L EC50 Static |

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

| Chemical name | Partition coefficient |
|-------------------------|-----------------------|
| Proprietary Component 1 | 0.65 0.83 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations. Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical name | California Hazardous Waste Status |
|--------------------------------|---|
| Hydrogen Peroxide 7722-84-1 | Toxic Corrosive Ignitable Reactive |
| Proprietary Component 1 | Toxic Corrosive |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN2984
Proper Shipping Name Hydrogen peroxide, aqueous solutions
Hazard class 5.1
Packing Group III

IATA

UN number UN2984
Proper Shipping Name Hydrogen peroxide, aqueous solutions
Transport hazard class(es) 5.1
Packing Group III

IMDG

UN number UN2984
Proper Shipping Name Hydrogen peroxide, aqueous solutions
Transport hazard class(es) 5.1
Packing Group III

15. REGULATORY INFORMATION

International Inventories

| Chemical name | TSCA | DSL/NDSL | EINECS/E LINCS | ENCS | IECSC | KECL | PICCS | AICS |
|-------------------------|------|----------|-------------------|------|-------|------|-------|------|
| Hydrogen Peroxide | X | X | X | X | X | X | X | X |
| Proprietary Component 1 | X | X | X | X | X | X | X | X |

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|--------------------------------|--------------------------|----------------|---|
| Hydrogen Peroxide 7722-84-1 | | 1000 lb | |
| Proprietary Component 1 | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire Hazard | Yes |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Proprietary Component 1 | 1000 lb | | | X |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Hydrogen Peroxide 7722-84-1 | X | X | X |
| Proprietary Component 1 | X | X | X |

16. OTHER INFORMATION

| | | | | |
|--------------------|---|---------------------------------------|---|--|
| <u>NFPA</u> | Health Hazards Not determined | Flammability Not determined | Instability Not determined | Special Hazards Not determined |
| <u>HMIS</u> | Health Hazards Not determined | Flammability Not determined | Physical hazards Not determined | Personal Protection Not determined |

Issue Date: 28-Feb-2019
 Revision Date: 04-May-2022
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet