

Page: 1

Printed: 09/29/2016 Revision: 09/29/2016

1. Product and Company Identification

Product Code: 903194

Product Name: IMDLA .24 18-00-10 72XCU 5FE

Company Name:Turf Care Supply Corp.Phone Number:50 Pearl Road1 (330)558-0910

50 Pearl Road Suite 200

Brunswick, OH 44212

Web site address: www.turfcaresupply.com Email address: regaffairs@tcscusa.com

 Emergency Contact:
 PERS
 1 (800)633-8253

 Information:
 Turf Care Supply Corp.
 1 (330)558-0910

Synonyms: Fertilizer with Insecticide.

2. Hazards Identification

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 1

Toxic To Reproduction, Category 1B

Specific Target Organ Toxicity (single exposure), Category 1
Specific Target Organ Toxicity (repeated exposure), Category 1

Aquatic Toxicity (Acute), Category 1
Aquatic Toxicity (Chronic), Category 3







GHS Signal Word: Danger

GHS Hazard Phrases: Causes skin irritation.

Causes serious eye damage.

May damage fertility or the unborn child .

Causes damage to organs

Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

GHS Precaution Phrases: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Wear appropriate personal protective equipment. Use personal protective equipment as required.

GHS Response Phrases: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical attention/advice.

Get medical attention/advice if you feel unwell.

If skin irritation occurs, get medical advice/attention.

Take off contaminated clothing and wash before re-use.

Collect spillage.



Page: 2

Printed: 09/29/2016 Revision: 09/29/2016

GHS Storage and Disposal Store in

Store in a secure location.

Phrases:

Dispose of contents/container to an appropriate disposal facility.

Potential Health Effects (Acute and Chronic):

Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or repeated exposure may cause permanent eye damage. Chronic exposure may cause

lung damage. Effects may be delayed.

Inhalation:

May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.

Skin Contact:

May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual

industrial handling.

Eye Contact:

May cause eye irritation. Dust may cause mechanical irritation.

Ingestion:

May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
57-13-6	Urea	28.2 %
7783-20-2	Ammonium sulfate	24.0 %
7447-40-7	Potassium chloride	15.9 %
1317-65-3	Limestone	14.0 - 14.4 %
1309-37-1	Iron oxide (Fe2O3)	7.15 %
1344-43-0	Manganese oxide	1.29 - 1.36 %
7704-34-9	Sulfur	1.21 %
872-50-4	N-Methyl-2-pyrrolidone	0.782 - 0.829 %
14808-60-7	Quartz	0.566 - 0.695 %
138261-41-3	Imidacloprid	0.200 - 0.208 %
91465-08-6	Lambda-cyhalothrin	0.040 - 0.042 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty

of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops

and persists. Wash clothing before reuse. Wash off with soap and plenty of water.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Do NOT allow victim to rub eyes or keep eyes closed.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control

center. If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

Note to Physician: Treat symptomatically and supportively.



Page: 3

Printed: 09/29/2016 Revision: 09/29/2016

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry

chemical, carbon dioxide, alcohol-resistant foam, or water spray.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive

products. Runoff from fire control or dilution water may cause pollution.

Flammable Properties and

Hazards:

Products:

Most of the components of this product are non-combustible. However, a portion of them

may support combustion at elevated temperatures.

Hazardous Combustion Thermal decomposition may result in the production of ammonia, formaldehyde, biuret,

chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus,

potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and

zinc, and other toxic and irritating fumes and gases.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.

Personal precautions.

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure

adequate ventilation.

Environmental precautions.

Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers

for disposal.

PROCEDURES & PERSONAL PRECAUTIONS.

Exercise appropriate precautions to minimize direct contact with skin or eyes and

prevent inhalation of dust.

Methods for cleaning up.

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area

and wash spill site after material pickup is complete.

7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash

clothing before reuse.

Provide appropriate exhaust ventilation at places where dust is formed.



Practices:

SAFETY DATA SHEET IMDLA .24 18-00-10 72XCU 5FE

Page: 4

Printed: 09/29/2016 Revision: 09/29/2016

Precautions To Be Taken in Store in a cool, dry place. Keep container closed when not in use. **Storing:**

	8	. Exposure C	ontrols/Personal F	Protection		
CAS#	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
57-13-6	Urea		No data.	No data.	No data.	
7783-20-2	Ammonium sulfate	е	No data.	No data.	No data.	
7447-40-7	Potassium chlorid	е	No data.	No data.	No data.	
1317-65-3	Limestone		PEL: 15 (dust); 5 (resp.) mg/m3	No data.	No data.	
1309-37-1	Iron oxide (Fe2O3	3)	PEL: 10 mg/m3	TLV: 5 mg/m3 (dust & fume)	No data.	
1344-43-0	Manganese oxide		No data.	No data.	No data.	
7704-34-9	Sulfur		No data.	No data.	No data.	
872-50-4	N-Methyl-2-pyrrolidone		No data.	No data.	No data.	
14808-60-7	Quartz		PEL: 50 ug/m3	TLV: 0.05 mg/m3 (R)	No data.	
138261-41-3	Imidacloprid		TWA: 5 mg/m3 (Respirable dust)	TWA: 10 mg/m3 (Particulate)	No data.	
91465-08-6	Lambda-cyhalothi	in	No data.	No data.	No data.	
Respiratory Equipment (Specify Type):		A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.				
Eye Protection:		Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.				
Protective Gloves:		Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.				
Other Protective Clothing:		Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.				
(Ventilation etc.): a safe adequ		a safety shower. Us adequate general of	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.			
Work/Hygienic/Maintenance		Handle in accordance with good industrial hygiene and safety practice. Wash hands				

before breaks and at the end of workday. Wash thoroughly after handling.



Page: 5

Printed: 09/29/2016
Revision: 09/29/2016

	Nevision. 09/29/2010
	9. Physical and Chemical Properties
Physical States:	[] Gas [] Liquid [X] Solid
Appearance and Odor:	Multi-colored, granular solid.
	Characteristic pesticide solvent odor.
pH:	No data.
Melting Point:	~ 133 C
Boiling Point:	No data.
Flash Pt:	No data.
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or	No data.
mm Hg):	
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	No data.
Bulk density:	~ 45 - 65 LB/CF
Solubility in Water:	~ 1,080 g/L at 20.0 C
Solubility Notes:	The solubility value cited is for the urea component of this product, if present. See
	section 3.
Octanol/Water Partition	No data.
Coefficient:	
Autoignition Pt:	No data.
Decomposition Temperature:	~ 135 C
Viscosity:	No data.
Additional Physical	The melting point and decomposition temperatures cited are for the urea component of
Information	this product, if present. See section 3.
	Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No:
	57-13-6)
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, dust generation, heating to decomposition. High temperatures.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, bases, acids, aluminum.
Hazardous Decomposition or	The decomposition of fertilizer products may result in the generation of some or all of the
Byproducts:	following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides
	of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline
	earth metals, and certain heavier metals used as nutrients in fertilizer products, such as
	copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.
Possibility of Hazardous	Will occur [] Will not occur [X]

No data available.

Conditions To Avoid - Hazardous Reactions:



Page: 6

Printed: 09/29/2016 Revision: 09/29/2016

11. Toxicological Information

Toxicological Information:

Epidemiology: No information found.

Teratogenicity: Teratogenic effects have occurred in experimental animals.

Neurotoxic effects have occurred in experimental animals.

Reproductive toxicity - no data available.

Inhalation: May cause damage to organs through prolonged or repeated exposure.

CAS# 57-13-6: Urea:

Other Studies:, TCLo, Inhalation, Rat, 288.0 MG/M3, 17 W; Gigiena Truda i Professional'nye Zabolevaniya.(Labor Hygiene and Occupational Disease), V/O Mezhdunarodnaya Kniga, Moscow 113095 Russia, Vol/p/yr: 30(3),43, 1986

Acute toxicity, LD50, Oral, Rat, 8471. MG/KG; Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 51(6),8, 1986

Standard Draize Test, Skin, Human, 22.00 MG, 3 D; Cutaneous Toxicity, Proceedings of the 3rd Conference, 1976, D, V.A., and P. L, New York, Academic Press, Inc., London United Kingdom, Vol/p/yr: -,127, 1977

CAS# 7783-20-2: Ammonium sulfate:

Acute toxicity, TDLo, Oral, Human, 1500. MG/KG; Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 42(2),100, 1977

CAS# 7447-40-7: Potassium chloride:

Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

CAS# 7704-34-9: Sulfur:

Acute toxicity, LC50, Inhalation, Species: unspecified., 1660. MG/M3; Gigiena Truda i Professional'nye Zabolevaniya.(Labor Hygiene and Occupational Disease), V/O Mezhdunarodnaya Kniga, Moscow 113095 Russia, Vol/p/yr: 34(12),8, 1990

Standard Draize Test, Eyes, Human, 8.000 PPM; Analytical Chemistry., American Chemical Soc., Distribution Office Dept. 223, POB 57136, West End Stn., Washington, DC 20037, Vol/p/yr: 21,1411, 1949

CAS# 138261-41-3: Imidacloprid:

Acute toxicity, LD50, Oral, Rat, 410.0 MG/KG; Agrochemicals Japan., Japan Plant Protection Association, 1-43-11, Komagome, Toshima-ku, Tokyo 170 Japan, Vol/p/yr:



Page: 7

Printed: 09/29/2016 Revision: 09/29/2016

(63),15, 1993

Acute toxicity, LD50, Skin, Rat, > 5.000 GM/KG; Agrochemcicals Japan., Japan Plant Protection Association, 1-43-11, Komagome, Toshima-ku, Tokyo 170 Japan, Vol/p/yr: (63),15, 1993

Acute toxicity, LD50, Oral, Mouse, 98.00 MG/KG; Nippon Noyaku Gakkaishi. Journal of the Pesticide Science Society of Japan., Nippon Noyaku Gakkai, 1-43-11, Komagome, Toshima-ku, Tokyo 170 Japan, Vol/p/yr: 19,S209, 1994

CAS# 91465-08-6: Lambda-cyhalothrin:

Acute toxicity, LD50, Oral, Rat, 56.00 MG/KG; Pesticide Manual., The British Crop Protection Council, 20 Bridport Rd., Thornton Heath CR4 7QG UK, Vol/p/yr: 9,203, 1991

Acute toxicity, LD50, Skin, Rat, 632.0 MG/KG; Pesticide Manual., The British Crop Protection Council, 20 Bridport Rd., Thornton Heath CR4 7QG UK, Vol/p/yr: 9,203, 1991

Acute toxicity, LC50, Inhalation, Species: unspecified., 60.00 MG/M3, 4 H; Pesticide Manual., The British Crop Protection Council, 20 Bridport Rd., Thornton Heath CR4 7QG UK, Vol/p/yr: 9,203, 1991

Carcinogenicity/Other Information:

This material may contain small amounts of respirable crystalline and amorphous silica. The International Agency for Cancer Research (IARC) has classified crystalline silica as a carcinogen to humans (Group 1), and amorphous silica as not classifiable as to its carcinogenicity to humans (Group 3). See "Silica, Some Silicates, Coal dust and para-Aramid Fibrils in IARC Monographs on the Evaluation of Carcinogenic Risks to Humans", (Vol. 68).

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
57-13-6	Urea	n.a.	n.a.	n.a.	n.a.
7783-20-2	Ammonium sulfate	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.
1317-65-3	Limestone	n.a.	n.a.	n.a.	n.a.
1309-37-1	Iron oxide (Fe2O3)	n.a.	3	A4	n.a.
1344-43-0	Manganese oxide	n.a.	n.a.	n.a.	n.a.
7704-34-9	Sulfur	n.a.	n.a.	n.a.	n.a.
872-50-4	N-Methyl-2-pyrrolidone	n.a.	n.a.	n.a.	n.a.
14808-60-7	Quartz	Known	1	A2	n.a.
138261-41-3	Imidacloprid	n.a.	n.a.	n.a.	n.a.
91465-08-6	Lambda-cyhalothrin	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number of variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate.



Page: 8

Printed: 09/29/2016 Revision: 09/29/2016

Urea will dissolve and disperse in water, and will promote algae growth which may degrade water quality and taste. Notify downstream water users of any release that may affect water quality.

Do not empty into drains.

Imidacloprid: Oral LD50 values for bees range from 3.7 to 40.9 ng per bee, and contact toxicity values ranged from 59.7 to 242.6 ng per bee. Based on these values, imidacloprid is considered to be highly toxic to bees. (Schmuck, R.; Schoning, R.; Stork, A.; Schramel, O. Risk posed to honeybees (Apis mellifera L, Hymenoptera) by an imidacloprid seed dressing of sunflowers. Pest Manag. Sci. 2001, 57, 225-238, and Suchail, S.; Guez, D.; Belzunces, L. P. Discrepancy between Acute and Chronic Toxicity Induced by Imidacloprid and its Metabolites in Apis mellifera. Environ. Toxicol. Chem. 2001, 20 (11), 2482-2486.)

CAS# 57-13-6: Urea:

Lethal concentration to 0% of test organisms., Creek Chub (Semotilus atromaculatus), 16000000. UG/L, 24 H, Mortality, Water temperature: 15.0 C - 21.0 C C, pH: 8.30, Hardness: 98.00 MG/L; Appraisal of a Chemical Waste Problem by Fish Toxicity Tests, Gillette, L.A., D.L. Miller, and H.E. Redman, 1952

CAS# 7783-20-2: Ammonium sulfate:

Effective concentration to 50% of test organisms., Common Shrimp, Sand Shrimp (Crangon crangon), 85000. UG/L, 96 H, Intoxication,, Water temperature: 15.0 C C; Assessing the Toxicity of Industrial Wastes, with Particular Reference to Variations in Sensitivity of Test Animals, Franklin, F.L., 1980

CAS# 7447-40-7: Potassium chloride:

LC50, Rainbow Trout (Oncorhynchus mykiss), 1610000. UG/L, 48 H, Mortality, Water temperature: 17.0 C C, pH: 7.70, Hardness: 40.00 MG/L; Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

CAS# 7704-34-9: Sulfur:

LC50, Rainbow Trout (Oncorhynchus mykiss), 180.0 PPM, 96 H, Mortality; Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)), Office of Pesticide Programs, 2000

CAS# 138261-41-3: Imidacloprid:

LC50, Rainbow Trout (Oncorhynchus mykiss), 83.00 PPM, 96 H, Mortality; Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)), Office of Pesticide Programs, 2000

LC50, Rainbow Trout (Oncorhynchus mykiss), 229.1 PPM, 96 H, Mortality; Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)), Office of Pesticide Programs, 2000

LC50, Brine Shrimp (Artemia sp.), nauplii, 361230. UG/L, 48 H, Mortality, Water temperature: 27.0 C C; Comparative Toxicity of Four Insecticides, Including Imidacloprid



Page: 9 Printed: 09/29/2016

Revision: 09/29/2016

and Tebufenozide, to Four Aquatic Arthropods, Song, M.Y., J.D. Stark, and J.J. Brown, 1997

CAS# 91465-08-6: Lambda-cyhalothrin:

LC50, Bluegill (Lepomis macrochirus), 0.460 PPB, 96 H, Mortality; Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)), Office of Pesticide

Programs, 2000

LC50, Rainbow Trout (Oncorhynchus mykiss), 0.540 PPB, 96 H, Mortality; Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)), Office of

Pesticide Programs, 2000

Persistence and Terrestrial Field Test Half-life (days)

Degradability: Imidacloprid: 40 - 174

Lambda Cyhalothrin: 10 - 84

(Thurston County Health Department, 412 Lilly Road NE, Olympia, WA 98506, Pesticide

Reviews, Imidacloprid (4/10/2009), Lambda Cyhalothrin (12/20/2010))

Bioaccumulative Potential: Octanol/Water Partition Coefficients

Imidacloprid: 0.57

Lambda Cyhalothrin: 6.9

(Thurston County Health Department, 412 Lilly Road NE, Olympia, WA 98506, Pesticide

Reviews, Imidacloprid (4/10/2009), Lambda Cyhalothrin (12/20/2010))

Mobility in Soil: Water Solubility

Imidacloprid: 580 mg/L

Lambda Cyhalothrin: 0.005 mg/L

(Thurston County Health Department, 412 Lilly Road NE, Olympia, WA 98506, Pesticide

Reviews, Imidacloprid (4/10/2009), Lambda Cyhalothrin (12/20/2010))

13. Disposal Considerations

Waste Disposal Method:

If material cannot be completely used according to label directions, dispose of container and contents according to this section.

Contact a licensed professional waste disposal service to dispose of this material.

Do not let product enter drains.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Observe all federal, state, and local environmental regulations.

Packaging: Empty bag may be placed in trash.



Page: 10

Printed: 09/29/2016 Revision: 09/29/2016

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class: UN/NA Number:

		15. R	egulator	y Informatio	on	
EPA SARA (Si	uperfund Amendr	ments and Reauth	orization Act	of 1986) Lists		
CAS#	Hazardous Com	nponents (Chemic	al Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
57-13-6	Urea			No	No	No
7783-20-2	Ammonium sulfa	nte		No	No	No
7447-40-7	Potassium chlori	ide		No	No	No
1317-65-3	Limestone			No	No	No
1309-37-1	Iron oxide (Fe2C	03)		No	No	No
1344-43-0	Manganese oxid	le		No	No	Yes-Cat. N450
7704-34-9	Sulfur			No	No	No
872-50-4	N-Methyl-2-pyrro	olidone		No	No	Yes
14808-60-7	Quartz			No	No	No
138261-41-3	Imidacloprid			No	No	No
91465-08-6	Lambda-cyhaloth	hrin		No	No	Yes-Cat. N106
This material meets the EPA [X] Yes [] No		Acute (imm	nediate) Health Ha	azard		
'Hazard Categories' defined [X] Yes [] No		Chronic (delayed) Health Hazard				
for SARA Title III Sections [] Yes [X] No		Fire Hazard				
311/312 as in	dicated:	[] Yes [X] No				
		[] Yes [X] No	Reactive H	azard		
CAS#	Hazardous Com	nponents (Chemic	al Name)	Other US EPA o	r State Lists	
57-13-6	Urea			CAA HAP,ODC:	No; CWA NPDES:	No; TSCA: Yes -
				Inventory, 8A CA	AIR; CA PROP.65:	No; MA Oil/HazMat: No;
					No; NJ EHS: No; I	NY Part 597: No; PA HSL:
				No		
7783-20-2	Ammonium sulfa	ate			No; CWA NPDES:	No; TSCA: Yes -

57-13-6	Urea	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory, 8A CAIR; CA PROP.65: No; MA Oil/HazMat: No;
		MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL:
		No
7783-20-2	Ammonium sulfate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - E
7447-40-7	Potassium chloride	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
1317-65-3	Limestone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
1309-37-1	Iron oxide (Fe2O3)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
1344-43-0	Manganese oxide	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: Part 5; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL:
		No
7704-34-9	Sulfur	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,



Page: 11

Printed: 09/29/2016 Revision: 09/29/2016

		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
872-50-4	N-Methyl-2-pyrrolidone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory, 4 Test, 12(b); CA PROP.65: Yes; MA Oil/HazMat:
		No; MI CMR, Part 5: No; NJ EHS: Yes - 3716; NY Part 597:
		No; PA HSL: Yes - 1
14808-60-7	Quartz	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
138261-41-3	Imidacloprid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA
		PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ
		EHS: No; NY Part 597: No; PA HSL: No
91465-08-6	Lambda-cyhalothrin	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: No; CA
		PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: Part 5;
		NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: No

Regulatory Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels on non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

KEEP OUT OF REACH OF CHILDREN

CAUTION - CAUCION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION - CAUCION

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

16. Other Information

Revision Date: 09/29/2016

Hazard Rating System:

Flammability Instability NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or



SAFETY DATA SHEET IMDLA .24 18-00-10 72XCU 5FE Printed: 09/29/2016 Revision: 09/29/2016

Page: 12 Printed: 09/29/2016

Revision: 09/29/2016
implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Turf Care Supply Corp. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.
GHS format