# IRRIGATION SURFACTANT

# Injectable IrriCure®

Volume	Weight	Metric Volume	<b>Metric Weight</b>
☐ 5.0 Gal. (19.9 L)	41.4 Lbs. (18.8 kg)	☐ 10.0 L	10.1 kg
30.0 Gal. (113.5 L)	248.1 Lbs. (112.5 kg)	☐ 115.0 L	115.7 kg
☐ 55.0 Gal. (208.1 L)	454.9 Lbs. (206.3 kg)	☐ 200.0 L	201.1 kg
260.0 Gal. (984.2 L)	2150.2 Lbs. (975.3 kg)	☐ 984.2 L	989.8 kg

Active Ingredients: 14% Propanediol 7% Poly(2-methyloxirane) Inert Ingredient:



#### WARNING

Irritant to eyes, skin, and ingestion.

Inert Ingredient:
79% Water

Density: 8.27 lb at 68° F

Use proper gloves and goggles when handling and wash hands before touching eyes or eating. Get medical advice/attention if you feel unwell. Dispose of contents/container in accordance with local/regional/national and international regulations.

# KEEP OUT OF REACH OF CHILDREN



Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.htm



tricure.com

#### GENERAL INFORMATION

Injectable IrriCure is an irrigation surfactant formulated to improve the speed of water penetration from rain and irrigation by reducing the surface tension of water. Injectable IrriCure is designed for use on all fine turf on golf courses, athletic fields, etc.

#### **DIRECTIONS FOR USE**

Applications should begin in early spring or before the first signs of heat-related stress appear. For best results, IrriCure Injectable should be applied directly through irrigation systems to allow complete dispersion and optimum movement of water through the soil. For application using conventional spray equipment, use IrriCure Sprayable.

#### **COMPATIBILITY**

IrriCure Injectable is compatible with most turf fertilizers and can be injected simultaneously with most fertilizer applications. It is recommended that field-testing always be done on a small area to assure safety concerns are met.

### **APPLICATION INTERVAL**

Use Injectable IrriCure weekly or as needed throughout the growing season

#### **APPLICATION BATES**

Rates are based on a weekly application schedule.

Injection Rate/ Week	Conditions	
12-24 oz. / Acre	Normal growing conditions — healthy turf	
48 oz. / Acre	Problem areas	

#### PRECAUTIONARY STATEMENTS

- Overexposure causes eye irritation, excessive watering, redness
- Overexposure to skin may cause itching and redness
- Harmful if swallowed. May cause diarrhea, nausea and vomiting.
- Wear approved eye protection and clothing
- . Keep out of reach of children

## IN CASE OF CONTACT

- EYES: If eye exposure occurs, wash with water for at least 15 minutes. Call a physician.
- SKIN: Eye and skin irritant. Wash skin and clothing thoroughly with water after exposure.
- INGESTION: Contact physician or poison-control center. If victim is conscious and able to swallow, quickly give milk or water to dilute. Do not give sodium bicarbonate, vinegar, or fruit juices. Never give anything by mouth if victim is unconscious or having convulsions. Induce vomiting only upon advice of a physician

# STORAGE AND DISPOSAL

Protect product from freezing. If freeze occurs, allow product to warm / thaw before use. Store in an approved facility out of reach of children or unauthorized personnel. Store in original container. Dispose of unused contents according to RCRA and all applicable national and local government regulations. Containers may be disposed of after thorough rinsing and offered for recycling or reconditioning or disposed of according to approved national and local regulations. Do not reuse empty containers.

# **SDS Enclosed**

**WARRANTY:** Seller warrants that this material is suitable for the purpose stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any contrary to such directions. Seller makes no other expressed or implied warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the materials as to which a claim is made.