

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/7/2021 Revision date: 5/7/2021 Supersedes: 7/5/2020 Version: 1.0



SECTION 1: Identification

1.1. Identification	
Product form Trade name Chemical name CAS-No. Product code Formula Synonyms	 Substance American Ethanol, Isopropyl 99%, 0.5 Liter (Pack of 1) Isopropyl Alcohol 67-63-0 HP-040769-FP; HPF-040769 FP USP IPA C3H8O 2-Hydroxypropane / 2-Propyl alcohol / 2-Propanol / Isopropanol / Propan-2-ol / ISOPROPYL ALCOHOL / Propanol, 2- / Isopropylic alcohol
1.2. Recommended use and restric	tions on use
Use of the substance/mixture	: Solvent; Antiseptic; Deicing/antifreeze agent; Chemical feedstock, etc.
1.3. Supplier	
American Ethanol Holdings LLC 301 South Henry Street Stoneville, NC 27048 - USA T (877) 395-0888 - F (877) 395-0888 <u>sales@american-ethanol.com</u> - <u>www.ame</u>	rican-ethanol.com
1.4. Emergency telephone number	

Emergency number

: 24 HR CHEMTREC: 1.800.424.9300 (CCN 701055) : 24 HR CHEMTREC International +1.703.527.3887 (CCN 701055)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2	H225
Serious eye damage/eye irritation Category 2A	H319
Specific target organ toxicity - Single exposure, Category 3, Narco	osis H336
Full text of H- and EUH-statements; see section 16	

2.2. GHS Label elements, including precautionary statements

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)

- : Danger
- : H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - P233 Keep container tightly closed.
 - P240 Ground/Bond container and receiving equipment.
 - P241 Use explosion-proof electrical, lighting, ventilating equipment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P261 - Avoid breathing dust, gas, fume, spray, mist, vapors.
	P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
:	skin with water/shower.
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a doctor, a POISON CENTER if you feel unwell.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder, Water spray to extinguish.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%
Isopropyl Alcohol (Main constituent)	CAS-No.: 67-63-0	≥ 99.8

Full text of hazard classes, H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Consult an eye specialist. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Immediate medical attention and special treatment, if necessary	

No additional information available

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	g media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Specific hazards arising from the chemical		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture. Upon combustion: CO and CO2 are formed. 	
5.3. Special protective equipment and prec	cautions for fire-fighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures :	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
	Equip cleanup crew with proper protection. Avoid breathing dust, fume, gas, mist, spray, vapors. Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	 Handle empty containers with care because residual vapors are flammable. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, lighting, Ventilation equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep in fireproof place. Keep container tightly closed.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopropyl Alcohol (67-63-0)	
USA - ACGIH - Occupational Exposure Limits	
Local name	2-Propanol
ACGIH OEL TWA [ppm]	200 ppm
ACGIH OEL STEL [ppm]	400 ppm
Remark (ACGIH)	Eye & URT irr; CNS impair
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2021
USA - ACGIH - Biological Exposure Indices	
Local name	2-PROPANOL
BEI (BLV)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific)
Regulatory reference	ACGIH 2021
USA - OSHA - Occupational Exposure Limits	
Local name	Isopropyl alcohol
OSHA PEL (TWA) [1]	980 mg/m³
OSHA PEL (TWA) [2]	400 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limits	
IDLH [ppm]	2000 ppm (10% LEL)
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	980 mg/m³

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropyl Alcohol (67-63-0)	
NIOSH REL TWA [ppm]	400 ppm
NIOSH REL (STEL)	1225 mg/m ³
NIOSH REL STEL [ppm]	500 ppm
USA - AIHA - Occupational Exposure Limits	
WEEL TWA [ppm]	200 ppm

8.2. Appropriate engineering controls

No additional information available

Personal protective equipment:

Avoid all unnecessary exposure.
Hand protection:
Wear protective gloves.
Eye protection:
Chemical goggles or safety glasses
Respiratory protection:
Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless liquid.
Color	: Colorless
Odor	: alcohol-like
Odor threshold	: 36.61 ppm
pH Melting point Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Density Molecular mass Solubility	 90 mg/m³ No data available No data available -88 °C; -126.2 °F 82.3 °C; 180.1 °F 12 °C; 53.6 °F closed cup 2.3 No data available 45.4 mm Hg at 25°C 2.1 0.79 0.785 g/cm³ (at 20 °C) 60.1 g/mol Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: 0.05 (at 25 °C)
Auto-ignition temperature	: 399 °C ; 750.2 °F
Decomposition temperature	: No data available
Viscosity, kinematic	: 2.04 mm²/s at 25° C

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, dynamic Explosion limits Explosive properties	 No data available 2 – 12.7 vol % Lower explosive limit (LEL): 2 vol % Upper explosive limit (UEL): 13 vol % No data available No data available
Oxidizing properties 9.2. Other information	: No data available

VOC content

: 99.95 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
, , ,	Not classified Not classified
Acute toxicity (inhalation) :	Not classified
Isopropyl Alcohol (67-63-0)	
LD50 oral rat	5050 mg/kg
LD50 dermal rabbit	4059 mg/kg
LC50 Inhalation - Rat	72.6 mg/l/4h (Exposure time: 4 h)
ATE US (oral)	5050 mg/kg body weight
ATE US (dermal)	4059 mg/kg body weight
ATE US (vapors)	72.6 mg/l/4h
ATE US (dust, mist)	72.6 mg/l/4h
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Causes serious eye irritation.
Respiratory or skin sensitization :	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified
Isopropyl Alcohol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: 2.04 mm²/s at 25° C
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water :	Not harmful to crustacea (Daphnia). Not harmful to fishes. Groundwater pollutant. Inhibition of activated sludge. Not harmful to algae.	
Isopropyl Alcohol (67-63-0)		
LC50 - Fish [1]	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 - Crustacea [1]	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 - Fish [2]	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
12.2. Persistence and degradability		
Isopropyl Alcohol (67-63-0)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Isopropyl Alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 (at 25 °C)	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information :	Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1. Disposal methods		

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local,
Additional information	regional, national and/or international regulation. : Handle empty containers with care because residual vapors are flammable.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - waste materials

: Avoid release to the environment.

: UN1219 : 1219
: 1219
: 1219
 Isopropanol Not applicable ISOPROPANOL (ISOPROPYL ALCOHOL) Isopropanol UN1219 Isopropanol, 3, II UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II (12°C c.c.) UN 1219 Isopropanol, 3, II
: 3 : 3
•
: II : II : II

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Special precautions for user	
DOT	
UN-No.(DOT)	: UN1219
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
IMDG	
Transport regulations (IMDG)	: Subject to the provisions
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: B
Flash point (IMDG)	: 12°C c.c.
ΙΑΤΑ	
Transport regulations (IATA)	: Subject to the provisions
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A180
ERG code (IATA)	: 3L
× /	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information		
15.1. US Federal regulations		
Isopropyl Alcohol (67-63-0)		
Listed on the United States TSCA (Toxic Substances C Subject to reporting requirements of United States SAF		
All components of this product are listed as Active, or e Control Act (TSCA) inventory	excluded from listing, on the United State	s Environmental Protection Agency Toxic Substances
Chemical(s) subject to the reporting requirements of Se and 40 CFR Part 372.	ection 313 or Title III of the Superfund Ar	nendments and Reauthorization Act (SARA) of 1986
Isopropanol	CAS-No. 67-63-0	100%
15.2. International regulations		
CANADA		
Isopropyl Alcohol (67-63-0)		
Listed on the Canadian DSL (Domestic Substances Lis	st)	
EU-Regulations		
Isopropyl Alcohol (67-63-0)		
Listed on the EEC inventory EINECS (European Inven	tory of Existing Commercial Chemical Su	ubstances)
National regulations		
Isopropyl Alcohol (67-63-0)		
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (National Chemicals Inventory)		
15.3. US State regulations		
Isopropyl Alcohol (67-63-0)		
State or local regulations	U.S New Jersey - Right to Know Haz U.S Pennsylvania - RTK (Right to Kn U.S Massachusetts - Right To Know U.S Pennsylvania - RTK (Right to Kn	now) List List

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Mor	nday, March 26, 2012 / Rules and Regulations
Revision date	: 05/07/2021
Other information	: None.

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

Safety Data Sheet (SDS), USA

DISCLAIMER: Monument Chemical believes that the information expressly set forth in this Safety Data Sheet (SDS) is accurate as of the date of publication. MONUMENT CHEMICAL EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Monument Chemical assumes no responsibility for any use of or reliance upon the data provided in this SDS. Given the variety of factors that can affect the use of the material, some of which are uniquely within the user's knowledge and control, the user should independently evaluate (i) the completeness and accuracy of the information provided herein and (ii) the material to determine whether it is suitable and safe for the user's intended use.

Monument Chemical provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Monument Chemical makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Monument Chemical.