With Bromadiologrid & Imidacioprid



This product may only be used inside and within 100 feet of buildings or inside transport vehicles (ships, trains or aircraft).



ABOUT 290 BLOCKS

Rodenticide + Insecticide Kills the Fleas While it Kills the Rodent!

NET WT. 18 lbs. (8.16 kg)

ACTIVE INGREDIENT:

 Bromadiolone (CAS No. 28772-56-7)
 0.005%

 Imidacloprid (CAS No. 138261-41-3)
 0.020%

 OTHER INGREDIENTS
 99.975%

 TOTAL
 100.000%

EPA Reg. No. 72500-19 EPA Est. 72500-CO-1

Keep Out of Reach of Children CAUTION

See back panel for First Aid and Precautionary Statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the user's possession at the time of product application.

Apply this product only for the sites, pests and application methods specified on this label.

If sufficient quantities of this bait are ingested, the use of this product kills fleas, including but not necessarily limited to Xenopsylla cheopis, that commonly infest listed rodent

Read this Label:

Read this entire label and follow all use directions and use precautions.

Important: Do not expose children, pets or other non-target animals to rodenticides. To help prevent

- 1. Store product not in use in locations out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and dogs, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
- 3. Dispose of product container, as well as unused, spoiled and unconsumed bait, as specified on this

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

Use Restrictions: This product may only be used to kill the following rodents, including the fleas that commonly infest listed rodents: Norway rats (Rattus norvegicus), Roof rats (Rattus rattus), House mice (Mus musculus), Cotton Rats* (Sigmodon hispidus), Eastern harvest mouse* (Reithrodontomys humuli), Golden mouse* (Ochrotomys nuttalli), Polynesian rat* (Rattus exulans), Meadow vole* (Microtus pennsylvanicus), White-throated woodrat* (Neotoma albigula), Southern plains woodrat* (Neotoma micropus), and Mexican woodrat* (Neotoma mexicana), and their fleas in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops. Do not broadcast bait. Burrow baiting with this product is prohibited. Do not use this product to control *Peromyscus* spp. mice.

*Not permitted for use against these species in California.

Do not sell this product in individual containers holding less than 16 pounds of bait.

Selection of Treatment Areas: Determine areas where rodents will most likely find and consume bait. Generally, these areas will be along walls, by gnawed openings, in corners and concealed places, between floors or walls, beside burrow openings and other locations where signs of rodents have been seen. Remove as much alternative food as possible.

Application Directions:

Rats: Apply 4 to 16 one-ounce bait blocks per bait placement. Space placements at intervals of 15 to 30 feet in infested area. Maintain an uninterrupted supply of fresh bait for at least 10 days or until there no longer are signs of new feeding by rats.

Mice and Meadow Voles*: Apply 1 one-ounce bait block per placement. Space placements at intervals of 8 to 12 feet in infested area. At points of extremely high rodent activity use 2 bait blocks. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice and meadow voles cease to appear.

Follow-up (Rats, Mice, Meadow Voles*): Immediately replace contaminated or spoiled bait. While wearing waterproof gloves, properly collect and dispose of all dead animals and leftover bait. To discourage re-infestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations. Regularly check the stations and replace bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Handling: Non-refillable container; do not reuse or refill this container. Offer for recycling, if available, or reconditioning, if appropriate; otherwise dispose of empty container in a sanitary landfill; or by incineration.

Lot Number: See Container Lid

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals CAUTION: Harmful if swallowed. Keep away from

children, domestic animals and pets.

Personal Protective Equipment (PPE): All handlers (including applicators) must wear shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

USER SAFETY REQUIREMENTS

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of waterproof gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID

Have label with you when obtaining treatment advice.

If swallowed

- · Call a poison control center or doctor immediately for treatment advice.
- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the anticoagulant Bromadiolone. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1, intramuscularly or orally. Also for pets, if needed, check prothrombin time every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

> US PATENT NO. 7,943,160,B2 MADE IN USA



Pest Management Solutions

P.O. Box 1045 Wellington, CO 80549-1045 (970) 482-1330

customerservice@kaputproducts.com

Label Version 6/09/2016

