



## SAFETY DATA SHEET

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

LI 700 WITH LECI-TECH

SUPERSEDES: 03/07/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product identifier

**Product Name** LI 700 WITH LECI-TECH

#### Other means of identification

**Product Code** ADJ-0002

**Synonyms** None

**Registration Number(s)** CA Reg. No. 34704-50035 - WA Reg. No. 34704-04007

#### Recommended use of the chemical and restrictions on use

**Recommended Use** Penetrant. Acidifier. Deposition Aid. Drift Control Agent.

**Uses advised against** No information available

#### Details of the supplier of the safety data sheet

##### **Manufacturer Address**

LOVELAND PRODUCTS, INC.

P.O. Box 1286

Greeley, CO 80632-1286

##### **Emergency telephone number**

**Company Phone Number** 1-888-LPI-CUST (574-2878)

**Emergency Telephone** Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

### 2. HAZARDS IDENTIFICATION

#### Classification

##### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 2A - (H319)

#### Label elements



**Signal word**

**DANGER**

**Hazard statements**

H314 - Causes severe skin burns and eye damage

H319 - Causes serious eye irritation

**Precautionary Statements - Prevention**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection



## SAFETY DATA SHEET

**LI 700 WITH LECI-TECH**

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

P264 - Wash hands thoroughly after handling

### Precautionary Statements - Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P363 - Wash contaminated clothing before reuse  
P337 + P313 - If eye irritation persists: Get medical advice/attention

### Precautionary Statements - Storage

P405 - Store locked up

### Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

\*The exact percentage (concentration) of composition has been withheld as a trade secret.  
OSHA Hazard Communication 29 CFR 1910.1200



## SAFETY DATA SHEET

LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

### 4. FIRST AID MEASURES

#### Description of first aid measures

<b>General advice</b>	Get medical attention if symptoms occur.
<b>Eye contact</b>	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin contact</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>Inhalation</b>	Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
<b>Ingestion</b>	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
<b>Self-protection of the first aider</b>	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

**Treatment:** Treat symptomatically. Symptoms may be delayed. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-866-944-8565 for emergency medical treatment information.

**Note to physicians** No specific antidote. Treat symptomatically.

**Antidotes** No data available

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO<sub>2</sub>, dry chemical, or foam

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

#### Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



## SAFETY DATA SHEET

LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

#### Environmental precautions

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Ver la Sección 12 para información ecológica adicional.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. After cleaning, flush away traces with water. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Use with local exhaust ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.



**SAFETY DATA SHEET**

**LI 700 WITH LECI-TECH**

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

**Appropriate engineering controls**

**Engineering Controls**                      Showers  
    Eyewash stations  
    Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**                      Tight sealing safety goggles. Face protection shield.

**Skin and body protection**                Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Respiratory protection**                    Dependent on job function. If vapors or dusts exceed acceptable levels, wear a MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air respirator if exposure concentrations are unknown.

**General Hygiene Considerations**        When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.



## SAFETY DATA SHEET

LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Color	Brown
Odor	Pungent
Odor threshold	No data available

<u>Property</u>	<u>Values (Remarks - Method)</u>
pH	3.6 (1% solution)
Melting point / freezing point	No data available
Boiling point	No data available
Flash point	100 °C / 212 °F (Tag Closed Cup)
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Flammability Limit in Air	
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Vapor pressure	No data available
Vapor density	No data available
Specific Gravity	1.035 g/ml
Water solubility	Soluble
Solubility in other solvents	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

#### Other Information

VOC Content (%)	No data available
Density	1.035g/ml

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



## SAFETY DATA SHEET

LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.



## SAFETY DATA SHEET

LI 700 WITH LECI-TECH

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity of the formulated product:

Oral LD <sub>50</sub>	5005 mg/kg
Dermal LD <sub>50</sub>	5005 mg/kg
Inhalation (Dust) LC <sub>50</sub>	6.04 mg/l

Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes serious eye irritation.
Sensitization	Not a skin sensitizer.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. <i>ACGIH (American Conference of Governmental Industrial Hygienists)</i> <i>A3 - Animal Carcinogen</i> <i>IARC (International Agency for Research on Cancer)</i> <i>Not classifiable as a human carcinogen</i>
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Target Organ Effects	Eye damage/irritation, Respiratory system, Skin.
Aspiration hazard	No information available.

#### Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	Causes irreversible eye damage.
Skin contact	Severe irritant. Causes skin burns.
Ingestion	No data available.

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

#### Other adverse effects

No information available





**SAFETY DATA SHEET**

**LI 700 WITH LECI-TECH**

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes**

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.

**Contaminated packaging**

Do not reuse container.

**14. TRANSPORT INFORMATION**

**DOT**

UN/ID no

Not regulated

Proper shipping name

Not regulated

U.S. Surface Freight Classification:

ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS  
(NMFC 4610; CLASS: 60)



**SAFETY DATA SHEET**

**LI 700 WITH LECI-TECH**

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

**15. REGULATORY INFORMATION**

<u><b>NFPA</b></u>	Health hazards 3	Flammability 1	Instability 0	Physical and Chemical Properties - Personal protection X	
<u><b>HMIS</b></u>	Health hazards 3	Flammability 1	Physical hazards 0		
	0 - Least	1 - Slight	2 - Moderate	3 - High	4 - Severe

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
PROPIONIC ACID 79-09-4	5000 lb	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
PROPIONIC ACID 79-09-4	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. EPA Label Information**



**SAFETY DATA SHEET**

**LI 700 WITH LECI-TECH**

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/22/2018

SUPERSEDES: 03/07/2018

**16. OTHER INFORMATION**

**Prepared By** Registrations and Regulatory Affairs

**Reviewed By** Safety, Health and Environment

**Issue Date** 05/22/2018

**Revision Date** 05/22/2018

**Revision Note**

16 SDS sections updated

**LI 700 WITH LECI-TECH** is a registered trademark of Loveland Products, Inc.

**Disclaimer**

This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

**End of Safety Data Sheet**