

LACRYTHOR

FUMIGATION WARNING AGENT

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

D A N G E R

KEEP OUT OF REACH OF CHILDREN

Causes severe burns of eye or skin. May be fatal if absorbed through the skin. Causes severe burns of mouth and throat if swallowed. May be fatal if inhaled. May cause severe allergic respiratory reaction. High concentrations can cause lung injury. Do not get in eyes, on skin or on clothing. Avoid breathing gas/vapor. Do not take internally. Avoid prolonged or repeated respiratory contact. Use only with adequate ventilation. Wash thoroughly after handling.

• Use product only with adequate ventilation and avoid breathing chloropicrin vapors. Do not get in eyes, on skin or on clothing.

Upon contact with the skin or eyes, chloropicrin causes severe burns and may be fatal if absorbed through the skin. Wash thoroughly after handling.

• Do not take internally. Causes severe burns of the mouth and throat if swallowed.

• Because chloropicrin has a disagreeable, penetrating smell, exposure to hazardous levels cannot be voluntarily tolerated.

However, unprotected exposure to chloropicrin, even at very low levels of concentration in the air, causes tearing of the eyes.

• Inhalation may cause severe allergic respiratory reaction. Exposure to a high air concentration can cause lung injury or death.

Active Ingredient (Warning Agent):	By Wt.
Chloropicrin.....	99.5%
Other Ingredients:.....	0.5%
TOTAL:.....	100.0%



DANGER

POISON

PELIGRO

Net Contents: 3.5 pounds

This product weights 13.7 pounds per gallon.

3.5 pounds = 32.7 fluid ounces

This product is a highly hazardous material and must be handled only by individuals trained in its proper use. Consult Ensystex II for correct procedures before using (1-866-367-8467). Read and follow label directions. See attached Directions For Use for more complete information.

PELIGRO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.) In all cases of overexposure, get medical attention immediately. Transport overexposed persons to an emergency treatment facility.

Not for use as a pesticide. For use only as a warning agent in conjunction with the use of Zythor Fumigant. This product can be used only by applicators certified to use Zythor or persons under their direct supervision. Consult Ensystex II for correct use and handling procedures.

Storage and Handling

Storage: Store cylinders upright, in a cool, dry, well-ventilated area, under lock and key. Store product only in original container. Do not contaminate water, food, or feed by storage or disposal of this product.

Spill and Leak Procedures: Evacuate spill site immediately. Equip a self-contained breathing apparatus (SCBA) prior to entry of the spill site. Move the leaking or damaged containers outdoors or to an isolated location, working upwind if possible. Allow spilled material to evaporate, or absorb onto vermiculite, sand, or other granular absorbent material. Thoroughly aerate all affected materials outdoors prior to disposal being sure to follow approved state and local procedures. Do not permit entry into spill area or cleanup area by unprotected persons until the concentration of Lacrythor is determined to be less than 0.1 ppm.

Disposal: Allow the empty container to aerate with lid off inside the area being fumigated. The container should be placed near the Lacrythor use site or fan. Once the fumigation has been completed, replace the Lacrythor container lid and dispose by following approved state and local procedures.

No Reuse: Cylinders should never be refilled by consumer or used for any other product or purpose.

Shipping of Cylinders: The material in this cylinder is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin, 6.1, UN 1580, PG I, Poison-Inhalation Hazard, Hazard Zone B. Describe empty cylinders as having last contained Chloropicrin (Inhalation Hazard). Do not ship with food, feed, or clothing.

Personal Protective Equipment

The following personal protective equipment must be worn when handling chloropicrin:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as barrier laminate, neoprene rubber or viton - all 14 mils or greater. For more options follow category H on the chemical resistance category selection chart).
- Splash-resistant protective eyewear or face shield (Do NOT wear goggles).
- Persons applying chloropicrin at more than two introduction points must wear either a positive pressure self-contained breathing apparatus or a combination air-supplied/SCBA.