Atrazine 1.05% Plus Fertilizer

Weed Control with Premium Turf Food

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear long-sleeved shirt and long pants, shoes and socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Isers should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves be ore removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

trazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking vater. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very perme able; i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is resent, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighoring areas. Do not contaminate water when disposing of equipment wash water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application

When applying multiple products containing atrazine, the total pounds of atrazine applied in pounds of atrazine per acre may not exceed 4 pounds of atrazine from all applications made in a year.

Turfgrass at Residential Sites (including homes, daycare facilities, schools, playgrounds, parks, recreational areas, and sports fields)

This product must be watered in immediately after application. Watering-in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing: This product must be watered in immediately.

- Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW. Before using this product, you must consult the Atrazine Watershed information Center (AWIC) to determine whether the use of this product is prohibited in your watershed. AWIC can be accessed through www.atrazine-watershed.info or 1-866-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact LESCO for a refund.

WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass (Poa annua)	Dichondra	Pigweed
Annual Sowthistle Clover	Dollarweed	Purslane
Black Medic	Florida Beggarweed	Ragweed
Blue Toadflax	Florida Betony <i>(Rattlesnake</i> Weed)	Red Sorrel
Bull Paspalum	Florida Pusley	Rescuegrass
Buckhorn Plantain	Fragrant Cudweed (Rabbit Tobacco)	Sandspur
Bur Clover	Henbit	Shepherds Purse
Carolina Geranium (Cranesbill)	Knotweed	Sicklepod
Chickweed (Common and Mouse Ear)	Lambsquarter	Spotted Spurge
Cocklebur	Lespedeza	Spurweed
Common Dandelion	Lippia (Matchweed)	Stinging Nettle
Common Purslane	Moneywort	Swinecrest
Crabgrass	Morning Glory	Venus Looking Glass
Crowfoot Grass	Narrowleaf Vetch	Virginia Creeper
Cudweed	Parsley-Piert	Wild Mustard
Cutleaf Evening Primrose	Oxalis (Common and Yellow Woodsorrel	Wood Sorrel

NON-AGRICULTURAL REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Norker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies with this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporat s required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorpora tion is accomplished by watering-in, do not enter or allow others to enter the treated area until surface is dry after the watering-in.

IMPORTANT: In addition to providing turfgrass with required plant nutrients this product will con

"weeds that are present" and "weeds germinating from seeds".

FOR WEEDS THAT ARE PRESENT: Includes broadleaf weeds from the list such as: Chickwee Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, weed, Plantain, Rabbit Tobacco, and Toadflax.

FOR WEEDS GERMINATING FROM SEEDS: Applied before weed seeds germinate; includes grassy weeds from the list such as; Crabgrass, Paspalum, and Spotted Spurge.

WHERE TO USE

FOR CONTROL of weeds in St. Augustine and Centipede grass in or on residential turf, corpora turf, parks, recreational areas, golf course, cemeteries, and athletic fields

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial production, or for research purposes

NOT FOR USE on Bluegrass, Fescue, Bentgrass, Bahiagrass, Ryegrass, Bermudagrass, or Did dra turf.

WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a "pre-eme gent" and also as a "post-emergent" herbicide. Established weeds are harder to kill and may red an additional application in the fall or spring. For newly seeded centipede, wait until grass has b mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. For broadleaf weeds apply anytime the weeds are present and activel growing. Early spring application is recommended for best control such as January 1st up to Ma 1st, otherwise it may be applied up to June 15th with good weed control.

For pre-emergence weed control (see above) apply before seeds germinate. A fall application w needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betor and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeat applicati may be necessary. Wait 2 months for a repeat application. Apply when air is calm to prevent part wind drift. Apply this product only when grass blades are dry. To verify proper application timing sult vour State Agricultural Extension Service. Turfgrass Specialist.

USE PRECAUTIONS

Sweep product off walks and painted surfaces following application to avoid possible discolorati Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to beddir plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns/tu containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses, since to those other grasses may result.

DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ANY PERSON OR PET, THER DIRECTLY OR THROUGH DRIFT, KEEP PEOPLE AND PETS OUT OF THE AREA DU APPLICATION. THIS PRODUCT MUST BE WATERED IN IMMEDIATELY AFTER APPLICATI DO NOT ENTER OR ALLOW OTHERS (INCLUDING CHILDREN OR PETS) TO ENTER THE TREATED AREAS (EXCEPT THOSE INVOLVED IN THE WATERING) UNTIL THE WATERING IS COMPLETE AND THE SURFACE IS DRY.

HOW TO APPLY

Apply 3.27 lb to 4.37 lb uniformly over 1,000 sq ft of lawn/turf area. (equivalent to the required 2.0 lb Atrazine per acre). Use the lower rate for average weed problems; the higher rate for hear weed population. Do not exceed recommended rates. Do not apply more than 4 lb a.i. Atrazine plications at 4.37 lb product) per acre per year. Apply to dry grass. This product must be watered immediately after application.

50 Pounds covers up to 15,240 Sq Ft of Turfgrass

Prevents Crabgrass, Paspalums, and Spotted Spurge Controls Dollarweed, Florida Pusley, Lippia, Pigweed

Over Forty-Fve More Weeds as Listed

A WEED & FEED FOR ST. AUGUSTINEGRASS AND CENTIPEDEGRASS TURF

Contains LESCO® Poly Plus® OPTI[™] Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding. ACTIVE INGREDIENTS:

A CHIER MORE DELITIO.	
Atrazine; 2-chloro-4-ethylamino-6-isopropylamino-s-triazine	1.05%
Related active triazine compounds	0.04%
OTHER INGREDIENTS:	98.91%
Total 1	00 000/

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID				
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 			
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.			
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 			

Have the product c son control center or doctor or going for treatme 800-424-9300 for emeraencv

medical treatment

20-0-10

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)
20.00% Urea Nitrogen*
SOLUBLE POTASH (K ₂ O)10.00%
IRON (Fe)
0.010% Water Soluble Iron (Fe)
MANGANESE (Mn)0.50%
0.042% Water Soluble Manganese (Mn)
DERIVED FROM: Polymer Coated Urea, Urea, Muriate of Potash, Iron Sucrate,
Manganese Sucrate.
CHLORINE (CI) Max10.00%

*8.00% Slowly available Urea Nitrogen from Polymer Coated Urea.

This product has different N-P-K fertilizer ratios to meet the needs for different geographies, varieties and temperatures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Loaders, applicators, and other handlers must wear long-sleeved shirt, long pants, shoes and socks. Do not apply granular turf products by hand. Avoid contact with hands or skin.

Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments

information.	
	1

	SUGGESTED SPRE	ADER SETTINGS*
	commended Rates in lb pe	
Spreader	3.27 lb	4.37 lb #15
LESCO – All Rotary Models PermaGreen	#14 14	15
Cyclone®/ Spyker® /Z-Spray	4	41/4
Vicon (LESCO Pendulum)	4 II	4¼ II
tions. Be sure to calibrate your splisting can be found at www.lesco.co	preader with each app om.	and operator speed can cause varia- olication. An extended Spreader Setting
	RAGE AND DI	
Do not contaminate water, food, or t PESTICIDE STORAGE: Store prod reach of children.		osal. container in a cool, dry, locked place out
	sulting from the use of	this product that cannot be used or cher
ically reprocessed should be dispos	ed of in a landfill appro	ved for pesticide disposal or in accor-
		Or call (1-800-CLEANUP) for disposal
instructions. Never place unused pr		
	Non refillable container	. Do not reuse or refill this container. Off
for recycling, if available.	atorial and dianage of	material according to "product disposal" of
rections listed above.		
NOTICE: Read the entire Directions for L	Jse and Conditions of Sale	VARRANTY AND LIABILITY e and Limitation of Warranty and Liability befor the product at once, unopened, and the pur
chase price will be refunded. The Directions for Use of this product mu	ist be followed carefully an	d completely. It is impossible to eliminate all ri sistent with applicable law, Buyer and/or User
assume all risks of ineffectiveness or othe outside or beyond the control of LESCO, tion, weather or weather conditions outside	er unintended consequence Inc. including but not limited de the range considered not	es or damages that may result from condition ed to, such factors as manner of use or applic ormal at the application site or for the time per
		ompatible products, or other influencing factor ent with applicable law, all such risks shall be a
		d LESCO, Inc. harmless for any claims relating
such factors.	-	
purposes stated in the Directions for Use with the Directions for Use under normal	, subject to the inherent ris use conditions. To the exte	escription on the label and is reasonably fit for sks referred to above, when used in accordance ent consistent with applicable law, this warrant ons, or under abnormal conditions or under co
ditions not reasonably foreseeable to or b of any such use. TO THE EXTENT CONS	beyond the control of LESC SISTENT WITH APPLICAR	CO, Inc. and Buyer and/or User assume the ris BLE LAW, LESCO, INC. MAKES NO WAR ICULAR PURPOSE NOR ANY OTHER EX
PRESS OR IMPLIED WARRANTY EXCE		
USER AND THE EXCLUSIVE LIABILITY DAMAGES (INCLUDING CLAIMS BASE STRICT LIABILITY OR OTHERWISE) RE BE THE RETURN OF THE PURCHASE	OF LESCO, INC. FOR AN D ON BREACH OF WARF ESULTING FROM THE US PRICE OF THE PRODUC	XCLUSIVE REMEDY OF THE BUYER AND/C YY AND ALL CLAIMS, LOSSES, INJURIES OI RANTY, CONTRACT, NEGLIGENCE, TORT, SE OR HANDLING OF THIS PRODUCT, SHA T OR, AT THE ELECTION OF LESCO, INC. PURCHASE, REPLACEMENT OF SUCH
QUANTITY. TO THE EXTENT CONSIST	TENT WITH APPLICABLE	LAW, IN NO EVENT SHALL LESCO, Inc., BE
ABLE FOR ANY INCIDENTAL, CONSEQ		
		subject to the foregoing Conditions of Sale and ept by written agreement signed by a duly au
thorized representative of LESCO, Inc.		
	and, Ohio 44114-4114, refe	an be obtained by writing to: LESCO, Inc., Attr rring to the item number found on this bag. uct is available on the internet at.
http://www.aapfco.org/metals.htm.		
Poly Plus® OPTI [™] is comprised of Polym LESCO and Poly Plus are registered tradem		gn is a trademark of LESCO Inc. Cyclone and
Spyker are registered trademarks of Spyker		grine a trademark of EEGOO int. Cyclone allu
OPTI™ is a registered trademark of Turf (N:\Regulatory\WP\Regul Private\MstrLbl\ Rev 11/2/20 VT		andscape Style Master LbIs (071107)
Net Weight: 50 lb (22.7 kg) S	GN 240	
	82757-OH-001 (M), 827	04-FL-1 (C), 59144-GA-1 (A), 32802-MO-1 '57-FL-001 (S), 82757-MA-002 (H), 89135-
First lett	ter of lot code indicates ma	anufacturing site.

F1560 Manufactured for: LESCO. Inc. 1385 East 36th Street Cleveland, OH 44114-4114

#HPST00112 PPO