Warranty Disclaimer

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent not prohibited by applicable law, MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

The directions for use of this product are believed to be adequate and must be carefully followed. It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, the presence of other materials, climatic conditions or the manner of use/application, all of which are beyond the control of the Manufacturer. The buyer/user assumes all such risks.

Limitation of Remedies

To the extent not prohibited by applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at

Manufacturer's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought. or
- Replacement of amount of product used.

To the extent not prohibited by applicable law: a) Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing: and b) IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT. HEALTH RELATED DAMAGES OR INJURIES.

The terms of this **Warranty Disclaimer** and **Limitation of Remedies** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this Warranty Disclaimer or Limitation of Remedies in any manner.

It is not intended that this product be used to practice any applicable patent, whether mentioned or not, without procurement of a license, if necessary, from the owner, following investigation by the user.

Magnetic Roach Bait and Nisus Corporation are trademarks or registered trademarks of Nisus Corporation. ©2024 Nisus Corporation. #MRB-1024-SAL061114

M.R.F. 2000 PASTE FORMULA



FOR USE IN AND AROUND HOMES. COMMERCIAL. INDUSTRIAL. INSTITUTIONAL, FOOD, AND FEED HANDLING ESTABLISHMENTS

EPA Registration No. 54452-2 EPA Est. No. 64405-TN-1

ACTIVE INGREDIENT:

Boric Acid (CAS No. 10043-35-3) 33.3% OTHER INGREDIENTS: . <u>66.7%</u> . 100.0%

NET CONTENTS: 19 oz (539 a)



NISUS°

100 Nisus Drive . Rockford, TN 37853 USA 800.264.0870

CAUTION

KEEP OUT OF REACH OF CHILDREN

Use only in areas not easily accessible to children and pets.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after the first 5 minutes, then continue rinsing eye, Call a poison control center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In case of emergency call a poison control center or doctor for treatment advice. Have the product container or label with you when calling or going for treatment.

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS CAUTION

after handling.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO CONTROL COCKROACHES: Apply the paste liberally under and behind refrigerators, stoves, sinks, dishwashers, washing machines and dryers, tubs, into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and wrapping, boxing) preparing, edible waste storage and enclosed processing closets. Remove drawers in kitchen and bathroom cabinets, bedroom dressers and chest of drawers, then apply liberally into each corner of the drawer wells.

should occur, any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs. DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL

Reapply the same as above at least once a year, or sooner, If reinfestation

COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, vachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries and utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or saved.

TREATMENT ONLY: Includes areas for receiving, storage, packing (canning,

systems such as mills, dairies, bakeries, PEEL HERE

5.125"

BASE (Page 3) This area is under the COVER WRAP on the jar. Safe CopyArea is .125" From Edge.

-5.125''

restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits and motor housing where cockroaches hide.

Care should be taken to avoid depositing the product into exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT. ARE NOT PERMITTED.

SERVING AREAS – Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards or under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.) Remove any product left visible on a food surface after treatment and wash surface.

NON-FOOD AREAS: Include garbage rooms, lavatories (floors, drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than a few larger spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a dry place. Do not store where children or animals may gain access. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container

ACCEPTED VIA NOTIFICATION LABEL NOT REVIEWED

Nov 13, 2024

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

Doc id: 596454

COVER WRAP

This area is exposed on the jar. Safe CopyArea is .0625" From Edge. M.R.F. 2000 PASTE FORMULA

MAGNETIC ROACH BAIT

FOR USE IN AND AROUND HOMES. COMMERCIAL. INDUSTRIAL. INSTITUTIONAL. FOOD. AND FEED HANDLING ESTABLISHMENTS

> Use only in areas not easily accessible to children and pets. EPA Registration No. 54452-2 EPA Est. No. 64405-TN-1

ACCEPTED VIA NOTIFICATION LABEL NOT REVIEWED

Nov 13, 2024

New York State Department of Environmental Conservation

Division of Materials Management Pesticide Product Registration

CAUTION

ACTIVE INGREDIENT: Boric Acid (CAS No. 10043-35-3)... 33.3% OTHER INGREDIENTS: . 66.7% . 100.0%





100 Nisus Drive • Rockford, TN 37853 USA 800.264.0870

NET CONTENTS: 4 - 1.23 oz (35 g) tubes TOTAL CONTENTS: 4.92 oz (140 g)



Use only in areas not easily accessible to children and pets.

FIRST AID If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If in Eves: Hold eve open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a poison control center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

In case of emergency call a poison control center or doctor for treatment advice. Have the product container or label with you when calling or going for treatment

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause eve irritation. Avoid eve contact, Wash thoroughly after handling.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The reservoir is designed to be used in conjunction with a bait gun. To use simply attach a filled reservoir of bait to the bait gun. Twist on the dispensing tip. Aim and gently squeeze the trigger.

TO CONTROL COCKROACHES: Apply the paste liberally under and behind refrigerators, stoves, sinks, dishwashers,

washing machines and dryers, tubs, into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets. cupboards, and closets. Remove drawers in kitchen and bathroom. cabinets, bedroom dressers and chest of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year, or sooner. If reinfestation should occur, any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories. offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries and utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held. processed, prepared or saved.

FOOD AREA - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving. storage, packing (canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills. dairies, bakeries, restaurants or anywhere food or feed is stored. processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits and motor housing where cockroaches hide.

Care should be taken to avoid depositing the product into exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS – Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards or under elements of construction into cracks. and crevices. Avoid treating surfaces likely to be contacted by food (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Include garbage rooms, lavatories (floors. drains to sewer entries & vestibules), offices, locker rooms. machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than a few larger spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a dry place. Do not store where children or animals may gain access. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Wrap used reservoirs and place in the trash can.

Warranty Disclaimer

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent not prohibited by applicable law. MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

The directions for use of this product are believed to be adequate and must be carefully followed. It is impossible to eliminate all risks. associated with use of this product, Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, the presence of other materials, climatic conditions or

the manner of use/ application, all of which are beyond the control of the Manufacturer. The buver/user assumes all such risks

Limitation of Remedies

To the extent not prohibited by applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to. at Manufacturer's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2 Replacement of amount of product used.

To the extent not prohibited by applicable law: a) Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing; and b) IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES. INCLUDING WITHOUT LIMIT. HEALTH RELATED DAMAGES OR INJURIES.

The terms of this Warranty Disclaimer and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this Warranty Disclaimer or Limitation of Remedies in any manner.

It is not intended that this product be used to practice any applicable patent. whether mentioned or not, without procurement of a license, if necessary, from the owner, following investigation by the user.

Magnetic Roach Bait and Nisus Corporation are trademarks or registered trademarks of Nisus Corporation, ©2024 Nisus Corporation. #MRR-4CT-1024-SAI 061114

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos. kennels. military bases. libraries and utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or sayed.

FOOD AREA – APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a feed area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits and motor housing where cockroaches hide.

Care should be taken to avoid depositing the product into exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS – Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be

prepared or held. Apply as a spot treatment to selective surfaces such as baseboards or under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Include garbage rooms, lavatories (floors, drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than a few larger spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER

DISPOSAL: Non-refillable container. Do not reuse or refill this container. Wrap used reservoirs and place in the trash can.

Warranty Disclaimer

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent not prohibited by applicable law, MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Ricks of Use

The directions for use of this product are believed to be adequate and must be carefully followed. It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, the presence of other materials, climatic conditions or the manner of use/ application, all of which are beyond the control of the Manufacturer. The buyer/user assumes all such risks.

Limitation of Remedies

To the extent not prohibited by applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's election one of the following:

- Refund of purchase price paid by buyer or user for product bought, or
- Replacement of amount of product used.

To the extent not prohibited by applicable law: a) Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing; and b) IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT. HEALTH RELATED DAMAGES OR INJURIES.

The terms of this **Warranty Disclaimer** and **Limitation of Remedies** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.

It is not intended that this product be used to practice any applicable patent, whether mentioned or not, without procurement of a license, if necessary, from the owner, following investigation by the user.

ACCEPTED VIA NOTIFICATION LABEL NOT REVIEWED

Nov 13, 2024

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration



100 Nisus Drive • Rockford, TN 37853 USA 800.264.0870

Magnetic Roach Bait and Nisus Corporation are trademarks or registered trademarks of Nisus Corporation. ©2024 Nisus Corporation. #MRB-10CT-1024-SAI 061114



M.R.F. 2000 PASTE FORMULA



FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL, INSTITUTIONAL,
FOOD, AND FEED HANDLING ESTABLISHMENTS

EPA Registration No. 54452-2 EPA Est. No. 64405-TN-1 ACTIVE INGREDIENT:

oric Acid (CAS No. 10043-35-3)	
HER INGREDIENTS:66.7%	
al100.0%	



100 Nisus Drive • Rockford, TN 37853 USA **800.264.0870**

CAUTION

KEEP OUT OF REACH OF CHILDREN

Use only in areas not easily accessible to children and pets.

NET CONTENTS: 10 - 1.23 oz (35 g) tubes TOTAL CONTENTS: 12.3 oz (350 g)

Use only in areas not easily accessible to children and pets.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In case of emergency call a poison control center or doctor for treatment advice. Have the product container or label with you when calling or going for treatment.

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a mannel inconsistent with its labeling.

The reservoir is designed to be used in conjunction with a bait gun. To use simply attach a filled reservoir of bait to the bait gun. Twist on the dispensing tip. Aim and gently squeeze the trigger.

TO CONTROL COCKROACHES: Apply the paste liberally under and behind refrigerators, stoves, sinks, dishwashers, washing machines and dryers, tubs, into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove drawers in kitchen and bathroom cabinets, bedroom dressers and chest of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year, or sooner. If reinfestation should occur, any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

M.R.F. 2000 PASTE FORMULA



ROACH BAIT

FOR USE IN AND AROUND HOMES COMMERCIAL INDUSTRIAL INSTITUTIONAL FOOD AND FFFD HANDLING ESTABLISHMENTS

CAUTION

KEEP OUT OF REACH OF CHILDREN

Refer to label for additional cautions and complete directions.

EPA Registration No. 54452-2 EPA Est. No. 64405-TN-1

ACTIVE INGREDIENT:

OTHER INGREDIENTS: 66.7% Total



100 Nisus Drive . Rockford, TN 37853 USA 800.264.0870 ACCEPTED

NOT FOR INDIVIDUAL SALE NET CONTENTS: 1.23 oz (35g)

Nov 13, 2024

Pesticide Product Registration