



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 21, 2020

Mr. Jan Brill
Manager, Registrations
Bayer CropScience
2 T.W. Alexander Dr.
Research Triangle Park, NC 27709

Subject: Label Amendment – To add new Alternate Brand Names and simplify Directions for Use
Product Name: MAXFORCE FC ROACH KILLER BAIT GEL F.05
EPA Registration Number: 432-1460
Application Date: 20 February 2018
Decision Number: 538738

Dear Mr. Brill:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 432-1460
Decision No. 538738

with FIFRA section 6. If you have any questions, please contact Dr. Helen Hull-Sanders by phone at 703-347-0243, or via email at hull-sanders.helen@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "J. Herrick".

Jacquelyn Herrick, Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

MAXFORCE® FC Roach Killer Bait Gel F.05

ABNs: Maxforce FC Magnum Roach Killer Bait Gel; Maxforce Forte; Maxforce Select EZ; Maxforce Magnum Roach Gel Bait; Maxforce Magnum Roach Bait; Maxforce Magnum Roach Killer Gel Bait

FOR USE IN COMMERCIAL, INDUSTRIAL, AND RESIDENTIAL AREAS

[Blatella germanica Image]

Editorial Note – [Bracketed text] is optional language

ACTIVE INGREDIENT:

Fipronil*: [5-Amino-1-(2, 6-dichloro-4-trifluoromethyl) phenyl)-4-(1, R, S)-(trifluoromethyl) sulfinyl)-1H-pyrazole-3-carbonitrile].....0.05%

OTHER INGREDIENTS:..... 99.95%

TOTAL:..... 100.00%

*CAS NO. 120068-37-3

Contains: 1 plastic reservoir –OR- 1 pre-filled plastic dispenser

EPA Reg. No. 432-1460

EPA Est. No. _____

**STOP - READ THE LABEL BEFORE USE.
KEEP OUT OF REACH OF CHILDREN.
CAUTION**

See [Back] [Side] Panel for First Aid Instructions and [Leaflet] [Booklet] for Complete Precautionary Statements and Directions for Use. (Note to reviewer: Location of additional precautionary statements, directions for use will vary between those listed, depending on container type/size.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-800-331-2867

Product may stain textiles and clothing.

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-334-7577 for emergency medical treatment information.	


PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PHYSICAL AND CHEMICAL HAZARDS: Do not use this product in or on electrical equipment where a possibility of shock hazard exists.



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use MAXFORCE® FC ROACH KILLER BAIT GEL F.05 as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial establishments, warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, sewers, "aircraft," buses, boats/ships, trains, homes, houses, industrial buildings, office buildings, kennels, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

USE RESTRICTIONS

- Keep gel away from foods and food contact or preparation surfaces.
- Do not apply to areas where food/feed, utensils, or processing surfaces may become contaminated.
- **USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN, PETS, AND OTHER NON-TARGET ORGANISMS.**
- In pet shops and zoos place bait out of reach of pets and zoo animals.
- Do not apply bait to surfaces where the temperature exceeds 130F as bait may run.
- Do not deposit gel onto exposed surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide.
- Do not spray insecticide over gel as it may cause the bait to become repellent.
- Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/prep and prepared food hold surfaces. Bait may be removed by washing.

USE DIRECTIONS

Place bait into cracks and crevices or openings leading into voids, or make spot applications near harborages, aggregation, foraging / feeding areas.

Locations for bait placement: between different elements of construction; the hollow spaces in floors, walls, ceilings, or in equipment legs and bases; cracks and crevices around pipes, doors or windows, refrigerators, stoves, water heaters, dishwashers, and other equipment; behind or under baseboards, cupboards, cabinets, countertops, sinks; and, wherever cockroaches may be found hiding. Numerous smaller placements will provide faster control than fewer larger spots, especially for German cockroach control.

Application rates for all cockroaches: Application rate is dependent on level of infestation and species to be controlled. Apply gel as round spots or thin beads into cracks and crevices or as a spot treatment.

- For use in **maintenance programs** where regular [monthly, quarterly] applications are made for continuous control of cockroach populations, use 0.75 grams of bait per square yard.
- For **light to moderate infestations** (or for retreatments), use up to 1.5 grams of bait per square yard.
- To **clean out severe or heavy infestations**, use up to 3.0 grams of bait per square yard.

BAIT QUANTITY REFERENCE TABLE

Approximate weight per spot diameter
0.1 gram = Pea size spot
1.0 gram = Dime size spot
1.5 gram = Quarter size spot

Approximate weight per bead length
1/3 gram = 1.5 inch bead
2/3 gram = 3.0 inch bead
1 1/3 gram = 6 inch bead

APPLICATIONS IN FOOD/FEEED HANDLING ESTABLISHMENTS

Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Do not deposit gel onto exposed surfaces; if gel contacts an exposed surface where food is handled, remove gel and wash exposed surface followed by a potable water rinse.

Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/prep and prepared food hold surfaces. Bait may be removed by washing.

Do not apply bait to surfaces where the temperature exceeds 130F as bait may run.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. **Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.**

FOR OUTDOOR USE (adjacent to home or structure)

Inject bait into cracks and crevices or expansion joints around windows and doors, porches, screens, eaves, sills, patios, garages, under stairways and other areas adjacent to structures where cockroaches may find harborage.

Refillable stations: MAXFORCE FC ROACH KILLER BAIT GEL F.05 may be placed into refillable bait stations designed for interior or exterior use; when placing bait in stations do not exceed 1 gm (1/5 teaspoon) and do not exceed the capacity of the stations. Close the station securely after application. During follow up visits inspect placements and reapply as needed.

PANTRY PESTS: To control exposed, adult stages of beetles: cadelle, cigarette beetle, confused flour beetle, dermestid, drugstore beetle, flat grain beetle, granary weevil, lesser grain borer, lesser mealworm, mealworm, merchant grain beetle, red flour beetle, rice weevil, rusty grain beetle, saw-toothed grain beetle, spider beetle, or warehouse beetle. After removing infested foodstuffs and cleaning up spilled foodstuffs and dust, applications of this product will kill adult stages of beetles remaining in area. Apply in voids, cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. Application rate is dependent on level of infestation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area out of reach of children.

PESTICIDE DISPOSAL: If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: If Empty: Do not reuse container. Place in trash or offer for recycling if available.

If you have questions regarding the use of this product, please call 1-800-331-2867.

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, plant injury, other property damage, as well as other unintended consequences may result because of factors beyond the control of Bayer CropScience LP. Those factors include, but are not limited to, weather conditions, presence of other materials or the manner of use or application. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET CONTENTS: Various (10 – 50 grams)

PRODUCED FOR



Bayer Environmental Science
A Division of Bayer CropScience LP
5000 CentreGreen Way, Suite 400
Cary, NC 27513

MAXFORCE FC ROACH KILLER BAIT GEL F.05 (PENDING) 01/02/2018, 01/30/2018, 01/31/2018, 02/19/2018, 04/20/2020, 05/20/2020

UNIT LABEL FOR Maxforce® FC Roach Killer Bait Gel F.05

Maxforce® FC Roach Killer Bait Gel F.05

Note: Do not remove this label. Use only in areas not easily accessible to children and pets.

ACTIVE INGREDIENT: Fipronil†.....0.05%
OTHER INGREDIENTS:.....99.95%
TOTAL.....100.00%

†CAS NO.120068-37-3

KEEP OUT OF REACH OF CHILDREN AND PETS

CAUTION:

Keep gel away from foods and food contact surfaces. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

CONTAINER HANDLING: If empty: Do not reuse container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. If you have questions regarding the use of this product, call toll free 1-800-331-2867.

Bayer Environmental Science
A Division of Bayer CropScience LP
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

EPA Reg. No. 432-1460
EPA Est No.

NET WT.

May stain textiles, fabrics and/or porous surfaces.

See [Back] [Side] Panel for First Aid Instructions and [Leaflet] [Booklet] for Complete Precautionary Statements and Directions for Use. (Note to reviewer: Location of additional precautionary statements, directions for use will vary between those listed, depending on container type/size. The unit is the reservoir / cartridge that contains the bait and is further packed in a box containing a leaflet with full labeling.)

MAXFORCE FC ROACH KILLER BAIT GEL F.05 STICKER

CRACKS and CREVICES CLAIMS:

For crack and crevice cockroach control
Use in cracks and crevices
Use in cracks and crevices against roaches

CONTINUOUS ACTION CLAIMS:

Kills Roaches and Keeps on Killing

DUAL KILL CLAIMS:

Dual -or- Double killing action -or- formula*
Kills [cockroaches in 2 ways] by ingestion and contact
Kills roaches through -or- by ingestion -or- contact
Kills two ways*

GUARANTEES:

Guaranteed to work (or your money back)
Satisfaction Guaranteed

FORMULA CLAIMS:

Faster acting formula**
Patented [action] formula -or- ingredient

LARGE ROACHES† ONLY CLAIMS:

Effective on -or- kills large [American] roaches† and Palmetto bugs
Kills and -or- controls American roaches and Palmetto Bugs
Starts killing large roaches† in 1-2 days

NO MESS CLAIMS:

Easy to use [apply]; nothing to activate No messy residue
No vapor, fumes or odor

OTHER CONSUMER CLAIMS:

Controls German roaches
Designed -or- ideal for use in kitchens‡
Easy to use [apply]
Effectively kills without a trace - - no fumes or odor
For indoor and outdoor (adjacent to home -or- structure) use§ [cockroach control]
Kills roaches where you can't find them
Kills roaches you don't see
Kills roaches you see and [even] those you don't for complete protection
Works inside and outside (adjacent to home -or- structure)

OTHER FORMULA CLAIMS:

Special Patented (action) formula -or- ingredient

PROPHYLACTIC CLAIMS:

Use outdoors§ to prevent large roaches† from coming indoors

SPEED OF KILL CLAIMS:

Gain control of your large roach† problem 2 times faster than before**
Gain control of your small roach problem 4 times faster than before**
Kills German roaches (2-10 times) faster than before**
Kills roaches faster**
Kills quickly and keeps on killing
Now works even faster or better on large roaches† than previous
Maxforce gel formulations
Now works in [1-2] days on large roaches†
Overnight results -or- action -or- kill
Roach control in 2 days (German)
Roach control in 8 days (American)
See results sooner**
See visible results overnight
Starts killing within a day
Starts killing roaches in hours -or- overnight

Starts killing [roaches] overnight and keeps on killing
Starts working in hours

* ingestion -or- contact

** vs. MAXFORCE Hydramethylnon product

† American, Oriental, Brown, Smokey Brown

‡ not to be used on surfaces where food is handled or prepared § in cracks or crevices adjacent to home -or- structure

Provides FAST CONTROL in 2 days (German roaches).

Dual Action kills roaches two ways.

Contains Fipronil, which kills roaches by ingestion and contact. During-or- After foraging roaches either eat or contact the bait, they return to the harborage and contaminate -or- kill other roaches.

Kills roaches in their harborage.

Inject bait into cracks and crevices or apply as a spot where roaches harbor or enter a structure.

This product effectively controls large roaches†.

This product contains Fipronil, an active ingredient that kills American roaches. This product controls large [American] roach† populations in 8 days.

[Images]

