ACCEPTED FOR REGISTRATION

June 3, 2011

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

DOC ID 526907

INDIVIDUAL SALE IS PROHIBITED BY LAW

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS. It is illegal to sell this product unless it is accompanied by a complete set of accepted labeling.

TREATMENT FOR PET POISONING eats bait, call veterinarian or 1-877-854-2494 at once.

, this material leeding. For e bleeding. For or have obvious bin times), give NOTE TO PHYSICIAN OR VETERINARIAN
Anticoagulant Sodium Salt of Diphacinone: If swallowed, this
may reduce the clotting ability of the blood and cause bleedit
humans or dogs that have ingested this product and/or have
poisoning symptoms (bleeding or prolonged prothrombin time
Vitamin K₁ intramuscularly or orally. **LIQUA-TOX°II**

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water

ACTIVE INGREDIENT:<u>99.894%</u> TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN WARNING

See back panels for First Aid and additional precautionary statements.

Net Contents: 1.68 fl. oz. (50 ml) pouch

EPA EST. NO. 12455-WI-1

Manufactured by:

EPA REG. NO.12455-61

3699 Kinsman Blvd. Madison, WI 53704 U.S.A. • www.belllabs.com

/ mouth-to-mouth, if possible. then give artificial respiration, preferably 854-2494 immediately for treatment advi plenty of water for 15 – 20 minutes. or doctor immediately for treatment advice FIRST AID
Have label with you when obtaini er or doctor immediately for water if able to swallow. son to fresh air. is not breathing, call an ambulance, son control center, doctor, or 1-877sip a on skin

OUTER LABEL

QUA-TOX°II

Do Not Use in Homes or Other Residential Settings. Do Not Use Outdoors.

A Concentrate for Preparing Liquid Baits to Kill **Norway Rats, Roof Rats, and House Mice**

Mix contents of pouch with 1 quart of water ACTIVE INGREDIENT:

 Sodium Salt of Diphacinone (CAS #42721-99-3):
 0.106%

 OTHER INGREDIENTS:
 99.894%

KEEP OUT OF REACH OF CHILDREN

Net Contents: 13.44 fl. oz. (397 ml) 8 - 1.68 fl. oz. (50 ml) pouches

Manufactured by Bell LABORATORIES, INC. 3699 Kinsman Blvd. Madison, WI 53704 U.S.A. www.belllabs.com

WARNING EPA REG. NO.12455-61

FIRST AID Have label with you when obtaining treatment advice.	
If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by th poison control center or doctor.
If on skin	Take off contaminated clothing. Pince skin immediately with planty of water for 15.

If inhaled · Move person to fresh air. If person is not breathing, call an ambulance, then give

artificial respiration, preferably mouth-to-mouth, if possible.
Call a poison control center, doctor, or 1-877-854-249 immediately for treatment advice.

TREATMENT FOR PET POISONING If animal eats bait, call veterinarian or 1-877-854-2494 at once

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Sodium Salt of Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K_1 intramuscularly or orally.

DIRECTIONS FOR USE is a violation of Federal law to use this product in a manner inconsistent with READ THIS LABEL: Read this entire label and follow all use directions and

use precautions. Use only for sites, pests, and application methods described on this label.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife or in tamper-resistant hait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to

USE RESTRICTIONS

For indoor use only. This product is for control of Norway rats, roof rats and house mice only inside of industrial, commercial, agricultural, and public buildings, and similar man-made structures. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or buildings, and similar man-made structures. Do not place near or inside wannawit in the ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this material when such use and/or handling is contrary to label instructions. product must be applied in tamper-resistant bait stations. Do not use in sewers.

Do not sell this product in individual containers holding less than 13.44 fl. oz of bait concentrate.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the ball. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

MIXING DIRECTIONS: Wearing waterproof gloves, thoroughly mix contents of one 1.68 fl. oz. pouch in 1 quart (32 fluid ounces) of water

6337

APPLICATION DIRECTIONS:

RATS: Provide a minimum of 1 pint (16 fluid ounces) of LIQUA-TOX II diluted product in each dispenser (suitably-equipped bait station, chick fount, or other suitable device). If infested area is large, or if art population appears to be high,

suitable teaker, in interestical data is parage, or in fail population appears to be right, used dispensers at a feweral locations. Space dispensers and refill them as needed to ensure that bait is exposed in all infested areas where it can be used without putting nontarget organisms at risk. MICE: Provide 1/2-pint (8 fluid ounces) placements of LIQUA-TOX II diluted product in suitably-equipped bait stations, chick founts, or other appropriate vessels. Place dispensers at intervals of 6 - 12 feet in all infested areas where helders have been destined as a contract accession at right.

vessels. Plade dispersions at intervals of 12 feet in all interest alreads where beit can be used without putting nontarget organisms at risk. FOLLOW-UP: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftower beit, as well as any beit that has become accessible to non-target animals. To discourage reinlestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a contamination of the properties of the properties and resident beit as continuous infestation, set up permanent bait stations and replenish bait as

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if absorbed through the skin. Harmful if swallowed Avoid breathing vapors. Keep away from children, domestic animals and pets.

Another treatming vapous. Neet paway from officine in contents, contents animate and pers. Do not get in eyes, on skin, or on clothing. Avoid exposure to this product during pregnancy.

All handlers (including mixers and applicators) must wear coveralls over short sleeved shirt and short pants, chemical resistant footwear, sooks, and water-proof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear water-proof gloves.

User Safety Requirements
Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately afte handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.

Finitronmental Hazards

This product is extremely toxic to mammals and birds. Dogs and other predatory and seavenaing mammals and birds might be poisoned if they feed predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Only use indoors. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other

variauciism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility. placed in tash or delivered to an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

WARRANTY: To the extent consistent with applicable law, seller makes no

