



**Nature-Cide®**

# PEST MANAGEMENT

# X2

**COMMERCIAL CONCENTRATE**  
Kills listed outdoor and indoor pests.

**ACTIVE INGREDIENTS:**

Cedarwood Oil.....	50.6%
Cinnamon Oil.....	25.4%
<b>OTHER INGREDIENTS*</b> .....	<b>24.0%</b>
<b>TOTAL</b> .....	<b>100.0%</b>

\* Lecithins and Soap

**SAFE FOR EVERYDAY USE WHEN USED AS DIRECTED**

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**

SEE BACK PANEL FOR FIRST AID AND  
ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS : 64 fl oz (1.89 L)

Nature-Cide

# PEST MANAGEMENT X2

## COMMERCIAL CONCENTRATE

Nature-Cide Pest Management X2 is a Commercial Concentrate insecticide. Nature-Cide Pest Management X2 Commercial Concentrate has been formulated to kill by contact a variety of listed pests in dwellings, gardens, commercial sites and any place where infestations might occur. Unlike other insecticides, Nature-Cide Pest Management X2 Commercial Concentrate can be used daily without any harm to most washable surfaces. Always test product on an inconspicuous area prior to large area application. Nature-Cide Pest Management X2 Commercial Concentrate is an effective insect killer and is proven to kill by contact: Ants, Bed Bugs, Cockroaches, Fleas, Flies, Mosquitos (adult), Silverfish, Spiders and Ticks.

**DIRECTIONS FOR USE:** Read entire label prior to use and use as directed. Shake well before each use. Spray surfaces where insects are present from a distance of 8-12 inches, directly spraying listed pests whenever possible. Spray surfaces until wet, even to the point of runoff in heavy infestations. **PLEASE NOTE:** When mixing, always inject water into concentrate for best water/concentrate bonding (Never pour concentrate into water, as concentrate and water will not bond correctly). Not for use on food or food contact surfaces. Do not enter treated areas until spray has dried.

**RECOMMENDED USE:** Using safety glasses is required when handling any solutions that are sprayed. We recommend mixing in a 1 to 2-gallon pressure pump sprayer. Mix 2 fl. oz. of Nature-Cide Pest Management X2 Commercial Concentrate per gallon of water for outdoor use depending on target pest. Always shake containers well before pouring, mixing or spraying.

**OUTDOOR USE:** Using your pressure pump sprayer, spray generously around all dwelling bases, around roof eaves, in and around all outdoor areas including barns, patios, picnic tables, lawns and non-edible gardens, shrubs and trees. Most insects will die by contact but use caution when applying Nature-Cide Pest Management X2 Commercial Concentrate in pest-infested areas, as pests will immediately migrate out of treated areas. Do not spray directly on bees or at times when bees are active. For Commercial Motorized Sprayers to cover larger areas including lawns, play areas and more, mix as follows: Mix 2 fl. oz. of Nature-Cide Pest Management X2 Commercial Concentrate per gallon of water into reservoir/tank. Set gun wand sprayer head to the widest setting for best results. For best coverage, fog-spray areas where pests might be harboring. This is great for fleas and ticks in lawns or areas that are frequented by pets, farm animals or livestock.

**INDOOR USE:** Using your pressure pump sprayer, spray generously onto all hard surfaces and surrounding areas, where insects are present, like door jambs, window frames, baseboards and hard to reach corners. Once area is covered, mop up excess product and let dry. For carpeted areas, treat in the same manner, however, test product on an inconspicuous area prior to large area application. Nature-Cide Pest Management X2 Commercial Concentrate was developed to use regularly, daily if needed, to get pests under control. After management of your property on a regular basis, you will find that Nature-Cide Pest Management X2 Commercial Concentrate will need to be used less frequently to maintain a pest free environment.

### PRECAUTIONARY STATEMENTS:



GH507



GH509

**WARNING:** May cause allergic skin reactions. Toxic to aquatic life with long lasting effects. Avoid breathing dust/fumes/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Avoid release into the environment. Wear protective gloves/clothing/eye protection. Wash contaminated clothing before reuse. Collect spillage.

**FIRST AID: If on Skin:** Wash with plenty of soap and water. If skin irritation or rash occurs get medical advice/attention. **Storage and Disposal:** Keep away from children. Store in original, closed container. Do not reuse or refill empty container. Offer container for recycling, if available, otherwise dispose in trash.

This product has not been registered by the United States Environmental Protection Agency. Pacific Shore Holdings, Inc. represents that this product qualifies for exemption from registration under FIFRA Section 25(b). **Nature-Cide Pest Management X2 Commercial Concentrate is a Pacific Shore Holdings, Inc. product.** Distributed By: Pacific Shore Holdings, Inc. 8236 Remmet Ave. Canoga Park, CA 91304 818-998-0996 Customer Service: customerservice@nature-cide.com or 877-248-0488; nature-cide.com



MADE IN U.S.A.





**Nature-Cide®**

**Pest Management X2 Commercial Concentrate (CA ONLY)**

**KILLS AND REPELS:** Crawling, Flying Insect Pests and Repels Rodents and Reptiles  
**RECOMMENDED USE:** Outdoors, Fogging / Misting, Turf and Ornamental, Mosquito Misting Applications, Power Spraying, Pump Spraying, Fogging and Misting.

**SPECIMEN LABEL**

**ACTIVE INGREDIENTS:**

- Cedarwood Oil.....50.6%
- Cinnamon Oil .....25.4%
- OTHER INGREDIENTS\*.....24.0%
- TOTAL:.....100.0%

\*Lecithins, Soap & Water

**FIFRA 25(b) Exemption**

**PRECAUTIONARY STATEMENTS**

**CAUTION** – May cause skin and eye irritation. Avoid contact with eyes, skin and clothing. **PERSONAL PROTECTIVE GEAR / EQUIPMENT (PPE):** Persons handling concentrate are required to wear:

- Protective eyewear
- Chemical resistant gloves made of neoprene, nitrile or natural rubber

**USER SAFETY RECOMMENDATIONS:**

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if the product gets inside.
- Wash thoroughly and put on clean clothing.

- Remove PPE after handling this product.
- Wash the outside of the gloves before removing gloves.

**FIRST AID IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 3 minutes, then continue rinsing eye.
- Call a physician if irritation persists.

**IF ON SKIN:**

- Wash exposed area thoroughly with soap and water.

**IF INHALED:**

- Move exposed person(s) to fresh air.
- If breathing problems persist, get medical attention.

**IF INGESTED:**

- Rinse mouth out with water.
- Do not induce vomiting.
- Obtain medical attention if feeling sick or nauseous.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**PRECAUCION AL USUARIO:** Si usted no puede leer o entender inglés, o use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**(TO THE USER:** If you cannot read or understand English, do not use this product until the label has been fully explained to you.) See inside label booklet for FIRST AID and PRECAUTIONARY STATEMENTS.

**DIRECTIONS FOR USE**  
**READ ENTIRE LABEL. USE IN**  
**ACCORDANCE WITH LABEL**  
**INSTRUCTIONS.**

When using this product as an exterior space spray, be sure to treat areas when people are not present to avoid affecting others with any drift that may occur. Maintain agitation in all spray systems including pump sprayers, power sprayers, power fogging / misting sprayers whenever possible. Nature-Cide® Pest Management X2 Commercial Concentrate is intended for use outdoors in and around buildings and structures as well as passenger transport facilities, on and around turfgrass and ornamentals, shrubbery, foundations, new construction, on or around concrete as a rodent and reptile repellent.

**INDOOR USE: It is Recommended to use the NATURE-CIDE® ALL-PURPOSE COMMERCIAL CONCENTRATE FOR ALL INDOOR APPLICATIONS.**

**OUTDOOR USAGE AREAS:**

Includes, but is not limited to, exterior foundations and outdoor premises of apartment buildings, bakeries, beverage plants, bottling facilities, breweries, cafeterias, candy plants, canneries, cereal processing and manufacturing plants, dairy barns, poultry facilities, flour mills, food processing plants, frozen food plants, homes, hospitals, hotels, houses, industrial

buildings, kennels, kitchens, laboratories, manufacturing facilities, mausoleums, meat processing and packaging plants, meat and vegetable canneries, motels, nursing homes, office buildings, restaurants, schools, stores, supermarkets, warehouses, dairy facilities, drive-in restaurants, drive-in theaters, golf courses, parks, unoccupied playgrounds, poultry houses, recreational areas, unoccupied schools, zoos, urban areas, passenger transport facilities and similar structures.

**MODES OF TRANSPORT:**

Aircraft, buses, trucks, trailers, railcars and marine vessels.

**NOTE:** For sensitive outdoor surfaces such as vinyl, plastic, outdoor fabrics, wood decks, concrete floors, etc., test a small non-visible area first before spraying. This includes vinyl siding, all outdoor furniture, storm doors, window frames and shutters, etc. It is possible that Nature-Cide® Pest Management X2 Commercial Concentrate may mark some sensitive surfaces. If spray gets or puddles on any sensitive surface that is listed, simply rinse with water and wipe off with mop or clean cloth. Nature-Cide® Pest Management X2 Commercial Concentrate has multiple water dilution rates that can be applied with conventional application equipment including, but not limited to, compressed air sprayers, power sprayers, misters and foggers. When diluting with water, prepare only the amount needed for immediate use and maintain agitation during use. It's not Recommended to Store Spray Solution Overnight. Tank mix applications must be made in accordance with the more restrictive of label limitations and precautions. No label dosages may be exceeded. This product cannot be tank

mixed with any product with label prohibitions against such mixing. Most effective results are achieved when used as part of a treatment protocol that includes physical, environmental and other chemical pest control measures including Integrated Pest Management protocols (IPM).

**INDOOR USE: It is Recommended to use the NATURE-CIDE® ALL-PURPOSE COMMERCIAL CONCENTRATE FOR ALL INDOOR APPLICATIONS.**

**GENERAL OUTDOOR PEST CONTROL:**

To kill and or repel accessible, exposed stages of crawling and flying insects including, but not limited to, mosquitoes, flies, ants, cockroaches, beetles, grubs, meal worms, fleas, ticks, mites, weevils, spiders, leafhoppers, wasps, hornets, stink bugs, bed bugs, silverfish, potato bugs, crickets, carpenter bees, in outdoor sites that include turf, foliage, shrubbery, building foundations, exterior structure walls and eaves, playgrounds, livestock corrals, poultry coops and pens, passenger transport facilities, boat docks, gardens, that include, but are not limited to, apartments, homes, restaurants, food processing plants, sports fields, industrial installations and warehouses. Thoroughly spray visible and non-visible areas where these insects are usually found with special attention to cracks and crevices, niches, dark corners, wood piles, outdoor drains, non bearing and fruit bearing trees, turf and garden areas, unoccupied playgrounds, unoccupied park benches and any or all structures exterior foundations, walls, eaves, and other harborage sites.

**There are multiple dilution rates for the Nature-Cide® Pest Management X2 Commercial Concentrate. Use lower rates for maintenance service and higher rates for active infestations and to repel pest such as rodents and reptiles. Follow mixing instructions for each target pest.**

**For large area POWER SPRAYING for flying and crawling insects including but not limited to, mosquitoes, flies, fleas, spiders, ticks and ants on but not limited to, turf, foliage, shrubbery, building foundations, boat docks and other outdoor structures, it's recommended to dilute 1 fluid ounces of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon of water.**

**For best bonding/mixing results, ALWAYS add water to solution, never add solution to water.**

**FOGGING / MISTING**

**Nature-Cide® Pest Management X2 Commercial Concentrate for fogging and misting apparatuses, it's recommended to dilute 2 fluid ounces of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon of water.**

**For best bonding/mixing results, ALWAYS add water to solution, never add solution to water.**

**(This formulation is not recommended for automatic misting systems)**

This formulation may be applied as a space spray through conventional fogging and misting equipment (including mist sprayers and mist blowers as well as backpack mist

blowers) and/or related application technologies. To kill and or repel accessible exposed stages of crawling and flying insects including, but not limited to, mosquitoes, flies, noseeums, ants, cockroaches, beetles, meal worms, fleas, ticks, mites, weevils, spiders, leafhoppers, wasps, hornets, stink bugs, bed bugs, silverfish, potato bugs, crickets, carpenter bees, in outdoor sites that include turf, foliage, shrubbery, building foundations, exterior structure walls and eaves, unoccupied playgrounds, livestock corrals, poultry coops and pens, passenger transport facilities, boat docks, gardens, that include, but are not limited to, apartments, homes, restaurants, food processing plants, sports fields, industrial installations, passenger transport facilities and warehouses.

## **PUMP SPRAYING FOR INSECTS**

### **OUTDOOR USE PERIMETER TREATMENTS, RECREATIONAL and HIGH TRAFFIC AREAS:**

**Its recommended to dilute 2 fluid ounces of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon of water. For best bonding/mixing results, ALWAYS add water to solution, never add solution to water.**

To kill and repel but not limited to aphids, ants, boxelder bugs, centipedes, cockroaches, crickets, darkling beetles, firebrats, fleas, ground beetles, fowl mites, mites, millipedes, pillbugs, silverfish, sowbugs, spiders, ticks and wasps. In compressed air pump sprayers, apply at the rate of 2 gallons per 1,000 square feet or

until area is thoroughly wet. Also apply to a band of soil and vegetation 4 to 8 feet wide around and adjacent to buildings. Treat the building foundation to a height of 2 to 5 feet with sufficient formulation for coverage. Make special efforts to spray areas where pest species congregate such as, but not limited to, waste / trash receptacles, dumpsters, unoccupied picnic tables, the exterior of food handling establishments, and food pavilions. Additionally, apply around potential entry areas such as, but not limited to, eaves, windows, doorways, porches, around porch lights, and around utility boxes.

## **PUMP SPRAYING AS A RODENT / REPTILE / BIRD REPELLENT**

**It is recommended to dilute 7 fluid ounces of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon of water. For best bonding/mixing results, ALWAYS add water to solution, never add solution to water.**

**To repel pests but not limited to, rats, mice, squirrels, snakes, lizards and various bird life, mix above list dilution rate and treat various areas where these pests frequent.**

To repel but not limited to rats, mice and squirrels other rodents around dwellings or structures treat a 2 to 4 foot surrounding band around the entire structure, as well as all known rodent runways. Treat waste / trash receptacles, dumpsters, unoccupied picnic tables, the exterior of food handling establishments, food pavilions and other areas where it's known that rodents may be feeding and congregating.

To repel but not limited to snakes, lizards, turtles and geckos, treat a 4 to 6 foot band around all fence lines and or areas and structures where these reptiles have been seen harboring and or traveling, pay close attention to areas not accessible to animals or humans, like woodpiles, thorn bushes or shrubbery where reptiles can harbor undetected. **(It is recommended to install snake fencing as well as treating areas of concern where small animals and children may be congregating).**

#### **MOUND DRENCH METHOD - FOR CONTROL OF FIRE ANTS AND OTHER MOUNDING ANTS:**

**It is recommended to dilute 2 fluid ounces of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon of water for mounding ants. For best bonding/mixing results, ALWAYS add water to solution, never add solution to water.**

Apply 1 to 4 gallons of the **Nature-Cide® Pest Management X2 Commercial Concentrate** ready to use formulation to each mound depending on mound size, by sprinkling the mound area until it is wet and treat a 4 foot diameter circle around the mound, as well as pouring solution into the mound opening. For best results, apply in at evening or morning times or cool weather.

#### **MOSQUITO CONTROL AND OTHER BITING FLIES - OUTDOOR YARD OR BARRIER TREATMENT:**

To control adult mosquitoes and other biting flies using ground application, dilute 1 to 2 fluid ounces of **Nature-Cide® Pest**

#### **Management X2 Commercial**

**Concentrate** per gallon of water. Treat harborage areas such as shrubbery and vegetation where mosquitoes/flyes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shorelines may be treated. Repeat as necessary.

#### **MOSQUITO CONTROL AND OTHER BITING INSECTS - AUTOMATIC SPRAYING SYSTEMS:**

Automatic spraying systems must not be programmed to release pesticides where food or feed is directly exposed. To repel but not limited to flies, house flies, hornets, wasps, horn flies, stable flies, horse flies, mosquitoes and gnats, **add 1 fluid ounce of Nature-Cide® Pest Management X2 Commercial Concentrate to each 1 gallon of water (For best bonding/mixing results, ALWAYS add water to solution, never add solution to water)** to tank and agitate well while adding water and maintain thorough agitation while system is in use. In automatic spraying systems like, but not limited to, misting systems used for mosquito and other biting insect control, solutions of **Nature-Cide® Pest Management X2 Commercial Concentrate** should not be stored for extended periods of time, not to exceed one week, as long as the system has regular agitation.

**(Appropriate quantity of adjuvant can be used, as long as there are no label restrictions)** Dispense diluted concentrate through automatic spraying system. Set nozzles to deliver one fluid ounce liquid per minute. Locate nozzles to cover a maximum of 2,000 square feet of space per nozzle. Set timer to operate in accordance with equipment directions. Dilute **Nature-Cide® Pest Management X2 Commercial**

**Concentrate** just prior to use at **1 fluid ounce per gallon of water**.

**TO CONTROL SPIDERS, FLYING INSECTS, AND OTHER NUISANCE PESTS ON AND AROUND BOAT DOCKS:**

As an aid in the elimination of their harborage areas, dilute 1 to 2 fluid ounces of **Nature-Cide® Pest Management X2 Commercial Concentrate** per gallon of water and apply at the rate of 2 gallons per 1,000 square feet or until area is thoroughly wet. Since flying insects can migrate in and out of the treatment area, it is recommended to use this product as part of an Integrated Pest Management (IPM) program. This includes, but is not limited to, eliminating breeding and harborage sites.

**USE ON TURF AND GRASS:**

**Use alone as a contact spray.** To control ants, armyworms, billbugs, chinch bugs, chiggers, crickets, cutworms, earwigs, fleas, grasshoppers, Hyperodes weevils (adults), Japanese beetles (adults), grubs, mole crickets, sod webworms and ticks, dilute in a compressed air sprayer (or backpack), **2 fluid ounces of Nature-Cide® Pest Management X2 Commercial Concentrate** per gallon of water and apply at the rate of 2 to 4 gallons per 1,000 square feet or until area is thoroughly wet. For power sprayers, mix approximately 1 to 2 fluid ounces per gallon of water and apply until area is sufficiently covered (usually minimum of 4 gallons per 1,000 square feet with power sprayer). Exceeding mix rates may create potential phytotoxicity of turf surfaces.

**USE ON NON-BEARING TREES AND SHRUBS:**

To control mites, scale insects, mealybugs, aphids, lace bugs, whiteflies, tent caterpillars, bagworms and beetles, dilute up to **1 to 2 fluid ounces of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon of water** and apply using a compressed air sprayer or power sprayer until foliage is thoroughly wet. Maintain agitation. Exceeding rates may create potential phytotoxicity on plant surfaces. Dilute with enough water to obtain thorough coverage.

**OUTDOOR LIVESTOCK FACILITY USE DIRECTIONS**

**IT IS RECOMMENDED TO USE THE NATURE-CIDE® ALL-PURPOSE COMMERCIAL CONCENTRATE FOR ALL DIRECT USAGE ON ANIMALS, LIVESTOCK AND BIRD LIFE.**

**DILUTION - NATURE-CIDE® PEST MANAGEMENT X2 COMMERCIAL CONCENTRATE**

-1 to 2 fluid ounces per gallon of water, apply 1 gallon of the ready to use dilution per 500-1,000 sq ft for all livestock, horse and poultry bird areas and thoroughly cover but not limited to exterior walls, exterior coverings or other areas where pests rest or congregate in or around dairy barns, poultry houses, stables, swine buildings, open livestock sheds, and other parts of exterior farm buildings.

**REMARKS** -Care should be taken that the spray does not come in direct contact with lactating cow's teats unless they are washed with an approved cleansing solution



and dried before milking. Apply the spray in the area at least 30 minutes prior to milking or after milking has been completed.

**OUTDOOR POULTRY USE -  
INSECT - Poultry lice, Bedbugs and  
Mites**

**DILUTION - NATURE-CIDE® PEST  
MANAGEMENT X2 COMMERCIAL  
CONCENTRATE - For Outdoor poultry  
usage it's recommended to dilute 2 fluid  
ounces of Nature-Cide® Pest  
Management X2 Commercial  
Concentrate per gallon of water. For best  
bonding/mixing results, ALWAYS add  
water to solution, never add solution to  
water.**

**REMARKS -** Spray outdoor roosts, roost poles, outdoor overhangs and connected walls (especially cracks in walls), and outdoor nests or cages thoroughly. It is not necessary to remove poultry from the outdoor housing units during treatment.

This should be followed by spraying over the birds with a fine mist of the  
**Nature-Cide® All-Purpose Commercial  
Concentrate**

**CANNABIS CULTIVATION AND OTHER  
ORGANIC VEGETATIVE PRODUCTION  
FACILITIES**

Nature-Cide® also works as a highly effective insecticide but not limited for usage for mites, whiteflies, aphids and other pest associated with cultivation facilities. The **Nature-Cide® Pest Management X2 Commercial Concentrate** formula is designed for kill on contact and other cleaning protocols to keep a facility pest free. Spray all facilities liberally onto and

around areas where pests frequent or may be harboring, including foundations, doorways, eaves, window frames, walkways and other areas associated with indoor and outdoor cultivations. **When using power spraying equipment for large areas, it's recommended to dilute 1 fluid ounce of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon of water. For best bonding/mixing results, ALWAYS add water to solution, never add solution to water.**

**When using a pressurized pump sprayer it's recommended to dilute 2 oz of Nature-Cide® Pest Management X2 Commercial Concentrate per gallon for spot treatments and facility surroundings. For best bonding/mixing results, ALWAYS add water to solution, never add solution to water.**

**It is recommended to use the Nature-Cide® All-Purpose Commercial Concentrate for direct usage on Cannabis or other Organic plant life and follow directions accordingly.**

**FOR CHEMICAL SPILL, LEAK, FIRE, OR  
MEDICAL EMERGENCIES, CALL: 911  
KEEP ALL INSECTICIDES OUT OF  
REACH OF CHILDREN**

**CONTAINER DISPOSAL:** Triple rinse or its equivalent, then offer for recycling or reconditioning, or puncture and dispose of within regular trash.

**FOR CONTAINERS ONE GALLON AND  
SMALLER:  
STORAGE:** Store in original container in a dry, cool place inaccessible to children and pets.

**DISPOSAL:** Do not reuse container.  
Recycle or Discard in trash.

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY NOTICE:**

Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be completely refunded. The Directions for Use of this product must be followed as printed. It is not possible to eliminate all risks that could be associated with the use of this product. Ineffectiveness or other unintended issues may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Nature-Cide® or its parent Company Pacific Shore Holdings, Inc. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Nature-Cide® and Pacific Shore Holdings, Inc. and any distribution partner or seller harmless for any claims relating to such factors. Nature-Cide® and Pacific Shore Holdings, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under any adverse conditions or under conditions not reasonably foreseen to anyone or beyond the control of Seller or Nature-Cide® or Pacific Shore Holdings, Inc., and Buyer and User assume the risk of or any such use. To the extent consistent with applicable law,

NATURE-CIDE® AND PACIFIC SHORE HOLDINGS, INC MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE. In no event shall NATURE-CIDE® AND OR PACIFIC SHORE HOLDINGS, INC. or ANY other Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF NATURE-CIDE® OR PACIFIC SHORE HOLDINGS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF NATURE-CIDE® OR PACIFIC SHORE HOLDINGS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT. NATURE-CIDE® AND PACIFIC SHORE HOLDINGS, INC. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of NATURE-CIDE® AND OR PACIFIC SHORE HOLDINGS, INC.

Nature-Cide® Pest Management X2  
Commercial Concentrate is a Pacific  
Shore Holdings, Inc. product.

**Distributed By:** Pacific Shore Holdings,  
Inc. 8236 Remmet Ave. Canoga Park,  
CA 91304. PH-818-998-0996

**Customer Service:**

customerservice@nature-cide.com or  
877-248-0488; nature-cide.com  
MADE IN U.S.A.

This product has not been registered by  
the United States Environmental  
Protection Agency. Pacific Shore  
Holdings, Inc. represents that this  
product qualifies for exemption from  
registration under FIFRA Section 25(b).

The following products are not for sale  
in the following states: New Mexico