

# Safety Data Sheet

## Neutralize Dry

Revision date : 2023/03/28  
Version: 6.0

Page: 1/12  
(30589232/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Neutralize Dry

#### Recommended use of the chemical and restriction on use

Recommended use\*: Cleansers

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

---

### 2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

|                   |    |                                   |
|-------------------|----|-----------------------------------|
| Skin Corr./Irrit. | 1B | Skin corrosion/irritation         |
| Eye Dam./Irrit.   | 1  | Serious eye damage/eye irritation |

#### Label elements

Pictogram:

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 2/12  
(30589232/SDS\_GEN\_US/EN)



Signal Word:  
Danger

Hazard Statement:  
H314 Causes severe skin burns and eye damage.

Precautionary Statements (Prevention):  
P280 Wear protective gloves, protective clothing and eye protection or face protection.  
P260 Do not breathe dust or mist.  
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or physician.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Precautionary Statements (Storage):  
P405 Store locked up.

Precautionary Statements (Disposal):  
P501 Dispose of contents and container to hazardous or special waste collection point.

### Hazards not otherwise classified

#### Labeling of special preparations (GHS):

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

---

## 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

sodium carbonate  
CAS Number: 497-19-8  
Content (W/W): 50.0 - 75.0%  
Synonym: Carbonic acid, disodium salt

Silicic acid, sodium salt  
CAS Number: 1344-09-8  
Content (W/W): 10.0 - 20.0%  
Synonym: Silicic acid sodium salt

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 3/12  
(30589232/SDS\_GEN\_US/EN)

zeolites

CAS Number: 1318-02-1  
Content (W/W): 5.0 - 10.0%  
Synonym: No data available.

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

#### If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

#### If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 4/12  
(30589232/SDS\_GEN\_US/EN)

---

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

---

## 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

---

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 5/12  
(30589232/SDS\_GEN\_US/EN)

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 45 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

zeolites TWA value 1.25 mg/m<sup>3</sup> Respirable fraction ;

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

### Personal protective equipment

#### Respiratory protection:

Wear a NIOSH approved (or equivalent) particulate respirator if ventilation is inadequate to control dust.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 6/12  
(30589232/SDS\_GEN\_US/EN)

---

### 9. Physical and Chemical Properties

|   |  |
|---|--|
| Form:   | solid  |
| Odour:  | odourless  |
| Odour threshold:                                    | not applicable, odour not perceivable  |
| Colour:   | white  |
| pH value:   | approx. 10.9 - 11.9<br>( 20 °C)  |
| Melting point:                                      | The product has not been tested.   |
| Boiling point:                                      | The product has not been tested.   |
| Flash point:  | not applicable, the product is a solid   |
| Flammability:                                       | Based on the structure or composition there is no indication of flammability   |
| Lower explosion limit:                              | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |
| Upper explosion limit:                              | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |
| Vapour pressure:                                    | not applicable   |
| Bulk density:                                       | 200 - 1,200 kg/m <sup>3</sup>  |
| Vapour density:                                     | not applicable   |
| Partitioning coefficient n-octanol/water (log Pow): | not applicable   |
| Self-ignition temperature:                          | Based on its structural properties the product is not classified as self-igniting.   |
| Thermal decomposition:                              | No decomposition if stored and handled as prescribed/indicated.  |
| Viscosity, dynamic:                                 | not applicable, the product is a solid   |
| Solubility in water:                                | soluble  |
| Evaporation rate:                                   | not applicable   |

---

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 7/12  
(30589232/SDS\_GEN\_US/EN)

Avoid extreme temperatures. Avoid contamination. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

### Incompatible materials

strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Of low toxicity after short-term skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Oral

Type of value: ATE

Value: > 5,000 mg/kg

*Information on: sodium carbonate*

*Type of value: LD50*

*Species: rat*

*Value: 2,800 mg/kg*

#### Inhalation

Type of value: ATE

Value: > 5 mg/l

Determined for dust

*Information on: sodium carbonate*

*No data available.*

#### Dermal

Type of value: ATE

Value: > 5,000 mg/kg

*Information on: Carbonic acid disodium salt*

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 8/12  
(30589232/SDS\_GEN\_US/EN)

*Type of value: LD50*  
*Species: rabbit*  
*Value: > 2,000 mg/kg*  
-----

### Assessment other acute effects

Assessment of STOT single:  
Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: Corrosive! Damages skin and eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

### Skin

*Information on: Silicic acid, sodium salt*  
*Species: rabbit*  
*Result: Corrosive.*  
*Method: OECD Guideline 404*  
-----

### Eye

*Information on: sodium carbonate*  
*Species: rabbit*  
*Result: Irritant.*  
*Method: EPA Guideline*  
-----

### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: sodium carbonate*  
*Assessment of sensitization:*  
*No data available. The chemical structure does not suggest a sensitizing effect.*  
-----

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Silicic acid, sodium salt*  
*Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*  
-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.



# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 9/12  
(30589232/SDS\_GEN\_US/EN)

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Aquatic toxicity

*Information on: sodium carbonate*

*Assessment of aquatic toxicity:*

*There is a high probability that the product is not acutely harmful to aquatic organisms.*

-----

#### Toxicity to fish

*Information on: sodium carbonate*

*LC50 (96 h) 300 mg/l, Lepomis macrochirus (other, static)*

*The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample.*

-----

#### Aquatic invertebrates

*Information on: sodium carbonate*

*EC50 (48 h) 220 - 227 mg/l, Ceriodaphnia sp. (other, semistatic)*

*The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample.*

-----

### **Persistence and degradability**

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 10/12  
(30589232/SDS\_GEN\_US/EN)

### Assessment biodegradation and elimination (H<sub>2</sub>O)

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment biodegradation and elimination (H<sub>2</sub>O)

*Information on: sodium carbonate*

*Inorganic product which cannot be eliminated from water by biological purification processes.*  
-----

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

The product has not been tested.

### Assessment bioaccumulation potential

*Information on: sodium carbonate*

*Accumulation in organisms is not to be expected.*  
-----

## **Mobility in soil**

### Assessment transport between environmental compartments

No data available.

## **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Must be disposed of or incinerated in accordance with local regulations.

### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

---

## **14. Transport Information**

### **Land transport**

USDOT

Hazard class: 8

Packing group: II

ID number: UN 3262

Hazard label: 8

Proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (contains DISODIUM META-SILICATE)

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 11/12  
(30589232/SDS\_GEN\_US/EN)

### Sea transport

IMDG  
Hazard class: 8  
Packing group: II  
ID number: UN 3262  
Hazard label: 8  
Marine pollutant: NO  
Proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (contains DISODIUM META-SILICATE)

### Air transport

IATA/ICAO  
Hazard class: 8  
Packing group: II  
ID number: UN 3262  
Hazard label: 8  
Proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (contains DISODIUM META-SILICATE)

### Further information

This product may be classified as limited quantity in selected package sizes.

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### EPCRA 313:

| <u>CAS Number</u> | Chemical name  |
|-------------------|----------------|
| 1344-28-1         | Aluminum oxide |

### State regulations

| <u>State RTK</u> | <u>CAS Number</u> | <u>Chemical name</u> |
|------------------|-------------------|----------------------|
| PA               | 1344-28-1         | Aluminum oxide       |
|                  | 7631-86-9         | Silicon dioxide      |
| NJ               | 1344-28-1         | Aluminum oxide       |

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations  
SDS Prepared on: 2023/03/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

# Safety Data Sheet

## Neutralize Dry

Revision date: 2023/03/28  
Version: 6.0

Page: 12/12  
(30589232/SDS\_GEN\_US/EN)

---

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET