

Report Date 15-Oct-19

Page 1 of 4

1. Identification

Product Name : ON DECK Synonyms : None

Product Use: 2,4-D Acid and Dicamba Acid Herbicide

Manufacturer/Supplier: Helena Agri-Enterprises, LLC

Address: 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

Transportation Emergency Number: CHEMTREC:800-424-9300

2. Hazard Identification



Signal Word : Danger

Skin Irritation: Slight - Draize score is 1.6. Causes mild skin irritation.

Eye Irritation: Severely irritating - Draize score is 49.0. Causes serious eye damage.

Acute Toxicity Oral : LD50 1,469 mg/kg. Harmful if swallowed.

Acute Toxicity Dermal: LD50 >5,000 mg/kg. May be harmful in contact with skin.

Hazard Categories: Oral/Dermal/Inhalation Toxicity-4/5/4; Eye/Skin Irritation-1/3

Hazard Statement : Harmful if swallowed

May be harmful in contact with skin Causes serious eye damage Causes mild skin irritation Harmful if inhaled

3. Composition / Information on Ingredients

Component	CAS Number	Weight %
Dicamba (3,6-dichloro-o-methoxybenzoic	1918-00-9	10.80
acid)		
2,4-D Acid (2,4-dichlorophenoxyacetic	94-75-7	24.16
acid)		
Other ingredients	Proprietary	65.04

4. First Aid Measures

Eye: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have

person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth if

unconscious.

Indication of Immediate Medical Attention and Special Treatment

Indication of Immediate Medical : Probable mucosal damage may contraindicate the use of gastric lavage. Treat

ment symptomatically.

Needed



Report 15-Oct-19 Date

2 of 4 Page

Fire Fighting Measures

Extinguishing Media: Use foam, water spray, dry chemical or carbon dioxide extinguishing agents.

Specific Hazards Arising from the : If water is used to fight fire, contain runoff to prevent contamination of water sources.

Chemical

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Dike area

to prevent runoff of firefighting water.

Accidental Release Measures

Personal Precautions: Keep unprotected and unnecessary personnel out of spill area. Corrosive,

causes irreversible eye damage. Harmful if inhaled.

Protective Equipment : Splashproof goggles or face shield, chemical-resistant gloves, long-sleeved shirt

and long pants, shoes and socks. Emergency shower and eyewash should be available in work area. Use NIOSH-approved respirator for organic vapors when

needed.

: Prevent material from entering any waterways or drains. **Emergency Procedures**

Collect free liquids and place in container for disposal. Impacted soils may Methods and Materials for

require removal. Any recovered material must be placed in an appropriate **Containment and Cleanup**

container for disposal.

Handling and Storage

Precautions for Safe Handling: Keep out of reach of children. Do not contaminate water, food, feed or feed by

storage, handling or disposal. Keep container tightly closed when not in use.

Conditions for Safe Storage: Do not store below temperatures of 32 Degrees F. or above 100 Degrees F.

Store in original container in a well-ventilated area, separately from fertilizer, food, feed and foodstuffs. Reduce stacking height where local conditions can affect package strength. Do not store under conditions that might adversely

affect the container or its ability to function properly.

Exposure Controls / Personal Protection

TLV/PEL: 2,4-D acid - 10 mg/m3 (TLV).

Appropriate Engineering Controls: Use local exhaust ventilation.

Personal Protective Equipment : Splashproof goggles or face shield, chemical-resistant gloves, long-sleeved shirt

and long pants, shoes and socks. Emergency shower and eyewash should be available in work area. Use NIOSH-approved respirator for organic vapors when

needed.

Physical and Chemical Properties

Odor/Appearance: Clear yellow to amber liquid; characteristic odor.

Flash Point, °F : >200 Degrees F. Boiling Point, °F : Not specified

Melting Point(Freezing point), °C : Not specified Vapor Pressure, mm Hg @ 20 °C : Not specified

Vapor Density: Not specified Solubility in Water : Emulsifiable

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 1.147-1.167 Evaporation Rate(Butyl Acetate = : Not specified

1)



Report Date 15-Oct-19

Page 3 of 4

Octanol/Water Partition : No information found

Coefficient

pH : 2.0 to 3.0 (1%)

Flammable Limits (approximate : Not applicable

volume % in air)

Auto-ignition Temperature : Not applicable **Decomposition temperature** : No information found

10. Stability and Reactivity

Reactivity: No information found

Chemical Stability: Stable

Hazardous Decomposition : May produce hydrogen chloride, nitrogen oxides and carbon oxides under fire

Products conditions.

Hazardous Polymerization: Will not occur

Conditions to Avoid: Avoid excessive heat. Do not store near heat or flame. **Incompatible Materials**: Avoid strong oxidizing agents, bases and acids.

11. Toxicological Information

Acute Toxicity (Oral LD50): 1,469 mg/kg (rat). Harmful if swallowed.

Acute Toxicity (Dermal LD50) : >5,000 mg/kg (rat). May be harmful in contact with skin.

Acute Toxicity Inhalation LC50 : >2.04 mg/L (male rat); 0.55 to 2.04 mg/L (female rat) - Aersol form. Harmful if

inhaled.

Likely Routes of Exposure : Ingestion, inhalation, eyes, skin

Skin Irritation: Slight skin irritation - Draize score is 1.6. Causes mild skin irritation. **Eye Irritation**: Severely irritating - Draize score is 49.0. Causes serious eye damage.

Skin Sensitization: Not listed as a skin sensitizer.

Carcinogenic : IARC lists chlorophenoxy herbicides in Group 2B (limited evidence for

carcinogenicity in humans).

Chronic Effects: Inhalation of product may aggravate existing chronic respiratory problems such

as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin

disorders.

Other Hazards : The USEPA has given the chlorophenoxy herbicide, 2,4-D, a Class D

classification (not classifiable as to human carcinogenicity). More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects.

12. Ecological Information

Ecotoxicity: Toxic to fish and aquatic invertebrates.

Persistence and Degradability : No information found Bioaccumulative Potential : No information found Mobility in Soil : No information found

Other Adverse Effects: Do not apply directly to water, to areas where surface water is present, or to

intertidal areas below the mean high water mark.

13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

14. Transport Information



Report Date 15-Oct-19

Page 4 of 4

UN Proper Shipping Name : Not regulated by DOT in containers less than 43 gallons; see Special

Precautions below.

Transport Hazard Class : None
UN Identification Number : None
Packaging Group : None

Environmental Hazards: No information found

Transport in Bulk : If shipped in single container >874 gallons, ship as: RQ, UN3082,

Environmentally Hazardous Substance, Liquid, n.o.s., (2,4-D Acid, Dicamba), 9,

PG III "ERG # 171"

Special Precautions for : If shipped in single container >43 gallons, ship as: RQ, UN3082,

Transportation Environmentally Hazardous Substance, Liquid, n.o.s., (2,4-D Acid), 9, PG III

"ERG # 171"

Freight Classification: Pesticides, NOI, Herbicides, Other than Poison (NMFC Item 155050, Sub 11,

Class 70)

15. Regulatory Information

National Fire Protection : Association Rating

Health: 2 Fire: 1 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate(Acute) Health: Y
Delayed (Chronic) Health: Y
Sudden Release of N
Pressure:

Fire: N Reactive: N

FIFRA Information: This Chemical is a pesticide product registered by the Environmental Protection Agency and is

subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on

the pesticide label:

EPA Registration Number : 42750-144-5905 FIFRA Signal Word : Danger

FIFRA Label Statement : Keep out of reach of children.

FIFRA Label Statement : Corrosive

FIFRA Label Statement : Causes irreversible eye damage.

FIFRA Label Statement : Harmful if inhaled. FIFRA Label Statement : Harmful if swallowed.

FIFRA Label Statement : Do not get in eyes or on clothing.

FIFRA Label Statement : Avoid contact with skin. Avoid breathing spray mist.

16. Other Information

Data of Preparation/Revision: 15-October-2019