

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date : 2023/12/22

Version: 13.0

Page: 1/15

(30507854/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

#### Recommended use of the chemical and restriction on use

Recommended use\*: insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Canada Inc.  
5025 Creekbank Road  
Building A, Floor 2  
Mississauga, ON, L4W 0B6, CANADA

##### Contact address:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932  
USA  
Telephone: +1 973 245-6000

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 458813

Registration number: EPA Registration number: 499-290

---

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

STOT SE

3 (May cause drowsiness and dizziness.)

Specific target organ toxicity — single exposure

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 2/15

(30507854/SDS\_CPA\_US/EN)

STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Eye Irrit.	2B	Eye irritation
Aerosol	1	Aerosols

### Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H320	Causes eye irritation.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist or vapour or spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

**Hazards not otherwise classified**

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 3/15

(30507854/SDS\_CPA\_US/EN)

### Labeling of special preparations (GHS):

Repeated exposure may cause skin dryness or cracking.

May cause paraesthesia. Contains: Pyrethrins

---

### 3. Composition / Information on Ingredients

#### **According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

##### Pyrethrins

CAS Number: 8003-34-7

Content (W/W): 0.5 %

Synonym: Pyrethrin

##### Piperonylbutoxide

CAS Number: 51-03-6

Content (W/W): 1.0 %

Synonym: Piperonylbutoxide

##### n-Octyl bicycloheptene dicarboximide

CAS Number: 113-48-4

Content (W/W): 1.0 %

Synonym: n-Octyl bicycloheptene dicarboximide

##### Acetone

CAS Number: 67-64-1

Content (W/W):  $\geq 50.0$  -  $< 75.0\%$

Synonym: 2-Propanone Acetone; Dimethyl ketone

##### carbon dioxide

CAS Number: 124-38-9

Content (W/W):  $\geq 5.0$  -  $< 7.0\%$

Synonym: No data available.

##### Distillates (petroleum), hydrotreated light

CAS Number: 64742-47-8

Content (W/W):  $\geq 1.0$  -  $< 3.0\%$

Synonym: No data available.

---

### 4. First-Aid Measures

#### **Description of first aid measures**

##### **General advice:**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

##### **If inhaled:**

Keep patient calm, remove to fresh air, seek medical attention.

##### **If on skin:**

Wash thoroughly with soap and water

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 4/15

(30507854/SDS\_CPA\_US/EN)

---

### **If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### **If swallowed:**

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment: Vomiting may cause aspiration pneumonia due to the ingredients.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:

carbon dioxide, foam, dry powder, water spray

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide,

Aerosol container contains flammable gas under pressure. Pressure inside container is increased when heated, and may cause explosion. If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## **6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 5/15

(30507854/SDS\_CPA\_US/EN)

---

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

### Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Storage duration: 24 Months

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

---

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 6/15

(30507854/SDS\_CPA\_US/EN)

### 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

#### Components with occupational exposure limits

Acetone	ACGIH, US:	TWA value 250 ppm ;
	ACGIH, US:	STEL value 500 ppm ;
	OSHA Z1:	PEL 1,000 ppm 2,400 mg/m3 ;
carbon dioxide	ACGIH, US:	TWA value 5,000 ppm ;
	ACGIH, US:	STEL value 30,000 ppm ;
	OSHA Z1:	PEL 5,000 ppm 9,000 mg/m3 ;

#### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### **Personal protective equipment**

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

##### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

##### **Eye protection:**

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

##### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

##### **General safety and hygiene measures:**

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift.

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 7/15

(30507854/SDS\_CPA\_US/EN)

No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Form:	liquid, aerosol
Odour:	of acetone
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	amber, cloudy
pH value:	approx. 8 - 10 ( 1 %(m), 20 - 25 °C)
Flammability:	Extremely flammable.
Flammability of Aerosol Products:	> 18 in (ASTM D 3065)
NFPA 30B flammability:	Level 2 Aerosol
Lower explosion limit:	3.4 %(V) The product has not been tested. The statement has been derived from the properties of the individual components.
Upper explosion limit:	18 %(V) The product has not been tested. The statement has been derived from the properties of the individual components.
Autoignition:	350 °C Information applies to the solvent.
Density:	approx. 0.86 g/cm <sup>3</sup> ( 20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic:	0.99 mPa.s ( 20 °C)
Solubility in water:	slightly soluble
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 8/15

(30507854/SDS\_CPA\_US/EN)

### Possibility of hazardous reactions

The product is chemically stable.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

No substances known that should be avoided.

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

#### Inhalation

Type of value: LC50

Species: rat

Value: > 7.4 mg/l

Type of value: LC50

Species: rat

Value: > 2.1 mg/l

No mortality was observed.

#### Dermal

Type of value: LD50



# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Page: 9/15

Version: 13.0

(30507854/SDS\_CPA\_US/EN)

Species: rat  
Value: > 2,000 mg/kg  
No mortality was observed.

### Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation. Not irritating to the skin.

### Skin

Species: rabbit  
Result: non-irritant

### Eye

Species: rabbit  
Result: Irritant.

### Sensitization

Assessment of sensitization: No sensitizing effect.

Species: guinea pig  
Result: Non-sensitizing.

### Aspiration Hazard

May also damage the lung at swallowing (aspiration hazard). The product has not been tested. The statement has been derived from the properties of the individual components.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: n-Octyl bicycloheptene dicarboximide*

*Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.*

*Information on: Piperonylbutoxide*

*Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.*

*Information on: carbon dioxide*

*Assessment of repeated dose toxicity: Prolonged or repeated exposure by inhalation to high concentrations may cause circulatory insufficiency leading to headache, nausea, vomiting and potentially death.*

-----

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 10/15

(30507854/SDS\_CPA\_US/EN)

### Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: pyrethrum*

*Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.*

*Not Likely to Be Carcinogenic to Humans.*

#### *Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*

*Assessment of carcinogenicity: Not classified, due to lack of data. Not listed as a carcinogen by OSHA, IARC, & NTP.*

#### *Information on: n-Octyl bicycloheptene dicarboximide*

*Assessment of carcinogenicity: In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was observed. The induction of tumors in animal studies was due to a reversible, nongenotoxic effect for which a threshold dose can be derived.*

### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

### Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

### Other Information

Misuse can be harmful to health.

Has a degreasing effect on skin.

---

## 12. Ecological Information

### **Toxicity**

#### Toxicity to fish

##### *Information on: pyrethrum*

*LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static)*

*LC50 (96 h) 0.01 mg/l, Lepomis macrochirus*

##### *Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*

*LC50 3.49 mg/l, Cyprinodon variegatus*

*LC50 1.9 mg/l, Oncorhynchus mykiss*

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 11/15

(30507854/SDS\_CPA\_US/EN)

*Information on: dimethyl ether*  
-----

### Toxicity to fish

*Information on: Piperonylbutoxide*

LC50 (96 h) 3.49 mg/l, *Cyprinodon variegatus* (OECD Guideline 203, Flow through.)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

*Information on: n-Octyl bicycloheptene dicarboximide*

LC50 (96 h) 2.4 mg/l, *Lepomis macrochirus* (other, Flow through.)

LC50 (96 h) 1.4 mg/l, *Oncorhynchus mykiss* (other, Flow through.)

*Information on: Pyrethrins*

LC50 (96 h) 0.0052 mg/l, *Oncorhynchus mykiss*  
-----

### Aquatic invertebrates

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*

LC50 0.51 mg/l, *Gammarus fasciatus*

LC50 0.49 mg/l, *Mysidopsis bahia*

*Information on: dimethyl ether*  
-----

### Aquatic invertebrates

*Information on: Piperonylbutoxide*

EC50 (48 h) 0.51 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, Flow through.)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

No observed effect concentration (28 d) 0.063 mg/l, aquatic arthropod (other)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Limit concentration test only (LIMIT test).

*Information on: n-Octyl bicycloheptene dicarboximide*

EC50 (48 h) 2.3 mg/l, *Daphnia magna* (other, Flow through.)

*Information on: Pyrethrins*

EC50 (96 h) 0.0014 mg/l, *Mysidopsis bahia*  
-----  
-----

### Aquatic plants

*Information on: Piperonylbutoxide*

EC50 (72 h) 3.89 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

No observed effect concentration (72 h) 0.824 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Page: 12/15

Version: 13.0

(30507854/SDS\_CPA\_US/EN)

-----  
Chronic toxicity to fish

*Information on: Piperonylbutoxide*

*No observed effect concentration (35 d) 0.18 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)*

*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Pyrethrins*

*No observed effect concentration 0.0019 mg/l, Pimephales promelas*

-----

Chronic toxicity to aquatic invertebrates

*Information on: Piperonylbutoxide*

*No observed effect concentration (21 d) 0.03 mg/l, Daphnia magna (OPP 72-4 (EPA-Guideline), Flow through.)*

*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Pyrethrins*

*No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna*

-----

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O)

The product has not been tested. The statement has been derived from the properties of the individual components.

### **Bioaccumulative potential**

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

*Information on: Piperonylbutoxide*

*Bioconcentration factor: 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)*

*Information on: Pyrethrins*

*Bioconcentration factor: 471*

*Accumulation in organisms is not to be expected.*

-----

### **Mobility in soil**

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Page: 13/15

Version: 13.0

(30507854/SDS\_CPA\_US/EN)

*Information on: Piperonylbutoxide*

*Adsorption to solid soil phase is not expected.*

*Information on: n-Octyl bicycloheptene dicarboximide*

*The substance will not evaporate into the atmosphere from the water surface.*

*Adsorption to solid soil phase is expected.*

*Information on: Pyrethrins*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

---

### 13. Disposal considerations

#### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### **Container disposal:**

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

---

### 14. Transport Information

#### **Land transport**

USDOT

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1, EHSM  
Proper shipping name: AEROSOLS

#### **Sea transport**

IMDG

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1, EHSM  
Marine pollutant: YES  
Proper shipping name: AEROSOLS (contains DIMETHYLETHER, PYRETHRIN 1)

#### **Air transport**

IATA/ICAO

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1  
Proper shipping name: AEROSOLS, FLAMMABLE

#### **Further information**

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Version: 13.0

Page: 14/15

(30507854/SDS\_CPA\_US/EN)

### 15. Regulatory Information

#### Federal Regulations

##### Registration status:

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

##### **EPCRA 313:**

<u>CAS Number</u>	<u>Chemical name</u>
51-03-6	Piperonylbutoxide

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	67-64-1	Acetone
100 LBS	115-10-6; 64742-47-8	dimethyl ether; Distillates (petroleum), hydrotreated light
1 LBS	8003-34-7	Pyrethrins

#### State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
	124-38-9	carbon dioxide
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether
	124-38-9	carbon dioxide
	51-03-6	Piperonylbutoxide

##### **NFPA Hazard codes:**

Health: 1 Fire: 3 Reactivity: 1 Special:

#### **Labeling requirements under FIFRA**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

##### CAUTION:

EXTREMELY FLAMMABLE.

KEEP OUT OF REACH OF CHILDREN.

Hazards to humans and domestic animals.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Aerosol container contains flammable gas under pressure.

# Safety Data Sheet

## 565 PLUS XLO FORMULA 2 CONTACT INSECTICIDE

Revision date: 2023/12/22

Page: 15/15

Version: 13.0

(30507854/SDS\_CPA\_US/EN)

---

### 16. Other Information

**SDS Prepared by:**

BASF NA Product Regulations

SDS Prepared on: 2023/12/22

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET