

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

1/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

---

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** PASTORA® HERBICIDE

**Product code (UVP)** 85345842

**SDS Number** 102000033584

**EPA Registration No.** 432-1567

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

**Restrictions on use** See product label for restrictions.

#### Information on supplier

**Supplier** Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
USA

**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577

**Product Information Telephone Number** 1-800-331-2867

---

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation: Category 2B

#### Labelling in accordance with regulation HCS 29CFR §1910.1200

**Signal word:** Warning

#### Hazard statements

Causes eye irritation.

#### Precautionary statements

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

#### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

---

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

2/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Nicosulfuron	111991-09-4	56.2
Metsulfuron-methyl	74223-64-6	15.0

### SECTION 4: FIRST AID MEASURES

#### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

#### Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

3/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

---

<b>Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
<b>Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
<b>Further information</b>	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	Not applicable
<b>Upper explosion limit</b>	Not applicable
<b>Explosivity</b>	No data available

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

### Methods and materials for containment and cleaning up

**Methods for cleaning up** Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations. Contaminated soil may have to be removed and disposed.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

4/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

No known occupational limit values.

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

#### Hand protection

Chemical resistant nitrile rubber gloves

#### Eye protection

Safety glasses with side-shields

#### Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

#### General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	light beige
<b>Physical State</b>	small rod
<b>Odor</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	$\geq 4.0$ (1 %) (23 °C) (deionized water)
<b>Vapor Pressure</b>	No data available

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

5/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

---

<b>Vapor Density (Air = 1)</b>	No data available
<b>Bulk density</b>	0.40 - 0.60 g/ml (loose)
<b>Evaporation rate</b>	Not applicable
<b>Boiling Point</b>	Not applicable
<b>Melting / Freezing Point</b>	Not applicable
<b>Water solubility</b>	dispersible
<b>Minimum Ignition Energy</b>	Not applicable
<b>Decomposition temperature</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Viscosity</b>	Not applicable
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	Not applicable
<b>Upper explosion limit</b>	Not applicable
<b>Explosivity</b>	No data available

---

### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

<b>Thermal decomposition</b>	No data available
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	No data available
<b>Incompatible materials</b>	No data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Eye contact, Skin Absorption, Inhalation, Ingestion
<b>Immediate Effects</b>	

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

6/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

**Eye** Causes eye irritation.  
**Skin** May cause slight irritation. Harmful if absorbed through skin.

### Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 5,000 mg/kg  
**Acute inhalation toxicity** LC50 (Rat) > 5.6 mg/l  
Exposure time: 4 h  
**Acute dermal toxicity** LD50 (Rabbit) > 2,000 mg/kg  
**Skin corrosion/irritation** slight irritation (Rabbit)  
**Serious eye damage/eye irritation** Moderate eye irritation. (Rabbit)  
**Respiratory or skin sensitisation** Non-sensitizing. (Guinea pig)

### Assessment STOT Specific target organ toxicity – repeated exposure

Metsulfuron-methyl: Based on available data, the classification criteria are not met.

### Assessment mutagenicity

Metsulfuron-methyl: Based on available data, the classification criteria are not met. Not mutagenic in Ames Test.

### Assessment carcinogenicity

Metsulfuron-methyl is not considered carcinogenic.

### ACGIH

None.

### NTP

None.

### IARC

None.

### OSHA

None.

### Assessment toxicity to reproduction

Metsulfuron-methyl did not cause reproductive toxicity in laboratory animals.

### Assessment developmental toxicity

Metsulfuron-methyl is not considered a developmental toxicant.

### Further information

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

7/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

### SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) > 150 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient metsulfuron methyl.
	LC50 (Oncorhynchus mykiss (rainbow trout)) > 1,000 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient nicosulfuron.
	LC50 (Lepomis macrochirus (Bluegill sunfish)) > 1,000 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient nicosulfuron.
<b>Chronic toxicity to fish</b>	Oncorhynchus mykiss (rainbow trout) LC50: > 150 mg/l Exposure time: 90 d The value mentioned relates to the active ingredient nicosulfuron.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia (water flea)) > 120 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient mesosulfuron-methyl.
	EC50 (Daphnia magna (Water flea)) > 1,000 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient nicosulfuron.
<b>Toxicity to aquatic plants</b>	EC50 (Anabaena flos-aquae (cyanobacterium)) 0.066 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient metsulfuron methyl.
	EC50 (Lemna minor (common duckweed)) 0.00036 mg/l Exposure time: 14 d The value mentioned relates to the active ingredient metsulfuron methyl.
	EC50 (Lemna gibba (gibbous duckweed)) > 0.120 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient nicosulfuron.
	EC50 (Lemna gibba (gibbous duckweed)) 0.0032 mg/l Exposure time: 7 d The value mentioned relates to the active ingredient nicosulfuron.
<b>Biodegradability</b>	Metsulfuron-methyl: No data available
<b>Koc</b>	Metsulfuron-methyl: No data available
<b>Bioaccumulation</b>	Metsulfuron-methyl: No data available
<b>Mobility in soil</b>	Metsulfuron-methyl: No data available
<b>Environmental precautions</b>	Do not allow to get into surface water, drains and ground water.

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

8/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.  
Do not apply when weather conditions favor runoff or drift.  
Drift or runoff from treated areas may adversely affect non-target plants.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Product** It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Never place unused product down any indoor or outdoor drain.

**Contaminated packaging** Consult state and local regulations regarding the proper disposal of container.  
Follow advice on product label and/or leaflet.

**RCRA Information** Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

### SECTION 14: TRANSPORT INFORMATION

**49CFR** Not dangerous goods / not hazardous material

#### IMDG

UN number **3077**  
Class 9  
Packaging group III  
Marine pollutant YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (NICOSULFURON MIXTURE)

#### IATA

UN number **3077**  
Class 9  
Packaging group III  
Environm. Hazardous Mark YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (NICOSULFURON MIXTURE )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

---



# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

9/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

### SECTION 15: REGULATORY INFORMATION

**EPA Registration No.** 432-1567

#### US Federal Regulations

##### TSCA list

Kaolin	1332-58-7
Sucrose	57-50-1
Sulfonated aromatic polymer, sodium salt	68425-94-5
Trisodium orthophosphate	7601-54-9
Benzenesulfonic acid, dodecyl-, branched, sodium salt	69227-09-4

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**  
Not applicable.

#### SARA Title III - Section 302 - Notification and Information

None.

#### SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

#### US States Regulatory Reporting

##### CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Crystalline quartz (respirable)	14808-60-7
---------------------------------	------------

This product does not contain any substances known to the State of California to cause reproductive harm.

#### US State Right-To-Know Ingredients

Kaolin	1332-58-7	MN, RI
Sucrose	57-50-1	MN, RI
Trisodium orthophosphate	7601-54-9	CA, CT, IL, MN, NJ
Polyvinylpyrrolidone	9003-39-8	CA
Crystalline quartz (respirable)	14808-60-7	MN, RI

#### EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Causes eye irritation.  
Harmful if absorbed through skin.  
Avoid contact with skin, eyes and clothing.  
Avoid breathing dust or spray mist.

# SAFETY DATA SHEET



## PASTORA® HERBICIDE

Version 1.0 / USA  
102000033584

10/10  
Revision Date: 04/15/2019  
Print Date: 04/15/2019

### SECTION 16: OTHER INFORMATION

#### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

#### NFPA 704 (National Fire Protection Association):

Health - 1      Flammability - 1      Instability - 0      Others - none

#### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** New Safety Data Sheet.

**Revision Date:** 04/15/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.