according to the OSHA Hazard Communication Standard



PATI	ROL INSECTIC	IDE		
Version 0.0	Revision Date: 11/03/2023		DS Number: 00077361892	Date of last issue: - Date of first issue: 11/03/2023
SECTIC	N 1. IDENTIFICATION			
	oduct name sign code	:	PATROL INSEC A12690V	TICIDE
Ма	nufacturer or supplier's	deta	ails	
	mpany name of supplier dress	:	Syngenta Crop F Post Office Box Greensboro NC United States of	18300 27419
	ephone efax	:	1 800 334 9481 1 336 632 2192	
E-n	nail address	:	sds.requests@s	yngenta.com
Re	commended use of the	chen	nical and restrict	ions on use
Re	commended use	:	Insecticide	
Re	strictions on use	:	General Use Pes	sticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accorda 1910.1200)	an	ce with the OSHA Hazard Communication Standard (29 CFR
Acute toxicity (Inhalation)	:	Category 4
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H332 Harmful if inhaled.
Precautionary Statements	:	Prevention: P261 Avoid breathing mist or vapors. P271 Use only outdoors or in a well-ventilated area. Response: P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Other hazards

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version	Revision Date:
0.0	11/03/2023

SDS Number: S00077361892

Date of last issue: -Date of first issue: 11/03/2023

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components		
Chemical name	CAS-No.	Concentration (% w/w)
lambda-cyhalothrin	91465-08-6	9.5511
Hydrocarbons, C9, Aromatics	128601-23-0	>= 5 - < 10
propane-1,2-diol	57-55-6	>= 5 - < 10
orthophosphoric acid	7664-38-2	>= 1 - < 5
dioxosilane	14808-60-7	>= 0.1 - < 1
Actual concentration is withheld as	s a trade secret	

ctual concentration is v vithneld as a trade secre

SECTION 4. FIRST AID MEASURES

General advice	:	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	:	If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest.
In case of skin contact	:	Call a physician or poison control center immediately. Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	· · · · · · · · · · · · · · · · · · ·
Notes to physician	:	Do not induce vomiting: contains petroleum distillates and/or aromatic solvents. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam
Unsuitable extinguishing media	:	or Water spray Do not use a solid water stream as it may scatter and spread fire.

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version 0.0	Revision Date: 11/03/2023		0S Number: 00077361892	Date of last issue: - Date of first issue: 11/03/2023
Specii fightin	fic hazards during fire g	:	will produce dens products of comb	ntains combustible organic ingredients, fire e black smoke containing hazardous ustion (see section 10). mposition products may be a hazard to
Furthe	er information	:	courses.	off from fire fighting to enter drains or water iners exposed to fire with water spray.
	al protective equipment e-fighters	:		e clothing and self-contained breathing

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
Conditions for safe storage	 No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
lambda-cyhalothrin	91465-08-6	TWA	0.04 mg/m3 (Skin)	Syngenta
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m3	Supplier

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Versior	1
0.0	

Revision Date: 11/03/2023

SDS Number: S00077361892

Date of last issue: -Date of first issue: 11/03/2023

propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
orthophosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		ST	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z-1
		TWA	1 mg/m3	OSHA P0
		STEL	3 mg/m3	OSHA P0
dioxosilane	14808-60-7	TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
	PACKAGING APPLICATIC CONSULT T Containmen protection m The extent o actual risks i Maintain air standards.	G OF THE PROD DNS AND/OR ON THE PRODUCT L t and/or segregat easure if exposur f these protection in use. concentrations be	FORMULATION A DUCT. FOR COMM J-FARM APPLICAT ABEL. ion is the most relia re cannot be elimin in measures depend elow occupational e ional occupational	ERCIAL FIONS able technical ated. ds on the exposure
Personal protective equip	ment			
Respiratory protection	unknown, ap Follow OSH use NIOSH/ by air purifyi hazardous c supplied res release, exp	opropriate respira A respirator regul MSHA approved ng respirators aga hemical is limited pirator if there is a osure levels are u e where air purify	ove recommended tory protection sho ations (29 CFR 19 respirators. Protect ainst exposure to a l. Use a positive pro any potential for un unknown, or any ot ing respirators may	uld be worn. 10.134) and tion provided any essure air acontrolled her
Hand protection				
Remarks	: Wear protec	tive gloves. The c	choice of an approp	oriate glove

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version 0.0	Revision Date: 11/03/2023	SDS Number: S00077361892	Date of last issue: - Date of first issue: 11/03/2023
		features and is Please observe breakthrough t gloves. Also ta conditions und danger of cuts, through time d material, the th has to be meas discarded and degradation or	depend on its material but also on other quality different from one producer to the other. e the instructions regarding permeability and ime which are provided by the supplier of the ke into consideration the specific local er which the product is used, such as the , abrasion, and the contact time. The break epends amongst other things from the lickness and the type of glove and therefore sured for each case. Gloves should be replaced if there is any indication of chemical breakthrough.
Eye protection Skin and body protection		: Choose body p	tective equipment required. protection in relation to its type, to the and amount of dangerous substances, and to rk-place.
Pro	tective measures	Wear as appro Impervious clo : The use of tech over the use of When selecting	•

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	beige
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	5.5 Concentration: 1 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: method not specified does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version 0.0	Revision Date: 11/03/2023	SD	S Number: 0077361892	Date of last issue: - Date of first issue: 11/03/2023
Vap	or pressure	:	No data available	9
Rela	ative vapor density	:	No data available	9
Der	sity	:	1.047 g/cm3	
	ubility(ies) Water solubility	:	No data available	9
S	Solubility in other solvents	:	No data available	9
	tition coefficient: n- anol/water	:	No data available	9
	Dignition temperature	:	1175 °F / 635 °C	
Dec	omposition temperature	:	No data available	9
	cosity /iscosity, kinematic	:	No data available	9
Exp	Explosive properties		No data available	9
Oxio	dizing properties	:	No data available	9
Par	Particle size		No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	None reasonably foreseeable. Stable under normal conditions. No dangerous reaction known under conditions of normal use.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	No decomposition if used as directed. None known. No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

rsion	Revision Date: 11/03/2023		S Number: 0077361892	Date of last issue: - Date of first issue: 11/03/2023				
Acute	inhalation toxicity	:	Exposure time Test atmosphe Assessment: T short term inha inhalation as d					
Acute dermal toxicity		:	 LD50 (Rat, male and female): > 4,000 mg/kg Assessment: The substance or mixture has no acute derm toxicity Remarks: Based on data from similar materials 					
Comp	oonents:							
lambo	da-cyhalothrin:							
	oral toxicity	:	LD50 (Rat, fen	nale): 56 mg/kg				
Acute	inhalation toxicity	:	LC50 (Rat, ma Exposure time Test atmosphe					
Acute	dermal toxicity	:	LD50 (Rat, ma	ıle): 632 mg/kg				
Hydro	ocarbons, C9, Aroma	atics:						
Acute	oral toxicity	:	LD50 (Rat, fen	nale): 3,492 mg/kg				
ortho	phosphoric acid:							
Acute	oral toxicity	:	LD50 (Rat): 30)1 mg/kg				
Acute	dermal toxicity	:	LD50 (Rabbit):	: 2,750 mg/kg				
Skin	corrosion/irritation							
Based	d on available data, the	e class	ification criteria	a are not met.				
<u>Produ</u>	uct:							
Speci		:	Rabbit					
Resul Rema		:	No skin irritatio Based on data	on I from similar materials				
<u>Com</u>	oonents:							
lambo	da-cyhalothrin:							
Speci Resul	es	:	Rabbit No skin irritatio	on				
Hydro	ocarbons, C9, Aroma	atics:						
Resul		:	Repeated expe	osure may cause skin dryness or cracking.				
Speci Resul		:	Rabbit Mild skin irritat	ion				

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -	
0.0	11/03/2023	S00077361892	Date of first issue: 11/03/2023	

orthophosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation

Components:

lambda-cyhalothrin:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Test Type Species Result	:	Maximization Test Guinea pig Does not cause skin sensitization.
Test Type Species Result	:	Local lymph node assay (LLNA) Mouse
Result		Does not cause skin sensitization

Germ cell mutagenicity

Not classified due to lack of data.

Components:

lambda-cyhalothrin:		
Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
orthophosphoric acid:		

Germ cell mutagenicity -	:	In vitro tests did not show mutagenic effects
Assessment		

Carcinogenicity

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

sion	Revision Date: 11/03/2023		OS Number: 0077361892	Date of last issue: - Date of first issue: 11/03/2023
Comp	oonents:			
lambo	la-cyhalothrin:			
	nogenicity - Assess-	:	Weight of evid cinogen	ence does not support classification as a car
dioxo	silane:			
Carcir ment	nogenicity - Assess-	:	Weight of evid cinogen	ence does not support classification as a car
			mans for the c form of quartz experimental a was noted how all industrial ci ent characteris	cluded that there is sufficient evidence in hu- arcinogenicity of inhaled crystalline silica in the or cristobalite from occupational sources and animals from quartz and cristobalite (Group 1 vever, that carcinogenicity was not detected in roumstances and may be dependent on inhe stics of the crystalline silica or external factors blogical activity.
Repro	oductive toxicity			
Not cl	assified due to lack of	data.		
<u>Comp</u>	onents:			
lambo	la-cyhalothrin:			
Repro sessm	ductive toxicity - As- nent	:	Weight of evid reproductive to	ence does not support classification for oxicity
ortho	phosphoric acid:			
Repro sessm	ductive toxicity - As- nent	:	No toxicity to r	eproduction
	-single exposure assified due to lack of	data.		
<u>Comp</u>	oonents:			
lambo	la-cyhalothrin:			
Asses	sment	:		e or mixture is not classified as specific target , single exposure.
Hydro	ocarbons, C9, Aroma	tics:		
Asses	sment	:	toxicant, single The substance	e or mixture is classified as specific target org e exposure, category 3 with narcotic effects., e or mixture is classified as specific target org e exposure, category 3 with respiratory tract

STOT-repeated exposure

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



sion	Revision Date:		OS Number:	Date of last issue: -		
	11/03/2023	50	0077361892	Date of first issue: 11/03/2023		
<u>Comp</u>	oonents:					
lambo	da-cyhalothrin:					
Assessment		:	The substance or mixture is not classified as specific targer organ toxicant, repeated exposure.			
dioxo	silane:					
Targe	s of exposure t Organs sment	:		or mixture is classified as specific target org ted exposure, category 1.		
Aspir	ation toxicity					
-	assified due to lack of	data.				
<u>Comp</u>	oonents:					
-	ocarbons, C9, Aroma ne fatal if swallowed an		ers airways.			
Furth	er information					
Produ	<u>ict:</u>					
Rema	rks	:	May cause temporary itching, tingling, burning or numbness exposed skin, called paresthesia.			
Comp	oonents:					
lambo	da-cyhalothrin:					
Rema	-	:		porary itching, tingling, burning or numbnes called paresthesia.		
CTION	12. ECOLOGICAL INI	FORM	ATION			
Ecoto	oxicity					
Comp	oonents:					
_	la-cyhalothrin:					
lambo						
	ty to fish	:	LC50 (Leucisco Exposure time:	us idus (Golden orfe)): 0.000078 mg/l 96 h		
	-	:	Exposure time:	96 h punctatus (channel catfish)): 0.00016 mg/l		
Toxici Toxici	-		Exposure time: LC50 (Ictalurus Exposure time:	96 h punctatus (channel catfish)): 0.00016 mg/l 96 h magna (Water flea)): 0.00036 mg/l		
Toxici Toxici	ty to fish ty to daphnia and othe		Exposure time: LC50 (Ictalurus Exposure time: EC50 (Daphnia Exposure time:	96 h 96 h 96 h 96 h 1 magna (Water flea)): 0.00036 mg/l 48 h mysis): 0.000007 mg/l		

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

icity)mg/licity)mg/lToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)NOEC (Daphnia magna (Water flea)): 0.000002 mg/l Exposure time: 21 dM-Factor (Chronic aquatic toxicity)100,000Toxicity to microorganismsEC50 (activated sludge): > 100 mg/l Exposure time: 3 hHydrocarbons, C9, Aromatics: Toxicity to fishEL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebratesEL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 hToxicity to algae/aquatic plantsErC50 (Raphidocelis subcapitata (freshwater green a ng/l Exposure time: 72 hToxicity to fish (Chronic tox- icity)NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 72 hToxicity to daphnia and other aquatic invertebratesNOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 72 hToxicity to fish (Chronic tox- icity)NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEctoxicology Assessment Chronic aquatic toxicityToxic to aquatic life with long lasting effects.orthophosphoric acid:Toxic to aquatic life with long lasting effects.	sion	Revision Date: 11/03/2023		0S Number: 0077361892	Date of last issue: - Date of first issue: 11/03/2023		
plants0.31 mg/l Exposure time: 96 hM-Factor (Acute aquatic tox- icity)100,000Toxicity to fish (Chronic tox- icity)NOEC (Pimephales promelas (fathead minnow)): 0.0 mg/l Exposure time: 300 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)NOEC (Daphnia magna (Water flea)): 0.000002 mg/l Exposure time: 21 dM-Factor (Chronic aquatic toxicity)100,000M-Factor (Chronic aquatic 				Exposure time: 4	48 h		
icity) Toxicity to fish (Chronic tox- icity): NOEC (Pimephales promelas (fathead minnow)): 0.0 mg/l Exposure time: 300 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity): NOEC (Daphnia magna (Water flea)): 0.000002 mg/l Exposure time: 21 dM-Factor (Chronic aquatic toxicity): 100,000Toxicity to microorganisms: EC50 (activated sludge): > 100 mg/l Exposure time: 3 hHydrocarbons, C9, Aromatics: Toxicity to fish: LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates: EC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hToxicity to fish (Chronic tox- ic toxicity): NOELR (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hToxicity to daphnia and other aquatic invertebrates: NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 72 hToxicity to fish (Chronic tox- ic toxicity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other coxicity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other coxicity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dChronic aquatic toxicity: Toxic to aquatic life with long lasting		y to algae/aquatic	:	0.31 mg/l			
Toxicity to fish (Chronic tox- icity): NOEC (Pimephales promelas (fathead minnow)): 0.0 mg/l Exposure time: 300 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity): NOEC (Daphnia magna (Water flea)): 0.000002 mg/l Exposure time: 21 dM-Factor (Chronic aquatic toxicity): 100,000Toxicity to microorganisms: EC50 (activated sludge): > 100 mg/l Exposure time: 3 hHydrocarbons, C9, Aromatics: Toxicity to fish: LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates: EC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hToxicity to fish (Chronic tox- icity): NOELR (Raphidocelis subcapitata (freshwater green a ng/l Exposure time: 72 hToxicity to daphnia and other aquatic invertebrates: NOELR (Chronic tox- icity)Toxicity to fish (Chronic tox- icity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates: NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other ic toxicity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other ic toxicity): NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other ic toxicity): Toxic to aquatic life with long lasting effects.orthophosphoric acid:: Toxic to aquatic life with long lasting effects.		tor (Acute aquatic tox-	:	100,000			
aquatic invertebrates (Chron- ic toxicity)Exposure time: 21 dM-Factor (Chronic aquatic toxicity): 100,000M-Factor (Chronic aquatic toxicity): 100,000Toxicity to microorganisms:: EC50 (activated sludge): > 100 mg/l Exposure time: 3 hHydrocarbons, C9, Aromatics: Toxicity to fish:: LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:: EC50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:: ErC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hToxicity to fish (Chronic tox- icity):< NOELR (Concorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other ic toxicity):< NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 28 dToxicity to daphnia and other ic toxicity):< NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other ic toxicity):< Toxic to aquatic life with long lasting effects.	Toxicity to fish (Chronic tox-		:				
NOEC (Americamysis): 0.00022 µg/l Exposure time: 28 dM-Factor (Chronic aquatic toxicity):100,000Toxicity to microorganisms:EC50 (activated sludge): > 100 mg/l Exposure time: 3 hHydrocarbons, C9, Aromatics: Toxicity to fish:LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hToxicity to fish (Chronic tox- ic toxicity):NOELR (Raphidocelis subcapitata (freshwater green 1.0 mg/l End point: Growth rate Exposure time: 28 dToxicity to daphnia and other e aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dToxicity to daphnia and other e toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid::Toxic to aquatic life with long lasting effects.	aquatic invertebrates (Chron-		:				
toxicity) Toxicity to microorganisms:EC50 (activated sludge): > 100 mg/l Exposure time: 3 hHydrocarbons, C9, Aromatics: Toxicity to fish:LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hNOELR (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hNOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 72 hToxicity to fish (Chronic tox- icity):NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid::Toxic to aquatic life with long lasting effects.							
Toxicity to microorganisms:EC50 (activated sludge): > 100 mg/l Exposure time: 3 hHydrocarbons, C9, Aromatics::Toxicity to fish:LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hNOELR (Raphidocelis subcapitata (freshwater green a mg/l End point: Growth rate Exposure time: 72 h.Toxicity to fish (Chronic tox- icity):NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid::Toxic to aquatic life with long lasting effects.			:	100,000			
Toxicity to fish:LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hNOELR (Raphidocelis subcapitata (freshwater green 1.0 mg/l End point: Growth rate Exposure time: 72 hNOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 72 hToxicity to fish (Chronic tox- icity):NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid::Toxic to aquatic life with long lasting effects.			:				
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hNOELR (Raphidocelis subcapitata (freshwater green 1.0 mg/l End point: Growth rate Exposure time: 72 hNOELR (Naphidocelis subcapitata (freshwater green 1.0 mg/l End point: Growth rate Exposure time: 72 hToxicity to fish (Chronic tox- icity):NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid::Toxic to aquatic life with long lasting effects.	Hydro	carbons, C9, Aromatic	s:				
aquatic invertebratesExposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green a mg/l Exposure time: 72 hNOELR (Raphidocelis subcapitata (freshwater green a n.0 mg/l End point: Growth rate Exposure time: 72 hNOELR (Raphidocelis subcapitata (freshwater green 1.0 mg/l End point: Growth rate Exposure time: 72 hToxicity to fish (Chronic tox- icity):NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid:::	Toxicit	y to fish	:				
plantsmg/l Exposure time: 72 hNOELR (Raphidocelis subcapitata (freshwater green 1.0 mg/l End point: Growth rate Exposure time: 72 hToxicity to fish (Chronic tox- icity):NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):Ecotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid:			:				
1.0 mg/l End point: Growth rate Exposure time: 72 hToxicity to fish (Chronic tox- icity):NOELR (Oncorhynchus mykiss (rainbow trout)): 1.22 Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid:		y to algae/aquatic	:	mg/l			
icity)Exposure time: 28 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOELR (Daphnia magna (Water flea)): 2.144 mg/l Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.orthophosphoric acid:::				1.0 mg/l End point: Grow	th rate		
aquatic invertebrates (Chron- ic toxicity)Exposure time: 21 dEcotoxicology Assessment Chronic aquatic toxicityToxic to aquatic life with long lasting effects.orthophosphoric acid:Exposure time: 21 d		y to fish (Chronic tox-	:				
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects. orthophosphoric acid: ••••••••••••••••••••••••••••••••••••	aquati	c invertebrates (Chron-	:				
orthophosphoric acid:	Ecoto	xicology Assessment					
	Chroni	ic aquatic toxicity	:	Toxic to aquatic	life with long lasting effects.		
	orthop	phosphoric acid:					
Toxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.Exposure time: 96 h	Toxicit	y to fish	:				

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version 0.0	n Revision Date: 11/03/2023	SD	9 95 Number: 0077361892	Date of last issue: - Date of first issue: 11/03/2023	
E	cotoxicology Assessment				
C	Chronic aquatic toxicity		This product has no known ecotoxicological effects.		
Р	ersistence and degradabili	ty			
<u>C</u>	omponents:				
la	mbda-cyhalothrin:				
Bi	iodegradability	:	Result: Not readily	/ biodegradable.	
St	Stability in water		Degradation half life (DT50): 7 d Remarks: Product is not persistent.		
H	ydrocarbons, C9, Aromatic	s:			
	iodegradability	:	Result: Readily bio	odegradable.	
В	ioaccumulative potential				
<u>C</u> (omponents:				
	mbda-cyhalothrin: ioaccumulation	:	Remarks: Bioaccu	imulates	
М	obility in soil				
<u>C</u>	omponents:				
la	mbda-cyhalothrin:				
	istribution among environ- ental compartments	:	Remarks: immobil	е	
	tability in soil	:	Dissipation time: 5 Percentage dissip Remarks: Product	ation: 50 % (DT50)	
0	ther adverse effects				
<u>C</u> (omponents:				
R	mbda-cyhalothrin: esults of PBT and vPvB ssessment	:	lating and toxic (P	not considered to be persistent, bioaccumu- BT). This substance is not considered to be d very bioaccumulating (vPvB).	
R	rthophosphoric acid: esults of PBT and vPvB ssessment	:	lating and toxic (P	not considered to be persistent, bioaccumu- BT). This substance is not considered to be d very bioaccumulating (vPvB).	

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version	Revision Date:	SI
0.0	11/03/2023	S

SDS Number: 600077361892

Date of last issue: -Date of first issue: 11/03/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
		N.O.S.
		(LAMBDA-CYHALOTHRIN)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (LAMBDA-CYHALOTHRIN)
Class	:	9
Packing group	:	
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.
IMDG-Code		
UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version	Revision Date: 11/03/2023	SDS Number:	Date of last issue: -
0.0		S00077361892	Date of first issue: 11/03/2023
Labe EmS Mari	king group	: 9 : III : 9 : F-A, S-F : yes : This product single or con single or inne	YHALOTHRIN) can be subject to exemptions when packaged in nbination packagings containing a net quantity per er packaging of 5 L or less for liquids, or having a 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good Remarks : SI

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE



US WEEL / TWA 8-hr TWA •

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -

according to the OSHA Hazard Communication Standard



PATROL INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/03/2023	S00077361892	Date of first issue: 11/03/2023

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

11/03/2023

1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8