15"

21.5"

46.25" Web Width

3"

AMERICAN BRAND

Permethrin Granules

For Lawns and around Homes, Commercial & Industrial Buildings

Contains Permethrin to provide contact and residual control of troublesome outdoor insects and pests as listed, for up to 4 weeks. 10 lbs. treats up to 5000 sq. ft.

ACTIVE INGREDIENT:	
Permethrin*	0.25%
Other Ingredients	99.75%
TOTAL:	100.00%

*cis-trans ratio: min . 55% ± cis, max 45% ± trans.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUCION AL USUARIO: Si usted no entende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not unterstand the label, find someone to explain it to you.)

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

In the event of a medical or chemical emergency contact
North America 1-800- 255-3924 or Worldwide Intl. + 01- 813-248-0585

ChemTel INC. ™

See back of bag for additional precautionary statements.

Manufactured For:
VPG Voluntary Purchasing Groups, Inc.
230 FM 87
BONHAM, TEXAS 75418

EPA Reg. No. 7401-503 **RV120712** **EPA Est. No. 7401-TX-01**

NET WT. 25 LB (11.34 kg)

7 32221 29000 6

AMERICAN BRAND
Permethrin Granules
7 32221 29000 6

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All workers, handlers, and applicators must wear:
- Long sleeved shirts and long pants.
- Shoes plus socks.
- Chemical-resistant gloves for any contact with treated surfaces.
- Other engineering controls for more requirements.

USER SAFETY RECOMMENDATION

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY REQUIREMENTS

Upon completion of application, remove PPE and immediately wash thoroughly and change into clean clothing.

Upon completion of application, remove PPE and immediately wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or waterways through application, washing, or rinsing. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that water does not run off to water bodies or to drainage ditches. This pesticide is toxic to bees exposed to direct treatment or to incoming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Applicators or professional handlers must wear protective clothing and equipment as specified on this label. Do not water to the point of run-off. Do not allow drift or run-off to contaminate water by cleaning equipment or by other activities. Apply this product thoroughly to the lawn or garden area. Water treated areas well to prevent or reduce any odor. Do not enter or allow others to enter the treated area until dusts have settled. If pet poisoning is suspected, call the veterinarian. Do not allow pets to eat or drink from areas treated with this product until the treatment has dried. Do not water or allow others to water the treated area for 48 hours after application. Do not enter or allow others to enter the treated area (except trained persons involved with the application) until the application is complete. If the application is accompanied by wind or rain, do not enter.

RULES OF USE

This product is intended for outdoor use only. Use only according to this label. Do not use on or for turf farms, golf courses, lake or pondside grass, or other areas around homes, commercial and industrial buildings. For pesticide uses not listed on this label, or for uses not in accordance with the directions, consult your local extension office.

KILL LAWNS AND TURF GRASS: Kills chinch bugs, Kills Grass Grubs, Kills Sod webworms, Billbugs, Chinch bugs, Cutworms, and other insects listed on this label.

Permethrin Formulated Product for Commercial Industrial Buildings and Homes.

This formulation is intended for outdoor use around homes and commercial buildings, including lawns, gardens, and other areas around homes, commercial and industrial buildings. For pesticide uses not listed on this label, or for uses not in accordance with the directions, consult your local extension office.

Permethrin Formulated Product for Commercial Buildings and Homes.

This formulation is intended for outdoor use around homes and commercial buildings, including lawns, gardens, and other areas around homes, commercial and industrial buildings. For pesticide uses not listed on this label, or for uses not in accordance with the directions, consult your local extension office.

SPOT TREATMENT FOR ANTS: Apply 1 % solution/gallon of water and around each ant hill. Water lightly after application. Reapply if insects reappear and after pest rains.

SPREADER SETTINGS

Spreader Settings for pounds of this product to use per 1000 sq. ft.			
Spreader Make and Model:	**Grass or Insecticide 2 pounds**	**Heavy Growth St. Augustine 3 pounds**	**Sod Insects in Grass 2 1/2 pounds**
Cleaver Imperial Mainer No. 1662-G	6 1/2	7 1/4	7
Cleaver Scotts/Ariens Spreader No.1622-0	6 1/2	7 1/4	7
Cleaver Model B-1 Rotary	4 1/2	5	4 3/4
Cleaver Model 4100	6 1/2	7 1/4	6 3/4
Cyclone Drop Spreader Model 3000	4 1/2	5 1/2	5
Cyclone Broadcast Spreader 4000	4 1/2	7	6
J.C. Penney Model 4500	7 1/4	8	7 1/2
J.C. Penney Rotary Spreader	5	7	6
Scotts Model 25	4	5	4 1/2
Scotts Model F 3	F	H	H/1
Scotts Craftsman Model 6T1 19198	6	7	6 1/2
Vicon Matabishe RT3FB	F	H	H/1

DIRECTIONS FOR APPLYING AMERICAN BRAND PERMETHRIN GRANULES

Treatment Areas	Target Pests	Dosage	Use Rate
Build treatment around outside of house foundation	Fleas, Ticks, Cockroaches, Crickets, Ground Beetles, Millipedes, Sowbugs	Three pints to one quarter (1 pint) per 100 sq. ft. area around the house to a band up to 3 feet in height. Apply at 1.5 oz. to 2.5 oz/ 1/4 to 1/2 lb. per 100 sq. ft. area around the building. You may wash lightly after application.	3.2 oz. per acre/ 100 sq. ft. area around the house to a band up to 3 feet in height
Treatment Areas	Target Pests	Dosage	Use Rate
SURFACE INSECTS	Ants, Ants/termites, Ticks, Chinch bugs, Cockroaches, Earwigs, Fleas, Millipedes, Sowbugs	Apply water to thatch/ grass. Use spreader settings on your spreader. Apply at 1 oz. per 100 sq. ft.	For application with Triple or Quadrupled Fertilizer Spreader
SOIL INSECTS	Ants, Ants/termites, Ticks, Chinch bugs, Cockroaches, Earwigs, Fleas, Millipedes, Sowbugs	Water grass thoroughly after application with 1/4 to 1/2 inch water to release the insecticide to the soil where the insects live. For white grub control apply water gun control during beetle flight and they swarm into the lawn. Water gun control during beetle flight again in late summer or early fall is a pest prevention.	For treatment of chinch bugs, Chinch bugs, Cutworms, Earwigs, Fleas, Millipedes, Sowbugs, Ticks, Cockroaches, Ants, Ants/termites, Crickets, Grasshoppers, Millipedes, Sowbugs, Ticks, Cockroaches, Ants, Ants/termites, Crickets, Earwigs, Fleas