

# SAFETY DATA SHEET POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

### 1. Identification

Product identifier

Product name POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN

LARGE 3" TABLETS

Internal identification EPA Reg No. 42177-18

Recommended use of the chemical and restrictions on use

Application Swimming pool sanitizer

Uses advised against No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier Aliance Trading Inc.

109 NorthPark Boulevard 4th Floor

Covington LA 70433 (985) 892-5521

Manufacturer HEZE HUAYI CHEMICAL CO., LTD.

13 East Qungnian Road, Juancheng, Shandong, China

+86-5302411246

**Emergency telephone number** 

Emergency telephone (ChemTel) +1-800 255-3924; INTL +1- 813 248-0585

# 2. Hazard(s) identification

# Classification of the substance or mixture

OSHA Regulatory Status This Product is Hazardous under the OSHA Hazard Communication Standard.

Physical hazards Ox. Sol. 3 - H272

Health hazards Acute Tox. 4 - H302 Eye Irrit. 2A - H319 STOT SE 3 - H335

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

### Label elements

Hazard symbols







Signal word

Warning

Revision date: 9/23/2020



# POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

Hazard statements H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P220 Keep away from combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P261 Avoid breathing dust.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell. P304+P340 If inhaled: Remove person to fresh air and keep comfortable for

hreathing

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to

extinguish.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains Trichloroisocyanuric acid

Biocide Labeling This product contains substances with biocidal properties.

#### Other hazards

This product does not contain any substances classified as PBT or vPvB.

# 3. Composition/information on ingredients

#### **Mixtures**

Revision date: 9/23/2020



# POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

Trichloroisocyanuric acid

>99

CAS number: 87-90-1

M factor (Acute) = 1

M factor (Chronic) = 1

Classification

Ox. Sol. 2 - H272

Acute Tox. 4 - H302

Eye Irrit. 2A - H319

STOT SE 3 - H335

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

### Description of first aid measures

General information

Get medical attention immediately. Show this Safety Data Sheet to the medical

personnel.

Inhalation

Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure

breathing can take place.

Ingestion

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

Skin Contact

Rinse with water.

Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.

Protection of first aiders

First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.



### Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information on health hazards. The severity of the

symptoms described will vary dependent on the concentration and the length of

exposure.

Inhalation A single exposure may cause the following adverse effects: Irritation of nose, throat

and airway. Difficulty in breathing. Coughing.

Ingestion May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact Causes serious eye damage. Symptoms following overexposure may include the

following: Pain. Profuse watering of the eyes. Redness.

## Indication of immediate medical attention and special treatment needed

# 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon

dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the

surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

Specific hazards May cause or intensify fire; oxidizer. This product is toxic.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following

substances: Toxic gases or vapors.

## Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. May cause or intensify fire; oxidizer. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots

and gloves will provide a basic level of protection for chemical incidents.



### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate.

### **Environmental precautions**

**Environmental precautions** 

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

### Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Do not use sawdust or other combustible material. Provide adequate ventilation. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralize with alkali. Caution. May generate heat. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

# 7. Handling and storage

#### Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.



Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

### Conditions for safe storage, including any incompatibilities

Storage precautions

Store away from incompatible materials (see Section 10). Store locked up. Keep away from flammable and combustible materials. Store away from the following materials: Alkalis. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Utilize retaining walls to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

Storage class

Oxidizer storage.

### Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.

# 8. Exposure controls/Personal protection

#### **Exposure controls**

Protective equipment







Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.



Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance Solid. Tablet.

Color White.

Odor Characteristic.

Odor threshold No information available.



pH (diluted solution): 2.7-3.3 1% 25°C Water.

Melting point No information available.

Initial boiling point and range Not applicable.

Flash point Not applicable.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

No information available.

Vapor pressure No information available.

Vapor density No information available.

Relative density No information available.

Bulk density 2.07 g/cm3 25°C

Solubility(ies) 12 g/l water @ 25°C

Partition coefficient log Kow: ~ 0.94

Auto-ignition temperature No information available.

Decomposition Temperature 225°C

Viscosity Not applicable.

Other information None.

# 10. Stability and reactivity

Reactivity May intensify fire; oxidizer.

Stabile at normal ambient temperatures and when used as recommended. Stable

under the prescribed storage conditions.

Possibility of hazardous

reactions

May cause or intensify fire; oxidizer. Reactions with the following materials may cause explosions: Organic compounds. Oxides of nitrogen. Ammonia. Oxidizing

substance Reducing agents. Water

Conditions to avoid Avoid heat, flames and other sources of ignition. Protect from moisture.

Materials to avoid Alkalis. Amines. Reducing agents. Flammable/combustible materials. Hydrocarbons.

Organic cyanides (nitriles). Esters. Some metals. Ammonia.



Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal

decomposition or combustion products may include the following substances: Toxic

gases or vapors. Chlorine. Oxides of nitrogen. Phosgene (COCI2).

# 11. Toxicological information

### Information on toxicological effects

Acute toxicity - oral

Summary Harmful if swallowed.

ATE oral (mg/kg) 505.05

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Extreme pH Moderate pH ( > 2 and < 11.5).

Serious eye damage/irritation

Summary Causes serious eye damage.

Respiratory sensitization

Summary Based on available data the classification criteria are not met.

Skin sensitization

Summary Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

Carcinogenicity

Summary Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary May cause respiratory irritation.

Target organs Respiratory system, lungs

Specific target organ toxicity - repeated exposure



Summary Based on available data the classification criteria are not met.

Aspiration hazard

Summary Not relevant. Solid.

General information The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

Inhalation A single exposure may cause the following adverse effects: Irritation of nose, throat

and airway. Difficulty in breathing. Coughing.

Ingestion May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.

Skin Contact Prolonged contact may cause dryness of the skin.

Eye contact Causes serious eye damage. Symptoms following overexposure may include the

following: Pain. Profuse watering of the eyes. Redness.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target Organs Respiratory system, lungs

# 12. Ecological information

Acute aquatic toxicity

Summary Very toxic to aquatic life.

Chronic aquatic toxicity

Summary Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient log Kow: ~ 0.94

Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Other adverse effects

Other adverse effects None known.

### 13. Disposal considerations

#### Waste treatment methods



General information

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

# 14. Transport information

### **UN Number**

UN No. (TDG) 2468

UN No. (IMDG) 2468

UN No. (ICAO) 2468

UN No. (DOT) UN2468

#### UN proper shipping name

Proper shipping name (TDG) TRICHLOROISOCYANURIC ACID, DRY

Proper shipping name (IMDG) TRICHLOROISOCYANURIC ACID, DRY

Proper shipping name (ICAO) TRICHLOROISOCYANURIC ACID, DRY

Proper shipping name (DOT) TRICHLOROISOCYANURIC ACID, DRY

### Transport hazard class(es)

DOT hazard class 5.1

DOT hazard label 5.1

TDG class 5.1

TDG label(s) 5.1

IMDG Class 5.1

ICAO class/division 5.1



#### Transport labels



#### **DOT transport labels**



# Packing group

TDG Packing Group

IMDG packing group

ICAO packing group

DOT packing group ||

### **Environmental hazards**

Environmentally Hazardous Substance No.

# Special precautions for user

EmS F-G, S-Q

# 15. Regulatory information

Regulatory References OSHA Hazard Communication Standard 29 CFR §1910.1200

#### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.



FDA - Essential Chemical
None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

Acute toxicity (any route of exposure)
Oxidizer (liquid, solid or gas)
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

OSHA Highly Hazardous Chemicals None of the ingredients are listed.

#### **US State Regulations**

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed.

California Directors List of Hazardous Substances The following ingredients are listed:

Massachusetts "Right To Know" List The following ingredients are listed:

Rhode Island "Right To Know" List The following ingredients are listed:

Minnesota "Right To Know" List None of the ingredients are listed.

New Jersey "Right To Know" List All ingredients are listed.

Pennsylvania "Right To Know" List All ingredients are listed.

#### **Inventories**

EU - EINECS/ELINCS EINECS



Canada - DSL/NDSL

DSL

**US - TSCA** 

Present.

Australia - AICS

Present.

Japan - ENCS

Present.

Korea - KECI

Present.

China - IECSC

Present.

**Philippines - PICCS** 

Present.

New Zealand - NZIOC

Present.

# 16. Other information

Abbreviations and acronyms used in the safety data sheet

TDG: The transport of dangerous goods act

IATA: International air transport association.

ICAO: Technical instructions for the safe transport of dangerous goods by air.

IMDG: International maritime dangerous goods.

CAS: Chemical abstracts service.

ATE: Acute toxicity estimate.

LC₅o: Lethal concentration to 50 % of a test population.

LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).

EC<sub>50</sub>: 50% of maximal effective concentration.

PBT: Persistent, bioaccumulative and toxic substance.

vPvB: Very persistent and very bioaccumulative.

Classification abbreviations and acronyms

Ox. Sol. = Oxidising solid

Acute Tox. = Acute toxicity

Eye Dam. = Serious eye damage

STOT SE = Specific target organ toxicity-single exposure

Aquatic Acute = Hazardous to the aquatic environment (acute)

Aquatic Chronic = Hazardous to the aquatic environment (chronic)



Training advice Read and follow manufacturer's recommendations. Only trained personnel should

use this material.

Revision date 9/23/2020

SDS No. 425

Hazard statements in full H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**End of Safety Data Sheet** 

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.