



# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/25/2018

Revision date: 10/25/2018

Supersedes: 09/14/2018

Version: 7.2

### SECTION 1: Identification

#### 1.1. Identification

Product form	: Substance
Trade name	: Potassium nitrate
CAS-No.	: 7757-79-1
Product code	: 001_USA
Formula	: HNO <sub>3</sub> .K
Synonyms	: Nitric acid potassium salt / Nitric acid, potassium salt / Nitric acid potassium salt (1:1) / POTASSIUM NITRATE / Potassiumnitrate
Other means of identification	: Potassium Nitrate Refined Grade - Prilled Potassium Nitrate Refined Grade - Crystallized Potassium Nitrate Technical Application - Crystallized Potassium Nitrate Technical Grade - Crystallized Potassium Nitrate Fertigation Grade - Crystallized Potassium Nitrate Hydroponical Grade - Crystallized Potassium Nitrate Technical Grade - Prilled Ultrasol K Plus Fertigation Grade - Crystallized Ultrasol K Plus Hydroponical Grade - Crystallized

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture	: Industrial uses: Uses of substances as such or in preparations at industrial sites Industrial use resulting in manufacture of another substance (use of intermediates) Heat transferring agents
Restrictions on use	: Food/feedstuff additives, Water treatment chemicals

#### 1.3. Supplier

##### Supplier

SQM North America  
2727 Paces Ferry Rd, Building Two, Suite 1425  
Atlanta, GA 30339 - United States  
T (770) 916 9400 - F (700) 916 9404  
[product\\_safety@sqm.com](mailto:product_safety@sqm.com) - [www.sqm.com](http://www.sqm.com)

#### 1.4. Emergency telephone number

Emergency number	: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week  Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)
------------------	--

### SECTION 2: Hazard(s) identification


#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Oxidizing solids Category 3	May intensify fire; oxidizer
-----------------------------	------------------------------

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labeling

Hazard pictograms (GHS-US)	: 
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: May intensify fire; oxidizer
Precautionary statements (GHS-US)	: Keep away from heat. - No smoking. Keep/Store away from clothing, combustible materials, flammable materials, reducing materials, strong acids Take any precaution to avoid mixing with clothing, combustible materials, flammable materials, reducing materials, strong acids Wear protective gloves, eye protection, face protection.

# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

In case of fire: Use any suitable mean for extinguishing surrounding fire. Spray water for small fires. For large fires flood with abundant water. to extinguish.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Name : Potassium nitrate  
CAS-No. : 7757-79-1

Name	Product identifier	%	GHS-US classification
Potassium nitrate	(CAS-No.) 7757-79-1	> 94	Ox. Sol. 3, H272
Nitrite*		<= 0.3	
Perchlorate*		<= 0.01	
Iodate*		<= 0.01	

\*Impurities

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell. Never give anything by mouth to an unconscious person.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.  
First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Rinse mouth. Drink plenty of water. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Irritation of the respiratory tract. Thermal decomposition can lead to the release of irritating gases and vapors. Delayed adverse effects possible.  
Symptoms/effects after skin contact : May cause moderate irritation.  
Symptoms/effects after eye contact : May cause slight irritation.  
Symptoms/effects after ingestion : On ingestion in large quantities: Digestive disorder.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : use any suitable mean for extinguishing surrounding fire. Spray water for small fires. For large fires flood with abundant water.  
Unsuitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

### 5.2. Specific hazards arising from the chemical

Fire hazard : May intensify fire; oxidizer.  
Reactivity : The product is non-reactive under normal conditions of use, storage and transport. May intensify fire; oxidizer.

### 5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Do not approach fire except upwind and only with proper skin and respiratory protection (supplied air only).

# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Thermal decomposition can lead to the release of irritating gases and vapors. Thermal decomposition generates : Alkali oxides. Nitrogen oxides. Sodium nitrite.

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Do not allow into drains or water courses.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters. Do not absorb with saw-dust or any other combustible absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : Perchlorate containing product - Special handling may apply. See [www.dtsc.ca.gov/hazardouswaste/perchlorate](http://www.dtsc.ca.gov/hazardouswaste/perchlorate) and section 15 for more information regarding California State regulations.
- Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Containers which are opened should be properly resealed and kept upright to prevent leakage.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, flames or sparks.
- Incompatible materials : Flammable or combustible materials. Reducing agents. strong acids.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Potassium nitrate (7757-79-1)		
ACGIH	ACGIH TWA (mg/m³)	Not established
ACGIH	ACGIH Ceiling (mg/m³)	Not established
OSHA	OSHA PEL (STEL) (mg/m³)	Not established
OSHA	OSHA PEL (Ceiling) (mg/m³)	Not established

#### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Local exhaust is recommended where dust may occur.
- Environmental exposure controls : Do not allow to enter drains or water courses.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Butyl-rubber protective gloves

##### Eye protection:

# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystals. Granulate.
Color	: White
Odor	: odorless
Odor threshold	: Not applicable
pH	: 8 - 11
Melting point	: 335 °C / 635°F (Published data)
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: Not applicable
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: Negligible vapor pressure at ambient conditions
Vapor pressure at 50 °C	: Not applicable
Relative vapor density at 20 °C	: No data available
Relative density	: Not applicable
Specific gravity / density	: 1160 - 1300 kg/m³ at 68°F
Solubility	: Water: > 100 g/l 25°C / 77°F
Log Pow	: Not applicable Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 600 °C / 1112°F (Published data)
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: Not applicable
Explosive properties	: Not explosive.
Oxidizing properties	: Oxidizer. Test O.1 Test for oxidizing solids.

### 9.2. Other information

Bulk density	: 1100 - 1400 kg/m³
--------------	---------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. May intensify fire; oxidizer.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with : hot surfaces. flames or sparks. Ignition sources. Do not store together with empty wood pallets.

### 10.5. Incompatible materials

Flammable, combustible, strong acids and strong reducing agents under specific conditions. These incompatible materials shall not include approved packaging materials, pallets, or other dunnage (NFPA 400/2016, Hazardous Materials Code, item 15.3.5.2.1.1).

# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the release of irritating gases and vapors. Thermal decomposition generates : Nitrogen oxides. Potassium oxides. potassium nitrite.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Potassium nitrate (7757-79-1)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 405 method)
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402 method)
LC50 inhalation rat (mg/l)	> 0.527 mg/l/4h (OECD 403 method)

Potassium nitrate (7757-79-1)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 405 method)
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402 method)
LC50 inhalation rat (mg/l)	> 0.527 mg/l/4h (OECD 403 method)

Skin corrosion/irritation : Not classified  
pH: 8 - 11

Serious eye damage/irritation : Not classified  
pH: 8 - 11

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

(No mutagenic effect. Reverse Mutation Assays. (OECD 479 method))

Carcinogenicity : Not classified  
(No carcinogenic effect)

Potassium nitrate (7757-79-1)	
IARC group	Not listed
National Toxicology Program (NTP) Status	Not listed

Potassium nitrate (7757-79-1)	
IARC group	Not listed
National Toxicology Program (NTP) Status	Not listed

Reproductive toxicity : Not classified  
(Based on available data, the classification criteria are not met)

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified

Potassium nitrate (7757-79-1)	
NOAEL (subacute,oral,animal/male,28 days)	1500 mg/kg body weight (OECD 422 method)
NOAEL (subacute,oral,animal/female,28 days)	1500 mg/kg body weight

Aspiration hazard : Not classified

Likely routes of exposure : Inhalation. Skin and eye contact.

Symptoms/effects after inhalation : Irritation of the respiratory tract. Thermal decomposition can lead to the release of irritating gases and vapors. Delayed adverse effects possible.

Symptoms/effects after skin contact : May cause moderate irritation.

Symptoms/effects after eye contact : May cause slight irritation.

Symptoms/effects after ingestion : On ingestion in large quantities: Digestive disorder.

Other information : This product contains trace amounts of naturally-occurring perchlorate and iodate. Like other goitrogenic substances, perchlorate may affect iodine uptake by thyroid under specific conditions.

# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Potassium nitrate (7757-79-1)	
LC50 fish 1	>= 1378 mg/l
EC50 Daphnia 1	>= 490 mg/l
ErC50 (algae)	> 1700 mg/l
NOEC chronic fish	58 mg/l
NOEC chronic algae	1700 mg/l

#### 12.2. Persistence and degradability

Potassium nitrate (7757-79-1)	
Persistence and degradability	Contains no substances known to be hazardous to the environment.

#### 12.3. Bioaccumulative potential

Potassium nitrate (7757-79-1)	
Log Pow	Not applicable
Log Kow	Not applicable
Bioaccumulative potential	Low bioaccumulation potential. Information on basic physical and chemical properties.

#### 12.4. Mobility in soil

Potassium nitrate (7757-79-1)	
Ecology - soil	Expected to be highly mobile in soil.

#### 12.5. Other adverse effects

Other information : May cause eutrophication at very low concentration.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Regional legislation (waste) : U.S. - RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituents.

Waste treatment methods : Gather the product and place it in a spare container that has been suitably labeled. This material and its container must be disposed of as hazardous waste. Solid waste exhibiting the characteristic of ignitability has the EPA Hazardous Waste Number of D001 according to the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Perchlorate containing product - Special handling may apply. See [www.dtsc.ca.gov/hazardouswaste/perchlorate](http://www.dtsc.ca.gov/hazardouswaste/perchlorate) and section 15 for more information regarding California State regulations.

Ecology - waste materials : Do not allow to enter drains or water courses.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1486 Potassium nitrate, 5.1, III

UN-No.(DOT) : UN1486

Proper Shipping Name (DOT) : Potassium nitrate

Class (DOT) : 5.1 - Class 5.1 - Oxidizer 49 CFR 173.128

Packing group (DOT) : III - Minor Danger

Hazard labels (DOT) : 5.1 - Oxidizer



# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Special Provisions (49 CFR 172.102)	: A1 - Single packaging are not permitted on passenger aircraft. A29 - Combination packaging consisting of outer expanded plastic boxes with inner plastic bags are not authorized for transportation by aircraft. B120 - The use of flexible bulk containers conforming to the requirements in subpart R and subpart S of part 178 of this subchapter is permitted. IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. W1 - This substance in a non friable prill or granule form is not subject to the requirements of this subchapter when tested in accordance with the UN Manual of Test and Criteria (IBR, see §171.7 of this subchapter) and is found to not meet the definition or criteria for inclusion in Division 5.1.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 152
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 140
Other information	: None.
Special transport precautions	: None known.
IBC code	: Not applicable.

### Transport by sea

Transport document description (IMDG)	: UN 1486 POTASSIUM NITRATE, 5.1, III
UN-No. (IMDG)	: 1486
Proper Shipping Name (IMDG)	: POTASSIUM NITRATE
Class (IMDG)	: 5.1 - Oxidizing substances
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 kg

### Air transport

Transport document description (IATA)	: UN 1486 Potassium nitrate, 5.1, III
UN-No. (IATA)	: 1486
Proper Shipping Name (IATA)	: Potassium nitrate
Class (IATA)	: 5.1 - Oxidizing Substances
Packing group (IATA)	: III - Minor Danger

# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Potassium nitrate (7757-79-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes

Physical hazard - Oxidizer (liquid, solid or gas)

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

##### Potassium nitrate (7757-79-1)

SARA Section 311/312 Hazard Classes

Physical hazard - Oxidizer (liquid, solid or gas)

#### 15.2. International regulations

##### CANADA

##### Potassium nitrate (7757-79-1)

Listed on the Canadian DSL (Domestic Substances List)

##### Potassium nitrate (7757-79-1)

Listed on the Canadian DSL (Domestic Substances List)

##### EU-Regulations

##### Potassium nitrate (7757-79-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)- Directive 79/831/EEC, sixth Amendment of Directive 67/548/EEC (dangerous substances)

##### National regulations

##### Potassium nitrate (7757-79-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed in DHS (Department of Homeland Security) United States - Chemical of Interest (Appendix A to 6CFR part 27)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 15.3. US State regulations

##### Potassium nitrate (7757-79-1)

U.S. - California - Proposition 65 - Other information

Not listed

### SECTION 16: Other information

Revision date : 10/25/2018  
Data sources : REACH registrations. Information in this safety data sheet is based on actual knowledge in our possession and our experience.  
Other information : NFPA 400/2016: Hazardous Materials Code: Oxidizer Class 1 (Inorganics Nitrates).

California Code of Regulations Title 22 (Health & Safety Code), Chapter 33 : See <http://www.dtsc.ca.gov/hazardouswaste/perchlorate/>.

Full text of H-phrases:

H272

May intensify fire; oxidizer




# Potassium nitrate

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.
- NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.
- NFPA specific hazard : OX - Materials that posses oxidizing properties.



### Indication of changes:

Section	Changed item	Change	Comments
		This sheet has been revised completely (changes were not marked)	
1	Product name - Trade name	Added	
8	DNEL/DMEL (Workers)	Removed	
9	Bulk density	Added	
12.	Chronic toxicity	Added	
16	NFPA (National Fire Protection Association)	Added	NFPA 400: Hazardous Materials Code classification included

SDS US (GHS HazCom 2012)

*DISCLAIMER OF LIABILITY* The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable