

BREAKS The Flea Life Cycle

Prevents Adult Flea Emergence for Up to 7 Months

FOR USE ON: Carpet, Upholstered Furniture, and Pet Sleeping Areas

KEEP OUT OF REACH OF CHILDREN CAUTION SEE BACK PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS NET CONTENTS: 1 PT (16 FL 0Z) 473 ml

ACTIVE INGRE	DIENT:	
(S)-Methoprene (CAS # 65733-16-6)		1.2%
OTHER INGREDIENTS*		
TOTAL		<u>100.0%</u>
*Contains petroleum distillates		
		000500455

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye.

If on skin or clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-248-7763 for emergency medical treatment information.

NOTE TO PHYSICIAN: This product contains petroleum distillates. If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE: Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For information, call **1-800-248-7763** or visit our Web site: **www.zoecon.com**.

Precor IGR Concentrate

PEEL BACK

INTRODUCTION: ZOECON® PRECOR® IGR CONCENTRATE (Precor®) acts on the limmature life stages of the flea, preventing the adult flea from developing. Flea eggs deposited on, and larvae crawling onto treated areas will not develop into adult fleas. Existing adult fleas and flea pupae are not affected. If a high population of adult fleas (the biting stage) is present, tank-mix with an adulticide of choice that is EPA registered and properly labeled for flea control. To prevent infestations before they start, apply Precor® prior to flea season.

ZOËČON

|Wellmark International EPA 1501 East Woodfield Rd. 200W/ Schoumburg, Illinois 60173 Preor, Zeöcon and Zeöcon with design are registered trademarks of Wellmark International. Central Garden & Pet and Central Garden & Pet With desion are trademarks of Central Garden & Pet

Pet Company. ©1997-2019 Wellmark International. 300526090



EPA Reg. No. 2724-352 EPA Est. No. 2724-TX-1

When applied to surfaces where fleas are found, such as carpets, upholstered furniture, and pet sleeping areas, Precor[®] prevents adult flea emergence for up to 7 months. Controlling fleas on pets is important to prevent introduction of adult fleas indoors. If fleas are a problem on pets, treat the pets with an effective EPA registered flea control product. **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may not be used or referenced as a source of ingredient in the formulation, manufacture, or registration of any other products without prior written authorization from Wellmark International.

Method and Rate of Application: Prepare a diluted spray solution with a final (S)-Methoprene concentration of approximately 0.007%, by adding 1 fl oz of Precor® to 1 gallon of water. Partially fill the mixing container with ½ gallon of water, add Precor®, shake well, and then add the remaining ½ gallon of water. Shake well before each use. When tank-mixing, follow the directions above except add the product to tank-mix first, agitate, and then add Precor®, agitate and complete filling of spray tank, and agitate once more.

Apply at a rate of 1 gallon of the diluted spray solution per 1,500 sq ft of surface area with any low pressure sprayer with a fan tip that is typically used for indoor applications. Treat all areas harboring fleas, including carpets, furniture, pet sleeping and bedding areas, and throw rugs. Treat under cushions of upholstered furniture. Avoid contact with treated surfaces until dry.

When applying to upholstery where staining could be a concern, apply dilution to al small inconspicuous location to determine if possible staining could occur. Generally, Precor® will not stain areas that would not be stained by water alone.

STORAGE and DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Storage: Store in a cool place away from heat or open flame. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Handling: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke, PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Harmful if absorbed through the skin. Causes moderate even irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.



