

LEBANON ProScape®

FERTILIZER 25-0-5 MESA®

| GUARANTEED ANALYSIS | | GUARANTEED MINIMUM ANALYSIS | |
|---|------|---|------|
| Total Nitrogen (N) | 25% | Total Nitrogen (N) | 19% |
| 4.5% Ammoniacal Nitrogen | | 4.5% Ammoniacal Nitrogen | |
| 2.6% Water Insoluble Nitrogen* | | 2.6% Water Insoluble Nitrogen* | |
| 13.3% Urea Nitrogen | | 13.3% Urea Nitrogen | |
| 4.6% Other Water Soluble Nitrogen* | | 4.6% Other Water Soluble Nitrogen* | |
| Soluble Potash (K ₂ O) | 5% | Soluble Potash (K ₂ O) | 19% |
| Sulfur (S) | 5.0% | Sulfur (S) | 5.0% |
| 5.0% Combined Sulfur (S) | | 5.0% Combined Sulfur (S) | |
| Iron (Fe) | 1.0% | Iron (Fe) (Actual) | 1.0% |
| 0.1% Water Soluble Iron (Fe) | | 0.1% Water Soluble Iron (Fe) | |
| Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate. | | Chlorine (Cl) (maximum) | 5.0% |
| | | Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate. | |
| *7.2% Slowly available nitrogen from methylene urea. | | *7.2% Slowly available nitrogen from methylene urea. | |
| Chlorine (Cl) not more than..... | 5.0% | | |
| U.S.A | | | |

Caution : This fertilizer contains iron and should be used only as recommended. It may prove harmful when misused.

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

WARNING

Hazard Statements:

May cause skin irritation.
May be harmful if inhaled.
May cause eye irritation.



Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 159 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.0 lbs per 1,000 sq. ft. or 87 lbs. per acre.

| SUGGESTED SPREADER SETTINGS | | |
|-----------------------------|---------------------|---------------------|
| Spreader | 0.9#N/1,000 sq. ft. | 0.5#N/1,000 sq. ft. |
| Lebanon Turf | 4% | 4 |
| Andersons AccuPro | M | H |
| Earthway Rotary | 16 | 14 |
| Gandy | 28 | 24 |
| Lely | 6 II | 4 II |
| Lesco (letter/numeric) | J/21 | G/15 |
| PennMulch HVO | M | I |
| ProScape SS | M | I |
| Spyker | 4% | 4 |
| Vicon | 26 | 22 |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

Precautionary Statements for handling:

Wash hands and exposed skin thoroughly after handling.
Wear protective gloves, protective clothing, eye protection, and face protection.
If eye exposure occurs, rinse with water and seek medical attention.
Take off contaminated clothing and wash before reuse.
If skin irritation occurs seek medical advice.
Store locked up in a well-ventilated place.
Keep the container tightly closed and out of reach of children.
Dispose of in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

In Pennsylvania: Do not exceed 0.9 lbs of total nitrogen per 1,000 sq. ft. per application.

Do not apply to frozen ground

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
To apply at the rate 0.43 kg N/100 sq. meters. Equivalent to 2.8 kg of product per 100 sq. meters.

To apply at the rate 0.24 kg N/100 sq. meters. Equivalent to 0.8 kg of product per 100 sq. meters.

| SUGGESTED SPREADER SETTINGS | | |
|-----------------------------|------------------------------|------------------------------|
| Spreader | 0.43 kg N/100 m ² | 0.24 kg N/100 m ² |
| Lebanon Turf | 4% | 4 |
| Andersons AccuPro | M | H |
| Earthway Rotary | 16 | 14 |
| Gandy | 28 | 24 |
| Lely | 6 II | 4 II |
| Lesco (letter/numeric) | J/21 | G/15 |
| PennMulch HVO | M | I |
| ProScape SS | M | I |
| Spyker | 4% | 4 |
| Vicon | 26 | 22 |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **22-54318** G/23

MESA is a registered trademark of Lebanon Seaboard Corporation.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 17042
800-233-0628 • (717) 273-1685
Made in the U.S.A.
www.LebanonTurf.com

NET WEIGHT **50** LBS. (22.7 KG)