# Safety Data Sheet

**Prothor SC2** 

Emergency Phone 1-800-535-5053 (Infotrac)

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Prothor SC2 Chemical Name: Imidacloprid Recommended use of the chemical and restrictions on use: Termiticide and insecticide

Company: Ensystex II, Inc. Address: 2175 Village Dr., Fayetteville, NC 28304 Daytime Phone: 1-888-398-3772

# 2. HAZARDS IDENTIFICATION

# Hazard classification

Classification in accordance with Federal OSHA Hazard Communication Standard 29CFR 1910.1200 Eye irritation: Category 2B Signal wore: Warning

Hazard Statements Causes eye irritation

Precautionary statements Wash thoroughly after handling IF IN EYES: Rinse cautiously with water for 5 minutes. Remove contact lenses if present and can be done without injuring the eyes. Continue rinsing. If eye irritation persists: Get medical attention.

Label Elements Hazard pictograms



#### Signal Word: Warning

Hazard Statement

H302: Harmful if swallowed. H402: Harmful to aquatic life. Prevention P102: Keep out of reach of children. P264: Wash contacted areas thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P281: Use personal protective equipment as required. Response P352: Wash with plenty of soap and water P301+P312: IF SWALLOWED: Call a Poison Control Center or doctor if you feel unwell. P301+p330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P332+P313: If skin irritation occurs: Get Medical advice. P391: Collect any spills. P370+P378: Not combustible. Use extinguishing media suited to burning materials. Storage P402+P404: Store in a dry place. Store in closed container. P403+P235: Store in a well-ventilated place. Keep cool. Disposal P501: Dispose of contents and containers as specified on the registered label.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Imidacloprid	21.4%	CAS# 138261-41-3
Glycerine	8.0%	CAS# 56-81-5

# 4. FIRST-AID

# **Description of first-aid measures**

General advice: In all cases of overexposure, when symptoms such as nausea, difficulty in breathing, burned or irritated skin are exhibited, get medical attention immediately. Take affected person to a doctor or emergency treatment facility. If possible have product label available when calling or visiting a Poison Control Center.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. If this occurs, consult a physician immediately.

**Eye Contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses. **Skin Contact:** Wash skin gently and thoroughly with plenty of soap and water for 5 minutes or until chemical is removed.

Ingestion: If swallowed, do NOT induces vomiting. Wash mouth with water and contact a Poison Control Center or a doctor/physician. Never give anything by mouth to an unconscious person.

# 5. FIRE-FIGHTING MEASURES

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

This product is likely to decompose only after heating to dryness, followed by further strong heating

Fire decomposition products from this product are likely to be irritating if inhaled.

Advice for firefighters

Extinguishing Media: Not combustible. Use extinguishing media suited to burning materials.

Special protective equipment for firefighters: Protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves) as well as NIOSH approved Self-Contained Breathing Apparatus (SCBA).

Flash Point: Does not Burn.

Upper Flammablility Limit: Does not burn.

Lower Flammability Limit: Does not burn.

Auto-ignition Temperature: Not Applicable- does not burn.

Flammability Class: Does not burn.

# 6. ACCIDENTAL RELEASE MEASURES

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear coveralls, goggles and gloves. No special recommendations for clothing materials. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapors or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labeled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to the product label for specific instructions. After spills, wash area preventing from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the Label, instructions on the label take precedence. Be sure to consult with local agencies before disposing of any spilled material. Thoroughly launder clothing before storage or re-use.

# 7. HANDLING AND STORAGE

Handling: Use good personal hygiene. Keep exposure to this product to a minimum and minimize the quantities kept in the work areas. See Section 8 for control measures. The measures detailed below under "Storage" should be followed during handling in order to minimize risks to persons using the product in the workplace. Also avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Keep out of reach of children. Product should be stored in compliance with local regulations. Store in a well ventilated, cool, dry area. Keep away from heat sources.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Limits are listed below:

Component	Regulation	Type of listing	Value/Notation
Imidacloprid	TX ESL	AN ESL	5µg/m³
Imidacloprid	TX ESL	ST ESL	50µg/m <sup>3</sup>
Glycerine (Respirable Fraction)	OSHA Z-1	PEL	5 mg/ m <sup>3</sup>
Glycerine (Respirable Fraction)	ACGIH	TWA	5 mg/ m <sup>3</sup>
Glycerine (Vapor)	TX ESL	ST ESL	1000 mg/ m <sup>3</sup>

These recommendations are for Manufacturing. Applicators should see the product label for proper personal protective equipment.

#### Exposure controls

Provide general and/or local exhaust ventilation to control airborne levels below the exposure limits.

**Respiratory Protection:** Atmospheric levels should be maintained below the exposure guidelines. When respiratory protection is required or during emergency conditions, use a NIOSH approved respirator and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand/Skin Protection: Wear chemical resistant nitrile rubber gloves. Wear long-sleeved shirt and long pants and shoes plus socks.

**Eye/Face Protection:** Tightly fitting safety goggles

General protective measures: Follow manufacturer's instruction s for cleaning/maintaining PPE. If no such instructions for washables are available. Use detergent and warm water. Keep and wash PPE separately from other laundry.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Cream opaque suspension
Characteristic odor
Approximately 100°C at 100kPa
Below 0°C
Water Component
2.37kPa at 20°C (water vapor pressure)
Same as Water
1.0 Approx.
Miscible
6-7 (as supplied)
No Data
No Data
Same as water
No Data
Not applicable- does not burn

# **10. STABILITY AND REACTIVITY**

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed container in a dry, cool, well ventilated area out of direct sunlight.

Incompatibilities: Strong acids, strong bases, strong oxidizing agents

Hazardous Decomposition Products: This product is likely to decompose only after heating to dryness, followed by further strong heating. Combustion forms carbon dioxide, and if incomplete, carbon monoxide, and possible smoke. Water is also formed. May form nitrogen and its compounds, and under certain circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form hydrogen chloride gas, other compounds of chlorine. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgement, and unconsciousness followed by coma and death.

Additional Information: Hazardous polymerization will not occur.

# **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity: Inhalation LC50/Rat/>5.33mg/I (exposure time 4 hours in the form of a liquid aerosol) Oral LD50/Rat (male)/>4,870mg/kg Dermal LD50/Rabbit/>2,000 mg/kg

**Skin Irritation:** No skin irritation (rabbit) **Eye Irritation:** Minimally irritating (rabbit)

Sensitization: Non-sensitizing. (guinea pig)

Chronic Toxicity: Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

# No teratogenic effect

#### No carcinogenic effects

Reproductive toxicity effects: Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with imidacloprid is related to parental toxicity.

No mutagenic effects

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient.

# **12. ECOTOXICOLOGICAL INFORMATION**

#### Toxicity

Acute toxicity to fish LC<sub>50</sub>, (rainbow trout (Oncorhynchus mykiss)) 96 Hour, 211 mg/l The value relates to the active imidacloprid. Acute toxicity to aquatic invertebrates EC<sub>50</sub>, Daphnia magna (water flea), 48 Hour. 85 mg/l The value relates to the active imidacloprid. Acute toxicity to algae/aquatic plants EC50 (Desmodesmus subspicatus) >10mg/l growth rate; Exposure time 72 h The value relates to the active imidacloprid. Toxicity to above ground organisms LC<sub>50</sub>, Apis mellifera (bees), 2 hour, mortality, 6.5 mg/l LC<sub>50</sub>, Colinus virgianus (bobwhite quail), 4 hour, 1,844 ppm.

Persistence and degradability Imidacloprid: not rapidly biodegradable Mobility in soil Potential for mobility in soil is moderate. Partition coefficient Koc 225 Bioaccumulation Imidacloprid: does not bioaccumulate. Environmental precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label. Do not apply this product or allow it to drift to blooming crops or weeds of bees are visiting the treatment area.

# 13. DISPOSAL CONSIDERATIONS

Product: Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not contaminate food or feed by disposal. Dispose in accordance with all local, state and federal regulations.

Packaging: Do not re-use empty containers. Triple rinse containers and offer them for recycling or reconditioning or puncture and dispose of in a sanitary land fill or incineration.

RCRA Information: Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

#### **14. TRANSPORT INFORMATION**

49CFR: Not dangerous goods/not Hazardous material

# Classification for SEA transport (IMO-IMDG):

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION) UN # UN3082 Hazard Class: 9 Packing group III Marine pollutant: YES

# Classification for AIR transport (IATA/ICAO):

UN number 3082 Class 9 Packaging group III Environm. Hazardous Mark Yes Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)

Freight Classification INSECITICIDES OR FUNGICIDES, N.O.I. OTHER THAN POISON

#### **15. REGULATORY INFORMATION**

The information herein is given in good faith, but no warranty, expressed or implied, is made. Consult Ensystex II for further information. **US Federal Regulations** 

**TSCA** list

Glycerine 56-81-5 US Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None SARA Title III - Section 302 – Notification and Information None SARA Title III – Section 313 – Toxic Chemical Release Reporting None

# US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

#### US State Right-To-Know Ingredients Glycerine 56-81-5

#### United States TSCA Inventory (TSCA)

This product contains chemical substance(s) exempt from USEPA TSCA Inventor requirements. It is regulated as a pesticide subject to the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA requirements.

#### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number: 83923-4

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if swallowed, inhaled or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor.

# 16. Other Information

Hazard rating System				
NFPA				
Health	Fire	Reactivity		
1	1	1		

Revised 06/09/2015