

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/10

Prozap® Dairy & Ranch Insect Spray

Revision date 2020-01-30

	Revision date 2020-01-
SECTION 1: Identificat	ion of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Prozap® Dairy & Ranch Insect Spray
Product code	1536010
1.2. Relevant identified us	es of the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC8] Biocidal products (e.g. Disinfectants, pest control);
Description	Liquid insecticide. Not for household use.
1.3. Details of the supplier	of the safety data sheet
Company	Neogen Corporation
Address	620 Lesher Place
	Lansing MI 48912
\A/-L	USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	SDS@neogen.com
1.4. Emergency telephone	number
	24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)
Further information	
	Manufactured By:. Chem-Tech Ltd. 1006 Business Highway 5 Pleasantville, IA 50225 U.S.A.
	Chem-Tech Ltd. is a wholly-owned subsidiary of Neogen Corporation.
SECTION 2: Hazards i	dentification
2.1. Classification of the s	ubstance or mixture
2.1.2. Classification - GHS	Flam. Lig. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 3: H412;

2.2. Label elements

Revision 2
Revision date 2020-01-30

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P331 - Do NOT induce vomiting.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations, Follow label instructions
2.3. Other hazards	
Other hazards	May be harmful if swallowed.
Further information	
	Read the entire label and follow all use directions, restrictions, and precautions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Kerosine - unspecified - kerosine (petroleum), hydrodesulfurized (Kerosene/Jet fuels as total hydrocarbon vapor)	649-423-00-8	64742-81-0	265-184-9		40 - 50%	Asp. Tox. 1: H304;
Straight run kerosine - kerosine (petroleum) (Kerosene/Jet fuels as total hydrocarbon vapor)	649-404-00-4	8008-20-6	232-366-4		40 - 50%	Asp. Tox. 1: H304;
Piperonyl butoxide		51-03-6	200-076-7		0.5 - 1%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Pyrethrins (Pyrethrum)		8003-34-7	232-319-8		0 - 0.5%	Acute Tox. 4: H302+H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Description

Concentrations listed are not product specifications.

Further information

Full text of Hazard Statements listed in this Section is provided in Section 16.

	Revision date 2020-01-30
SECTION 4: First aid measu	res
4.1. Description of first aid meas	sures
Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING unless advised to do so by a doctor. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting. Contains petroleum distillates. Vomiting may cause aspiration pneumonia.
4.3. Indication of any immediate	medical attention and special treatment needed
	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand.
Further information	
	Refer to product label for FIFRA-required First Aid directions.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	In case of fire, use carbon dioxide (CO2), Alcohol resistant foam, Dry chemical, Foam. Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	
	In case of fire and/or explosion do not breathe fumes. Fire will produce dense black smoke. Vapor may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.
5.3. Advice for firefighters	
	Flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.
SECTION 6: Accidental relea	ase measures
	ctive equipment and emergency procedures
	Flammable liquid. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid sparks, flames, heat and sources of ignition. Ensure adequate ventilation of the working area. Use as appropriate: Protective equipment. Avoid prolonged or repeated exposure.
6.2. Environmental precautions	
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.
6.3. Methods and material for co	entainment and cleaning up
	Flammable liquid. Absorb with inert, absorbent material. Collect spillage. Transfer to suitable,

Revision 2 Revision date 2020-01-30

	labelled containers for disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not contaminate water by cleaning of equipment or disposal of wastes. Clean with detergents. Avoid solvents.
6.4. Reference to other sections	
	See section 2, 8 & 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.
7.2. Conditions for safe storage,	including any incompatibilities
	Flammable liquid and vapour. Contact with combustible material may cause fire. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Follow label instructions.
7.3. Specific end use(s)	

See Section 1.2 for further information.

Further information

Refer to product label for FIFRA-required Storage and Disposal directions.

SECTION 8: Exposure controls/personal protection

6.3. Methods and material for containment and cleaning up

8.1. Control parameters

Exposure Limit Values

Kerosine - unspecified - kerosine (petroleum), hydrodesulfurized (Kerosene/Jet fuels as total hydrocarbon vapor)	ACGIH TLV TWA: 200 mg/m³ (P)	ACGIH TLV STEL: -
nydrocarbon vapory	Notations: Skin; A3	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: -	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Pyrethrins (Pyrethrum)	ACGIH TLV TWA: 5 mg/m³	ACGIH TLV STEL: -
	Notations: A4	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 5	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Straight run kerosine - kerosine (petroleum) (Kerosene/Jet fuels as total hydrocarbon vapor)	ACGIH TLV TWA: 200 mg/m³ (P)	ACGIH TLV STEL: -
	Notations: Skin; A3	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: -	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

Revision 2 Revision date 2020-01-30

8.2. Exposure controls





Appropriate engineering controls

Ensure adequate ventilation of the working area.

Individual protection measures

Use as appropriate: Protective equipment.

Eye / face protection Skin protection - Hand Use as appropriate: Suitable eye protection.

protection

Use as appropriate: Chemical-resistant gloves made of any waterproof material.

Skin protection - Other Respiratory protection

Use as appropriate: Protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment.

Occupational exposure controls

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feed and/ or feed products. Provide chemical shower.

Provide eye wash station.

Further information

Refer to product label for additional PPE requirements and recommendations. Follow label

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State Liquid

Color Clear/Light yellow

Odor Characteristic/Sweet

Odor threshold

No data available

pΗ

No data available

Melting point

No data available

Freezing Point

No data available

Boiling point 154 - 172 °C

Flash point 50 °C

Evaporation rate

Flammability limits

Not applicable.

Upper Explosive Limit 5 %

Lower Explosive Limit 0.7 %

Vapor pressure < 2 mmHg

Vapor density > 4.5

Relative density 0.775 - 0.84

Partition coefficient

4.65 log P 210 °C

Autoignition temperature

2 cP @ 25°C Viscosity

Oxidizing properties

No data available

Solubility

Insoluble in water

9.2. Other information

VOC (Volatile organic compounds)

98.5 %

SECTION 10: Stability and r	Revision date 2020-01-3
10.1. Reactivity	out they
	Stable under normal conditions.
10.2. Chemical stability	T classe and informal containers.
10.2. Onormoal stability	Stable under normal conditions
	Stable under normal conditions.
10.3. Possibility of hazardous re	I
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.
10.4. Conditions to avoid	
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5. Incompatible materials	•
	Contact with combustible material may cause fire. Keep away from oxidizing agents, Combustible materials.
10.6. Hazardous decomposition	products
	Carbon oxides.
0505101144 5 1 1 1 1	
SECTION 11: Toxicological	Information
11.1. Information on toxicological	al effects
Acute toxicity	Based on available data, the classification criteria are not met. However, this product does contain substance(s) that are classified as hazardous. For more information, see Section 3.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC)
	Monographs, Volumes 1-123.
	Not listed in the National Toxicology Program (NTP) 14th Report on Carcinogens.
	Not listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values.
	Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT-repeated exposure	Components(s) may cause damage to human organs based on animal data.
Aspiration hazard	Potential for aspiration if swallowed.
Repeated or prolonged	Avoid prolonged or repeated exposure. Exposure above the recommended occupational exposure
exposure	limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.
11.1.2. Mixtures	
	See Section(s) 3 for further information.
11.1.3. Hazard Information	1
i i i i o i i azaru ililoililation	See Section(a) 2 and 2 for further information
	See Section(s) 2 and 3 for further information.
11.1.4. Toxicological information	1 T
	No data available

	Revision date 2020-01-30
11.1.5. Hazard Class	
	See Section(s) 2 and 14 for further information.
11.1.6. Classification Criteria	·
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
11.1.7. Information on likely rout	tes of exposure
	Eye contact. Skin contact. Ingestion. Inhalation.
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics
	See Section(s) 4.2 for further information.
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure
	See Section(s) 4.2 for further information.
11.1.10. Interactive effects	
	No data available.
11.1.11. Absence of specific dat	a
	<1% of this mixture consists of ingredients of unknown acute toxicity.
11.1.12. Mixture versus substan	ce information
	See Section(s) 3 for further information.
11.1.13. Other information	
	Caution - substance not yet fully tested.
SECTION 12: Ecological info	ormation
12.1. Toxicity	
•	No data available
12.2. Persistence and degradab	ility
	No data is available on this product.
12.3. Bioaccumulative potential	<u> </u>
<u>.</u>	
	No data is available on this product.
Partition coefficient	
	Prozap® Dairy & Ranch Insect 4.65 log P
	Spray
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	

	Revision date 2020-01-30
13.1. Waste treatment methods	
	Dispose of as special waste in compliance with local and national regulations.
Disposal methods	
	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
Further information	
	Refer to product label for FIFRA-required Storage and Disposal directions.
SECTION 14: Transport info	rmation
Hazard pictograms	
	3
14.1. UN number	
	UN1268
14.2. UN proper shipping name	
	PETROLEUM DISTILLATES. N.O.S.
14.3. Transport hazard class(es	
DOT	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA Subsidiary risk	3
14.4. Packing group	<u> </u>
Packing group	III
14.5. Environmental hazards	<u> ''' </u>
Environmental hazards	No
Marine pollutant	No
DOT	<u> </u>
Hazard ID	30
Tunnel Category	(D/E)
IMDG	•
EmS Code	F-E S-E
IATA	•

Revision 2 Revision date 2020-01-30

IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.

Chemical

Inventories/Right-to-Know Lists:

Toxic Substances Control Act (TSCA): All ingredients listed or exempt.

Massachusetts Right-to-Know Hazardous Substance List: Pyrethrins, Piperonyl butoxide. New Jersey Worker and Community Right to Know Act: Pyrethrins, Piperonyl butoxide.

Pennsylvania Right to Know Law: Pyrethrins and pyrethroids.

Rhode Island Right-to-Know General Law: Pyrethrum.

California Prop 65: This material contains no reportable components.

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Kerosine - unspecified - kerosine (petroleum), hydrodesulfurized (Kerosine (petroleum), hydrodesulfurized)	Y	N	N	N	N	N	N	N	N
Straight run kerosine - kerosine (petroleum) (Kerosine (petroleum))	Υ	N	N	N	N	N	N	N	N
Pyrethrins	N	N	N	N	N	N	Υ	N	N

Further information

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Signal Word FIFRA Warning

CAUTION.

Keep out of reach of children.

Hazards to humans and domestic animals.

Avoid contact with eyes, skin, or clothing. Harmful if absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	1 - Manufactured By:.
	14 - DOT.
	14 - IMDG.
	14 - IATA.
Acronyms	ACGIH: American Conference of Governmental Industrial Hygienists.
	CAS No.: Chemical Abstracts Service.

Revision 2 Revision date 2020-01-30

Other information	
	GHS: Globally Harmonized System.
	HCS 2012: Hazard Communication Standard (2012 revision).
	IATA: International Air Transport Association.
	ICAO: International Civil Aviation Organization.
	IMDG: International Maritime Dangerous Goods.
	LC: Lethal concentration.
	LD: Lethal dose.
	OEL: Occupational exposure limit.
	OSHA: U.S. Occupational Safety and Health Administration.
	PEL: Permissible Exposure Limit.
	UN: United Nations.
	US DOT: United States Department of Transportation.
	VOC: Volatile Organic Compound.
	WEL: Workplace Exposure Limit.
Text of Hazard Statements in	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Section 3	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
Maximum content of VOC	98.5 %.
Further information	
	DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it

the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.