" WIDTH ARE/ AP 목두

io

FIRST AID

If on Skin or on Clothina:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20
- . Call a poison control center or doctor immediately for treatment advice

Have product container or label with you when calling a poison control center or doctor for freatment advice.

For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any water-proof material. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Do not apply to puppies or foals under 12 weeks of age. Consult a veterinarian before applying this product on medicated, debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur. bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to the possibility of shock hazard.

Manufactured by:

Chem-Tech, Ltd. 1006 Business Highway 5 Pleasantville, IA 50225 IJ S A

Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation.

▼ PEEL BACK HERE AND RESEAL AFTER OPENING





CONTAINS PYRETHRINS-PERMETHRIN

- For use on horses, ponies and foals
- Controls fleas and ticks on dogs for 14 days

Active Ingredients:

Permethrin*	0.20%
Pyrethrins	0.10%
N-Octyl Bicycloheptene dicarboximic	le**0.50%
Other Ingredients:	99.20%
Total	100.00%

*Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans **MGK® 264 Insecticide Synergist

EPA Reg. No. 47000-188

EPA Est. No. 47000-IA-01 61282-WI-01

66171-CA-001 66171-TN-001

(First letter of batch number indicates establishment)

KEEP OUT OF REACH OF CHILDREN

Kills and Repels: Stable flies

- Horse flies
- Deer flies
- · Face flies
- · Others as listed

Net Contents: 32 oz. (946 mL)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

USE RESTRICTIONS

- For indoor use only
- Except when applying to dogs, horses, ponies, or foals, do not allow children, adults, or pets to enter until sprays have dried.
- Do not apply directly to sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow product to enter any drain during or after application.
- Do not apply as a broadcast treatment to indoor surfaces at residential sites, including nurseries, day care centers, schools, hospitals, and nursing homes.
- Do not contaminate food or feedstuffs.

SHAKE WELL BEFORE USE

Hold container upright and spray as directed. Prozap Fly-Die Ultra may be applied directly with either a soft cloth or fine mist spray. Do not apply to, or allow product to come into contact with, cats or kittens.

To operate trigger sprayer, turn tip to the proper setting for fine spray or a pin stream for cracks and crevices, and pump trigger to spray as directed. After use, turn tip to the OFF position to avoid accidental spraying.

APPLICATION DIRECTIONS

HORSES, PONIES, AND FOALS (OVER 12 WEEKS OF AGE)

Kills and Repels:

Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Cluster Flies, Sciarid Flies, Mosquitoes (including Culex species which may transmit West Nile Virus). Gnats, Midges, Punkies and No-See-Ums, Carpenter Bees, Moths (including Almond, Chocolate, Tobacco, Indian Meal, Angoumois Grain, and other flying moths), Fleas, Ticks (including Brown Dog. Lone Star. Deer and other Ixodes species, American Dog. and Gulf Coast ticks). Chiquers, and Lice.

For initial treatment, apply 1-2 fl. oz. daily for 2-3 days. As infestation subsides, repeat treatment every 7-14 days or as prescribed by a veterinarian. Also, re-apply every time animal is washed or exposed to heavy rain.

Apply to face, legs, flanks, top line, and other body areas commonly attacked by flies. Do not wet horse's skin or exceed 2 fl. oz. per application. After application, brush thoroughly to bring out a bright



Item No. 1887530

RNEOGEN

Application Directions, continued

Use As a Wipe On:

Brush animal to remove excess dirt and dust. Moisten, but do not wet to the point of dripping, a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to legs, shoulders, shanks, neck, and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out a bright sheen on the coat.

Make sure spray has completely dried before covering with any tack.

DOGS AND PUPPIES (OVER 12 WEEKS OF AGE)

Do not apply to or allow to come into contact with cats or kittens.

Kills and Repels:

Fleas. Ticks. and Lice

Do not apply more than 9 fl. oz. when applying to dogs.

Cover animal's eyes with a hand. Do not spray directly on mouth, nose, and eyes. Spray head, ears, and chest until damp. With fingertips, rub into face and around mouth, nose, and eyes. Then spray from the neck to the tail, finishing legs last. For best penetration of spray to skin, and on heavily coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. Avoid contact with the genitalia. Repeat treatment, if necessary, in 14 days.

As a Premise Spray in Barns, Stables, Farm Buildings and Buildings Housing Animals, and in Homes:

Kills the following listed insects on contact:

Cockroaches, Ants (including Fire, Carpenter, Foraging, and Pharaoh Ants), Spiders (including Black Widow), Scorpions, Silverfish, Sowbugs (Pillbugs), Centipedes, Millipedes, Crickets, Grain Mites, Clover Mites, Beetles (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Saw-Toothed Grain, Warehouse, Red Flour, Ground, and Elm Leaf beetles), Rice Weevils, Water Bugs, Cadelles, Indian Meal Worms, Boxelder Bugs, Asian Lady Beetles, Earwigs, Clothes Moths, and Booklice.

Spray thoroughly in areas where listed insects congregate. Direct spray into hiding places, cracks and crevices, along baseboards and around door and window frames. Apply as a spot treatment to floors in homes. Spray to contact as many exposed insects as possible. Do not use more than once per day.

Prozap® Fly-Die Ultra

KEEP OUT OF REACH OF CHILDREN CAUTION

See inside booklet for additional Precautionary Statements and complete Directions for Use

EPA Reg. No. 47000-188

EPA Est. No. 47000-IA-01 EPA Est. No. 61282-WI-01 EPA Est. No. 66171-CA-001 EPA Est. No. 66171-TN-001

(First letter of batch number indicates establishment)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, away from food or feed, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

CONTAINER HANDLING AND DISPOSAL:

Non-refillable container. Do not reuse this container

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER

To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

For non-emergency (e.g., current product information), Call: 1-800-621-8829 **Active Ingredients:**

Permethrin*	0.20%
Pyrethrins	0.10%
N-Octvl Bicvcloheptene dicarboximide**	
Other Ingredients:	
Total	

*Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans

**MGK® 264 Insecticide Syneraist

EPA Reg. No. 47000-188

EPA Est. No. 47000-IA-01 EPA Est. No. 61282-WI-01 EPA Est. No. 66171-CA-001 EPA Est. No. 66171-TN-001

(First letter of batch number indicates establishment)

KEEP OUT OF REACH OF CHILDREN CAUTION

See inside booklet for additional Precautionary Statements and complete Directions for Use

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, away from food or feed, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

CONTAINER HANDLING AND DISPOSAL:

Non-refillable container. Do not reuse this container.

If empty: Place in trash or offer for recycling if available.

If partify filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any water-proof material. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Do not apply to puppies or foals under 12 weeks of age. Consult a veterinarian before applying this product on medicated, debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to the possibility of shock hazard.

For non-emergency (e.g., current product information), Call: 1-800-621-8829

Read entire label prior to use.

Manufactured by:

Chem-Tech, Ltd. 1006 Business Highway 5 Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation. L4979-1017

Net Contents: 32 oz. (946 mL)



