



# Zinc Phosphide Rodent Oat Bait Kills Moles\* and Gophers

For Control of Pocket Gophers and Moles\*  
in Below-Ground Applications Only.  
Intended for Residential Use.

Do Not Sell In Individual Containers  
Containing More Than 1 Pound of Product.

\*Not Approved for this Use Pattern in the following  
states: California, Hawaii, New Hampshire, and Indiana.  
For use only against the eastern mole (*Scalopus  
aquaticus*) and the hairy-tailed mole (*Parascalops  
breweri*) in North Carolina. Not for use against the star-  
nosed mole (*Condylura cristata*) in North Carolina. Not  
for use against gophers in North Carolina.

<b>ACTIVE INGREDIENT:</b>	
Zinc Phosphide .....	2.0%
<b>OTHER INGREDIENTS:</b> .....98.0%	
<b>TOTAL:</b> .....	100.0%

EPA Reg. No. 61282-51      EPA Est. No. 61282-WI-01

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**NET CONTENTS: 1 pound**  
**NET WEIGHT: 1 pound**

<b>FIRST AID</b> <b>HAVE PRODUCT LABEL WHEN OBTAINING TREATMENT ADVICE</b> Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness, needs to be seen by a physician immediately.	
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>Call a poison control center, doctor, or <b>1-800-498-5743</b> immediately for treatment advice or transport the patient to the nearest hospital.</li> <li>Do not give <b>any</b> liquid to the patient.</li> <li>Do not administer anything by mouth.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If Inhaled:</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
Have product container or label with you when calling a poison control center or doctor for treatment advice.	
<b>TREATMENT FOR PET POISONING:</b> If animal eats bait, call veterinarian at once.	
<b>NOTE TO PHYSICIAN OR VETERINARIAN:</b> Contains the Phosphine-producing active Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Harmful if swallowed, absorbed through skin, or inhaled. Avoid breathing dust. Avoid contact with skin or clothing. Wear pants, shoes, socks, and barrier laminate gloves. Wash hands thoroughly with soap and water before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

**ENVIRONMENTAL HAZARDS**  
This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**READ THIS LABEL:** Read this entire label and follow all use directions, use restrictions and precautions.

*not approved for the control of Moles in the following states:  
California, Hawaii, Indiana, and New Hampshire*  
**For use only against the eastern mole (*Scalopus aquaticus*) and the hairy-tailed mole (*Parascalops breweri*) in North Carolina. Not for use against the star-nosed mole (*Condylura cristata*) in North Carolina. Not for use against gophers in North Carolina.**

**USE RESTRICTIONS:**

- This product may only be applied at the use sites and by the application methods indicated on this label.
- Bait must be applied directly into mole and pocket gopher burrow systems.
- Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.
- This product may only be used to control moles and pocket gophers in manual below ground applications.
- Do not apply in gardens where food or feed may become contaminated.
- Do not apply this product by use of an artificial burrow builder.
- Do not use this product for sod production.

**Lawns**  
**Specific Directions for Moles:** The presence of moles may be indicated

by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to flower bulbs.

**Surface Ridges:** Prior to treatment, determine which burrows are active according to one of the following two methods. Either press down a small section of the tunnel or remove a one inch section of the tunnel's roof. Mark these sections and recheck in 24 hours. The burrow is considered active if the flattened runway has been raised up or if the roof has been repaired. Only treat active burrows. Carefully, with a long-handled spoon, punch a hole in the top of each active tunnel, insert a teaspoon amount of this product and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days, check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment.

**Conical Mounds:** With a long handled spoon, carefully remove the center plug from each conical mound. Drop a teaspoon amount of this product into the underground tunnel. Close the opening with a rock or sod. Do not allow loose dirt to cover bait. If mole activity persists after one treatment, a second treatment may be made. If mole activity persists after two treatments, abandon use of this product and seek another method for controlling moles.

**Flower Bulb Protection (Fall Planted):** Pack about one-quarter inch of soil against each flower bulb. Place several pellets at sides of and around the flower bulb. Then cover the bulb with soil.

**Follow-Up:** Wearing barrier laminate gloves, collect and dispose of all dead, exposed animals and dispose of leftover bait in accordance with disposal instructions. Use detergent and hot water to wash spoon used for baiting. Do not use this spoon for mixing, holding or transferring food or feed. If reinfestation does occur, repeat treatment.

**Specific Directions for Pocket Gophers:** Burrowing pocket gophers (*Thomomys spp.* and *Geomys spp.*) throw out low, fan-shaped mounds on either side of their underground tunnels. The lateral tunnels coming to the surface are on the flat sides of the fans and are plugged with soil. With a long-handled spoon, carefully remove the plug. Insert a teaspoon of this product as far down the lateral tunnel as possible. Reclose the opening, being careful not to cover bait with soil.

**Follow-Up:** Wearing barrier laminate gloves, collect and dispose of all dead, exposed animals and dispose of leftover bait in accordance with disposal instructions. Use detergent and hot water to wash spoon used for baiting. Do not use this spoon for mixing, holding or transferring food or feed. If reinfestation does occur, repeat treatment.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Nonrefillable container. Do not refill this container. **If Empty:** Place in trash or offer for recycling if available.

**If Partially Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**DISCLAIMER**

**DISCLAIMER:** To the extent permitted by applicable law, seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

For non-emergency (e.g., current product information),  
Call: 1-800-621-8829

\*Not Approved for this Use Pattern in the following states: California, Hawaii, New Hampshire, and Indiana.





**Manufactured By:**  
**HACCO, Inc.**  
**110 Hopkins Drive**  
**Randolph, WI 53956**

Item No. 112855

HACCO, Inc. is a Wholly Owned Subsidiary of Neogen Corporation.

Prozap® is a Registered Trademark of Neogen Corporation LA4780-1116

LA 220071  
Code (NO.RA.) RR.RA. 0



23626 04060 1