

PRECAUTIONARY STATEMENTS

Harmful if swallowed. Avoid contact with eyes or skin. Wash thoroughly after handling. Spreader-Sticker may cause increased skin absorption of pesticides. Follow all precautions for pesticides used with this product.

FIRST AID

IF IN EYES: Flush eyes for 15 minutes with plenty of water, lifting upper and lower lids occasionally while flushing. If irritation persists, see a physician.

IF SWALLOWED: dilute by giving two glasses of water to drink. Never give anything by mouth to an unconscious person.

IF ON SKIN: Wash exposed skin thoroughly with soap and water. If irritation develops, see an physician.

IF ON INHALED: Move subject to fresh air. Give artificial respiration if breathing has stopped.

**S A SOUTHERN
5 0 AG®**

**SPREADER-
STICKER**

**FOR INCREASED EFFECTIVENESS OF INSECTICIDE
AND FUNGICIDE SPRAYS,
AND CERTAIN HERBICIDE SPRAYS**

INGREDIENTS:

Principal Functioning Agents:

Modified phthalic glycerol alkyd resin,
Octyl phenoxy polyethoxy ethanol and Isopropanol

CAUTION: KEEP OUT OF REACH OF CHILDREN

**Southern Agricultural
Insecticides, Inc.**

Palmetto, FL

Hendersonville, NC

Boone, NC

J6

Net Contents: 1 Gallon (3.785 liters)

LOT NO.

DIRECTIONS FOR USE

This product will increase the effectiveness of pesticide sprays by adding better spreading, depositing, and sticking.

CHEMICAL TYPE	SUGGESTED RATE
INSECTICIDES, FUNGICIDES, MITICIDES, & NUTRITIONALS	8-16 ounces per 100 gallons of spray (1 Teaspoon per gallon)
HERBICIDES	1-2 Pints per 100 gallons of spray (1-2 Teaspoons per gallon)

Add Spreader-Sticker to the spray tank after other materials have been thoroughly mixed with water. Allow spray to mix thoroughly before spraying. This product may increase the possibility of plant injury from pesticides.

FOR LOW VOLUME SPRAYS:

SPRAY VOLUME (Gal / Acre)		Rate of Spreader-Sticker per 100 gal.
Field & Row Crops	Tree & Orchard	
40-80	300-500	1 - 2 Pints
20-40	200-300	2 - 3 Pints

Spreader-Sticker is believed to be compatible with most pesticides that are not highly alkaline. If separation of spray mixture occurs, do not use. Spreader-Sticker may increase the possibility of plant injury from pesticides. Do not use on plants in bloom.

Storage: Store away from excessive heat. Keep from freezing.

NON-WARRANTY: Seller makes no warranty, expressed or implied as to the use of this material. Buyer assumes all risk and liability for results obtained by use or handling of this material whether or not in accordance with the directions or claimed so to be.

