

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

1/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** SEVIN® BRAND 85 S CARBARYL INSECTICIDE

**Product code (UVP)** 80221606

**SDS Number** 102000026142

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

**Restrictions on use** See product label for restrictions.

#### Information on supplier

**Supplier** Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577

**Product Information Telephone Number** 1-800-331-2867

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

Carcinogenicity: Category 2  
Acute toxicity(Oral): Category 3  
Combustible dust

#### Labelling in accordance with regulation HCS 29CFR §1910.1200



**Signal word:** Danger

#### Hazard statements

Suspected of causing cancer.  
Toxic if swallowed.  
May form combustible dust concentrations in air.  
Conduct Dust Hazard Assessment (DHA).

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

2/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

### Precautionary statements

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
IF exposed or concerned: Get medical advice/ attention.  
IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.  
Specific treatment (see supplemental first aid instructions on this label).  
Rinse mouth.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

This product contains an cholinesterase inhibitor.  
No physical hazards not otherwise classified.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Carbaryl	63-25-2	85.0

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

### Most important symptoms and effects, both acute and delayed

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

3/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

---

<b>Symptoms</b>	Temporary blurred vision due to contraction of the pupils (miosis) following contact with the eyes.
<b>Indication of any immediate medical attention and special treatment needed</b>	
<b>Risks</b>	This product is a cholinesterase inhibitor carbamate.
<b>Treatment</b>	<p>The product inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves.</p> <p>The following antidote is generally accepted: atropine.</p> <p>Do not use oximes such as 2-PAM unless organophosphate intoxication is suspected. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically. Contraindications: derivatives of morphine.</p>

---

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet
<b>Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
<b>Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
<b>Further information</b>	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	Not applicable
<b>Upper explosion limit</b>	Not applicable
<b>Explosivity</b>	No data available

---

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

4/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces. Avoid dust formation.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation. Avoid dust formation.

**Advice on protection against fire and explosion** Dust may form explosive mixture in air.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Carbaryl	63-25-2	5 mg/m <sup>3</sup> (TWA)	1989	OSHA Z1A

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

5/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

Carbaryl (Inhalable fraction and vapor.)	63-25-2	0.5 mg/m3 (TWA)	02 2012	ACGIH
Carbaryl	63-25-2	5 mg/m3 (REL)	2010	NIOSH
Carbaryl	63-25-2	5 mg/m3 (PEL)	02 2006	OSHA Z1
Carbaryl	63-25-2	5 mg/m3 (TWA)	06 2008	TN OEL
Carbaryl	63-25-2	5 mg/m3 (TWA PEL)	08 2010	US CA OEL
Carbaryl	63-25-2	0.5 mg/m3 (TLV)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

#### Hand protection

Chemical resistant nitrile rubber gloves

#### Eye protection

Tightly fitting safety goggles

#### Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.  
Chemical resistant headgear for overhead exposure

#### General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	powder fine
Odor	characteristic
Odour Threshold	No data available
pH	5.5 - 7.2
Vapor Pressure	Not applicable
Vapor Density (Air = 1)	No data available
Bulk density	0.30 - 0.42 g/ml (bulk density tapped)

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

6/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

---

	19.0 - 26.0 lb/ft <sup>3</sup> (bulk density tapped)
<b>Evaporation rate</b>	Not applicable
<b>Boiling Point</b>	Not applicable
<b>Melting / Freezing Point</b>	Not applicable
<b>Water solubility</b>	dispersible
<b>Minimum Ignition Energy</b>	> 3 - < 5 mJ
<b>Decomposition temperature</b>	175 - 190 °C Exothermic decomposition.
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Viscosity</b>	Not applicable
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	Not applicable
<b>Upper explosion limit</b>	Not applicable
<b>Explosivity</b>	No data available

---

### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

<b>Thermal decomposition</b>	175 - 190 °C Exothermic decomposition.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	No data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Ingestion, Eye contact, Skin Absorption, Inhalation
<b>Immediate Effects</b>	

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

7/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

<b>Eye</b>	May cause redness, irritation, tearing.
<b>Skin</b>	Harmful if absorbed through skin. May produce symptoms similar to those from ingestion.
<b>Ingestion</b>	May be fatal if swallowed. This product causes reversible cholinesterase inhibition without long term effects. Repeated overexposure may cause more severe cholinesterase inhibition with more pronounced symptoms. May lead to rapid onset of nausea, vomiting, diarrhea, abdominal pain, involuntary shaking, excess salivation, pinpoint pupils, blurred vision, profuse sweating, temporary paralysis, respiratory depression, and convulsions.

### Information on toxicological effects

<b>Acute oral toxicity</b>	LD50 (Rat) 212 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 5 mg/l Exposure time: 4 h
<b>Acute dermal toxicity</b>	LD50 (Rabbit) > 2,000 mg/kg
<b>Skin irritation</b>	Slight irritant effect - does not require labelling. (Rabbit)
<b>Eye irritation</b>	Slight irritant effect - does not require labelling. (Rabbit)
<b>Sensitisation</b>	Non-sensitizing. (Guinea pig)

### Assessment STOT Specific target organ toxicity – repeated exposure

Carbaryl caused reversible cholinesterase inhibition without long term effects in animal studies.

### Assessment mutagenicity

Carbaryl was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Carbaryl caused at high dose levels an increased incidence of tumours in the following organ(s): Liver, Thyroid, Kidney, Cardio-vascular system. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

### ACGIH

Carbaryl	63-25-2	Group A4
----------	---------	----------

### NTP

None.

### IARC

Carbaryl	63-25-2	Overall evaluation: 3
----------	---------	-----------------------

### OSHA

None.

### Assessment toxicity to reproduction

Carbaryl did not cause reproductive toxicity in a two-generation study in rats.

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

8/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

### Assessment developmental toxicity

Carbaryl did not cause developmental toxicity in rats and rabbits.

### Further information

The non-acute information pertains to the active ingredient(s).

---

## SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 3.3 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient carbaryl.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0.0164 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient carbaryl.
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 1.75 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient carbaryl.
<b>Biodegradability</b>	Carbaryl: rapidly biodegradable
<b>Koc</b>	Carbaryl: Koc: 624
<b>Bioaccumulation</b>	Carbaryl: Bioconcentration factor (BCF) 44 Does not bioaccumulate.
<b>Mobility in soil</b>	Carbaryl: Slightly mobile in soils
<b>Additional ecological information</b>	No other effects to be mentioned.
<b>Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Apply this product as specified on the label. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Product** Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.  
Dispose in accordance with all local, state/provincial and federal regulations.



# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

9/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

---

	Do not contaminate water, food, or feed by disposal.
<b>Contaminated packaging</b>	Do not re-use empty containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
<b>RCRA Information</b>	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

### SECTION 14: TRANSPORT INFORMATION

#### 49CFR

UN number	<b>2757</b>
Class	6.1
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	CARBAMATE PESTICIDES, SOLID, TOXIC (CARBARYL)
RQ	Reportable Quantity is reached with 117 lb of product.

#### IMDG

UN number	<b>2757</b>
Class	6.1
Packaging group	III
Marine pollutant	YES
Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (CARBARYL MIXTURE)

#### IATA

UN number	<b>2757</b>
Class	6.1
Packaging group	III
Environm. Hazardous Mark	NO
Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (CARBARYL MIXTURE )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

---

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

10/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

### SECTION 15: REGULATORY INFORMATION

#### US Federal Regulations

##### TSCA list

Carbaryl 63-25-2

##### US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

##### SARA Title III - Section 302 - Notification and Information

None.

##### SARA Title III - Section 313 - Toxic Chemical Release Reporting

Carbaryl 63-25-2 1.0%

##### US States Regulatory Reporting

##### CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Carbaryl 63-25-2

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Carbaryl 63-25-2 Male reproductive toxin.

Carbaryl 63-25-2 Developmental toxin.

##### US State Right-To-Know Ingredients

Carbaryl 63-25-2 CA, CT, IL, MN, NJ, RI

#### Canadian Regulations

##### Canadian Domestic Substance List

None.

#### Environmental

##### CERCLA

Carbaryl 63-25-2

##### Clean Water Section 307 Priority Pollutants

None.

##### Safe Drinking Water Act Maximum Contaminant Levels

None.

### SECTION 16: OTHER INFORMATION

#### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

# SAFETY DATA SHEET



## SEVIN® BRAND 85 S CARBARYL INSECTICIDE

Version 1.0 / USA  
102000026142

11/11  
Revision Date: 10/09/2017  
Print Date: 10/10/2017

N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

### NFPA 704 (National Fire Protection Association):

Health - 2      Flammability - 1      Instability - 1      Others - none

### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 10/09/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.